

# CONSTRUCTION & INDUSTRIAL CATALOG

SCAFFOLDING, MATERIAL HANDLING & FENCING





## Table of Contents

**Scaffolding ..... 3-7**

Rolling Towers..... 3

Power Snappy ..... 4

Snappy..... 5

Indy..... 6

Other Utility Scaffolds..... 7

**Overland Carts ..... 8-9**

10 Cu Ft Powered Wheelbarrow ..... 8

Power Dump Line ..... 9

**American Cart & Equipment ..... 10-14**

Hand Trucks ..... 10

Racks..... 11

Drywall Carts ..... 12

X-Country Wagon ..... 13

Equipment Dolly ..... 14

Parapet / Slab Guardrail System ..... 14

**Trash Chutes..... 15**

**Fencing ..... 16**

**Folding Ramps ..... 16**

## Warranty

### *Scaffold*

5 Year warranty against manufacturing defects (Subject to discretion of the manufacturer).

Meets or exceeds all OSHA & ANSI specifications.

### *Overland Carts*

1 year – Powertrain and Electronics

3 year – Chassis

Warranty starts from the invoiced date of the cart

Limited to manufacturing defects

Granite Industries is committed to making sure each Overland Cart meets your expectations. We are confident enough to offer a 15-day money back guarantee. Use the cart and see how much easier the cart makes your projects. If you're not satisfied, simply contact Granite Industries at 877-447-2648 for a return authorization and details.

### *American Cart & Equipment*

Carts, excluding any finishes, casters and wheels are warranted for three (3) years from date of original purchase.

Casters and wheels are warranted for 90 days from date of original purchase.

Power unit components are warranted for 90 days from date of original purchase. Batteries are warranted for one (1) year prorated.

We will repair, without charge, any defect due to faulty material or workmanship. These warranties do not cover failures due to abuse, misuse, improper installation, accidental damage or when repairs or modifications have been made or attempted to be made by anyone other than Granite Industries.

Any defective products that meet warranty specifications and Granite Industries approval, may be returned to the factory to be repaired or replaced free of charge. (Granite Industries will pay to ship replacement item(s) to the customer; however the customer is responsible for shipment of products to the factory.)

This remedy is the sole remedy in contract, tort or otherwise, and Granite Industries is not liable for incidental, consequential or special damages.

These warranties give you specific legal rights, and you may have other rights which vary from state to state. Should you have any questions, contact Granite Industries (proof of purchase may be required).



**ROLLING TOWER PACKAGES - 7' BRACE SPACING**



RT7-P10

All Granite scaffolding meets or exceeds OSHA & ANSI specifications.

Item	Dimensions	Weight
RT7-P10	10' H	500 lbs
RT7-P15	15' H	565 lbs
RT7-P20	20' H	797 lbs

10' High Rolling Tower Package RT7-P10 Unit Weight 500 lbs		
Qty	Item No	Description
4	BFS55S	Step Frame 5'x 5'
4	B7H 27 (*)	7' Brace Spacing
8	BIN	Insert
8	SN	Snap Pin
8	RC	Rivet & cotter
4	BC8	Caster
1	BBC57	Squaring Brace
2	BGRZ5E	End Guard Rail
2	GRZ7S	Side Guard Rail
2	GRZTB7	Toe Board 7'
3	SH1-19x7	19x7 Walkboard

15' High Rolling Tower Package RT7-P15 Unit Weight 565 lbs		
Qty	Item No	Description
6	BFS55S	Step Frame 5'x 5'
6	B7H 27 (*)	7' Brace Spacing
12	BIN	Insert
12	SN	Snap Pin
12	RC	Rivet & cotter
4	BC8	Caster
1	BBC57	Squaring Brace
2	BGRZ5E	End Guard Rail
2	GRZ7S	Side Guard Rail
2	GRZTB7	Toe Board 10'
3	SH1-19x7	19x7 Walkboard

20' High Rolling Tower Package RT7-P20 Unit Weight - 797 lbs		
Qty	Item No	Description
8	BFS55S	Step Frame 5'x 5'
8	B7H 27 (*)	7' Brace Spacing
16	BIN	Insert
16	SN	Snap Pin
16	RC	Rivet & cotter
8	BC8	Caster
1	BBC57	Squaring Brace
2	BGRZ5E	End Guard Rail
2	GRZ7S	Side Guard Rail
2	GRZTB7	Toe Board 10'
3	SH1-19x7	19x7 Walkboard
4	BOR	30" Outrigger

Note - Please Specify:  
(\*) Lock Spacing: 27 3/4", 48"



# UTILITY SCAFFOLD

POWER SNAPPY & SNAPPY



18711



18712

## POWER SNAPPY MOTORIZED WORK PLATFORM

**Powerful Electric Motors** - The Power Snappy is driven by two electric 24v hub motors, making it environmentally friendly. There's no emissions and virtually no noise.

**Improve Productivity** - Manpower is enhanced by reducing the time wasted by moving devices and climbing up and down.

**Easy Transport** - The Power Snappy can be broken down and transported in the back of a pickup truck, and can easily be moved by two people.

**It Fits** - Move from floor to floor on multi-story buildings via elevator, and drive it right on through doorways.

**Integrated Brake System** - When the throttle is off, the Snappy automatically has the brakes applied.

**Easy Charging** - Easily charge the Snappy via a standard 110v wall outlet



### MODEL M 18711

- Electric power drivetrain
- Adjustable heights from: 24" - 60"
- Height is adjustable every 2"
- Heavy duty 8" drive wheels
- 5" swivel casters
- Rechargeable battery pack

### MODEL L 18712

- Electric power drivetrain
- Adjustable heights from: 72" - 108"
- Height is adjustable every 2"
- Extensions and outriggers can be removed
- 5" swivel casters
- Rechargeable battery pack

### Conversion Kit 18716

- Converts Model M to Model L



The Power Snappy takes up no more room than a standard 10' ladder, and offers more safety plus mobility to complete the job faster and more efficiently.

Item	Dimensions	Weight	Capacity
18711	31" W x 60" L	300 lbs	500 lbs
18712	57" W x 80" L	475 lbs	500 lbs
18716	--	175 lbs	500 lbs



**CONTACT US FOR A FULL LINE  
SCAFFOLD CATALOG**  
877-447-2648  
GRANITEIND.COM  
SUPPORT@GRANITEIND.COM



## SNAPPY UTILITY SCAFFOLD

Compatible with BilJax ProJax and Original Multi Purpose utility scaffold.

**6' SNAPPY** **18006-0102**  
Platform height 27" - 6'

**6' SNAPPY W/ GUARDRAIL** **18007-0102**  
Includes Guardrail  
Platform height 27" - 6'

**6' DOUBLE SNAPPY** **18008-0102**  
6' Snappy Double Unit with Guardrail & Outriggers  
Platform height 27" - 12'

Item	Dimensions	Weight	Capacity
18006-0102	29" W x 6' H x 6' L	149 lbs	1,000 lbs
18007-0102	29" W x 9'6" H x 6' L	235 lbs	1,000 lbs
18008-0102	53" W x 15' H x 6' L	386 lbs	1,000 lbs



User friendly squeeze-lock is spring loaded to maintain the locked position at all times except when released for adjustment. A locking G-Pin is provided to prevent unintentional release. Additional snap pin is provided as a dual locked scaffold system.



Legs are independently adjustable, allowing you to have a stable work surface on uneven ground or on stairways.

Also available in 8' and 10' platform lengths.  
Contact factory for more information.



# UTILITY SCAFFOLD

INDY & OTHER UTILITY SCAFFOLDS



38051-0101



38051-0101 (QTY: 2), 38016-01, 38030-01

## INDY UTILITY SCAFFOLD

Compatible with Nuwave & Perry scaffold.

**6' INDY** **38051-0101**  
Platform height 1' - 6'

**INDY GUARDRAIL  
W/TOEBOARD** **38016-01**  
6' Guard rail set w/ toe board

**INDY OUTRIGGER SET** **38030-01**  
Includes 4 narrow outriggers w/o casters

Item	Dimensions	Weight	Capacity
38051-0101	29" W x 6'3" H x 6' L	149 lbs	1,000 lbs
38016-01	--	72 lbs	--
38030-01	--	27 lbs	--



User friendly squeeze-lock is spring loaded to maintain the locked position at all times except when released for adjustment. A locking knurled knob is provided to prevent unintentional release. Additional snap pin is provided as a dual locked scaffold system.




Steel edge banding protects all four sides of the exterior-grade plywood work platform without using rivets, screws or staples. Hand holds on each side provide ease in handling. Platform is held in place with spring-loaded retaining clips.



38051-0101, 38016-01



CONTACT US FOR A FULL LINE  
 SCAFFOLD CATALOG  
 877-447-2648  
 GRANITEIND.COM  
 SUPPORT@GRANITEIND.COM



## ADDITIONAL UTILITY SCAFFOLDS

**6' ORIGINAL UTILITY SCAFFOLD** **18900**  
 Safety clips hold down walkboard  
 1000 lb maximum load capacity

**Outrigger Set** **18903**  
**Guardrail Set** **18904**

**SNAPPY JR.** **18130-0101**  
 The scaffold has adjustments every 2" to ensure the perfect height for each application. Fits through a 28" doorway or stair well. Removable casters and independently adjustable legs for use on stairs. The decks are made from 1/2" plywood; 500 lb maximum load capacity.

**4' MINI-FOLD** **59175**  
 Easy to use unit that folds for convenient storage and handling. Steel planks are 10" wide with a textured grip tread for added safety; 500 lb maximum load capacity.

Item	Dimensions	Weight	Capacity
18900	6' H x 29" W x 6' L	145 lbs	1000 lbs
18903	--	60 lbs	--
18904	--	25 lbs	--
18130-0101	4' H x 24" W x 4' L	70 lbs	500 lbs
59175	52" H x 21" W x 44" L	64 lbs	500 lbs





Drive Tire Choices



Dual Ag



Single Ag



Turf Tire



EC27-10A  
70024

**10 CUBIC FOOT POWERED WHEELBARROW**



**Our largest capacity hopper.**

Need to move heavy loads? The EC27-10A is the electric cart for you. This electric wheelbarrow has our largest amount of hauling space - 10 cubic foot - so load it up! The large hopper makes this the perfect cart for moving everything from stone to mulch. This cart can take on up to 750 lbs of material. Twist throttle operation; locking hinged hopper allows you to quickly and easily dump loads.

**EC27-10A (70024) with Dual Ag Tires - *Top Seller!* -**

**EC27-10S (70078) with Single Ag Tires**

**EC27-10T (70073) with Turf Tire**



Item No	Dimensions	Weight	Cart Capacity
70024	38" H x 36" W x 61" L	196 lbs	750 lbs
70078	38" H x 36" W x 61" L	178 lbs	750 lbs
70073	38" H x 36" W x 61" L	178 lbs	750 lbs

All carts come fully assembled, ready to use.



CONTACT US FOR A FULL LINE  
 OVERLAND CATALOG  
 877-447-2648  
 OVERLANDCARTS.COM  
 SUPPORT@GRANITEIND.COM

Drive Tire Choices



Dual Ag



EC32-10A-P  
70051

POWER DUMP



EC32-10A-P  
70051

**Power at your fingertips.**

Our power dump feature makes dumping heavy loads of stone or concrete a snap. Simply push a button and let the cart do the work for you. You control the dump speed - there's even a quick release option.

**EC32-8A-P (70054)** 8 Cu. Ft. Hopper, Dual Ag Tires & Power Dump - *Best Cart for Concrete!* -

**EC32-10A-P (70051)** 10 Cu. Ft. Hopper, Dual Ag Tires & Power Dump - *Top Seller!* -



Item No	Dimensions	Weight	Cart Capacity
70054	38" H x 34" W x 64" L	236 lbs	750 lbs
70051	38" H x 33" W x 64" L	238 lbs	750 lbs

All carts come fully assembled, ready to use.





67243



67245-75

## MULTI MOVERS & HAND TRUCKS

### Multi Mover Features

- 3/4" axle
- 10" Flat free wheels with steel hubs
- E-Track ratchet system
- Folding foot plate
- Adjustable rear wheels

#### 67243-75 MULTI MOVER WITH REAR WHEELS

<b>Dimensions:*</b>	<b>W:</b> 24"	<b>D:</b> 51"	<b>H:</b> 36"
<b>Foot Plate:</b>	<b>W:</b> 23"	<b>D:</b> 17"	
<b>Weight:</b>	84 lbs.	<b>Capacity:</b>	750 lbs.

\*Measurements taken on 4 wheels with folding foot plate open

#### 67245-75 MULTI MOVER XT WITH REAR WHEELS

<b>Dimensions:*</b>	<b>W:</b> 30"	<b>D:</b> 70"	<b>H:</b> 38"
<b>Foot Plate:</b>	<b>W:</b> 27"	<b>D:</b> 31"	
<b>Weight:</b>	134 lbs.	<b>Capacity:</b>	1000 lbs.

\*Measurements taken on 4 wheels with folding foot plate open



12' E-Track straps available

PI-11-0212



67069-75



67264-75



67294-75

### Hand Truck Features

- 3/4" axle
- 10" Flat free wheels with steel hubs
- D-brackets on axle add more stability and strength

#### 67069-75 HAND TRUCK

<b>Dimensions:</b>	<b>W:</b> 22"	<b>D:</b> 20"	<b>H:</b> 50"
<b>Foot Plate:</b>	<b>W:</b> 14"	<b>D:</b> 10"	
<b>Weight:</b>	42 lbs.	<b>Capacity:</b>	600 lbs.

#### 67264-75 FORK HAND TRUCK

<b>Dimensions:</b>	<b>W:</b> 22"	<b>D:</b> 32"	<b>H:</b> 50"
<b>Forks:</b>	<b>W:</b> 3"	<b>D:</b> 20"	
<b>Weight:</b>	62 lbs.	<b>Capacity:</b>	600 lbs.

#### 67294-75 FORK HAND TRUCK WITH DUAL WHEELS

<b>Dimensions:</b>	<b>W:</b> 30"	<b>D:</b> 32"	<b>H:</b> 50"
<b>Forks:</b>	<b>W:</b> 3"	<b>D:</b> 20"	
<b>Weight:</b>	74 lbs.	<b>Capacity:</b>	600 lbs.





CONTACT US FOR A FULL LINE  
 AMERICAN CART CATALOG  
 877-447-2648  
 AMERICANCARTEQUIPMENT.COM  
 SUPPORT@GRANITEIND.COM



67282



67038

## RACKS

### 67282 DRYWALL/STEEL STUD RACK

- For use with steel studs or drywall sections
- 8" casters; 2 swivel, 2 fixed
- Stack up to 3 high, do not exceed 1,500 lbs on casters
- 2 pole positions: 31" or 26" inside widths

<b>Dimensions:</b>	<b>W:</b> 60"	<b>D:</b> 31"	<b>H:</b> 61"
<b>Weight:</b>	188 lbs.	<b>Capacity:</b>	1,500 lbs.



67642

### 67038 WAREHOUSE RACK - 66"

- 5" casters; 2 swivel, 2 fixed
- Stack up to 3 high, do not exceed 1,500 lbs on casters
- For increased storage capacity, see our Storage Base (67137) on page 21
- E-Track ratchet system

<b>Dimensions:</b>	<b>W:</b> 63"	<b>D:</b> 38"	<b>H:</b> 70"
<b>Inside:</b>	<b>W:</b> 56"	<b>D:</b> 31"	<b>H:</b> 60"
<b>Weight:</b>	174 lbs.	<b>Capacity:</b>	1,500 lbs.



67642

### 67342 HOSE STORAGE RACK - 33"

- 8" casters; 4 swivel with locks
- Stack up to 3 high, do not exceed 2,000 lbs on casters

<b>Dimensions:</b>	<b>W:</b> 98"	<b>D:</b> 25"	<b>H:</b> 33"
<b>Storage Area:</b>	<b>W:</b> 92"	<b>D:</b> 18"	<b>H:</b> 17"
<b>Weight:*</b>	220 lbs.	<b>Capacity:</b>	2,000 lbs.

\*Weight taken with casters.





75121



75122

## DRYWALL CARTS & LIFT

### 75121-01 DRYWALL CART

- 8" Casters with plastic hub; 3 swivel & 1 locking
- Our most popular drywall cart

<b>Dimensions:</b>	<b>W:</b> 50"	<b>D:</b> 23"	<b>H:</b> 48"
<b>Platform:</b>	<b>W:</b> 43"	<b>D:</b> 12"	
<b>Weight:</b>	86 lbs.	<b>Capacity:</b>	3000 lbs.

### 75122-01 LO-RIDER DRYWALL CART

- 8" casters with plastic hub; 3 swivel & 1 locking
- Removable posts
- Lower center of gravity for greater stability

<b>Dimensions:</b>	<b>W:</b> 39"	<b>D:</b> 33"	<b>H:</b> 42"
<b>Platform:</b>	<b>W:</b> 38"	<b>D:</b> 12"	
<b>Weight:</b>	84 lbs.	<b>Capacity:</b>	3000 lbs.

### 59225 DRYWALL LIFT

- 4' X 16' single sheet capacity
- 11' Maximum reach for ceilings
- 65 degree tilt for easy loading

<b>Dimensions:</b>	<b>W:</b> 51"	<b>D:</b> 48"	<b>H:</b> 56"
<b>Weight:</b>	95 lbs.	<b>Capacity:</b>	150 lbs.

Made in China


Lift extension 59227 available. Extends lift height to 15'.



59225



CONTACT US FOR A FULL LINE  
 AMERICAN CART CATALOG  
 877-447-2648  
 AMERICANCARTEQUIPMENT.COM  
 SUPPORT@GRANITEIND.COM



67154

## X-COUNTRY WAGON

### 67154 X-COUNTRY WAGON

- Includes 8' pole (adj up to 7 1/2' long)
- Quickly disassembles for easy storage
- 16" flat free tire; 4" wide with steel hub

<b>Dimensions:</b>	<b>W:</b> 34"	<b>D:</b> Adj.	<b>H:</b> 50"
<b>Weight:</b>	117 lbs.	<b>Capacity:</b>	2000 lbs.

### 67152 FRAME ONLY

- Same as 67154, but no center tube, no side poles
- Weight 72 lbs.

### 67326 WIDE TIRE OPTION

- Same as 67154
- 15" flat free tire, 6" wide with steel hub
- Cart weight: 135 lbs.
- Left: Standard Tire (67154)
- Right: Wide Tire (67326)



### 67157 TREE ADD-ON

- 2 trees for more hauling options (cart not included)

<b>Dimensions:</b>	<b>W:</b> 35"	<b>D:</b> 1.5"	<b>H:</b> 33"
<b>Weight:</b>	32 lbs. each	<b>Capacity:*</b>	2,000 lbs.

\*2,000 evenly distributed across both trees





## EQUIPMENT DOLLY

### 67219-4 EQUIPMENT DOLLY (4 PACK)

- Interlocking and stackable
- Sold in sets of 4
- 3" swivel casters

<b>Dimensions:</b>	<b>W:</b> 23"	<b>D:</b> 16"	<b>H:</b> 5"
<b>Weight:</b>	8 lbs. each	Capacity	330 lbs. each

Made in China



67219



## PARAPET / SLAB GUARDRAIL SYSTEM

### GRANITE PARAPET / SLAB GUARDRAIL SYSTEM

The Dual Guard Rail System is a portable perimeter barrier that mounts easily on parapets and/or concrete slabs. The first component is the clamp, the second component is the guardrail post. The guardrail post sets on the insert, secured by a snap pin. Wood or cable is then used to provide the passive perimeter protection (not provided). **Meets and exceeds OSHA and ANSI Standards**

Item No	Dimensions	Weight
20201 & 20202-01	Clamp Adj: 4 1/2" - 25" Guardrail Height: 38"	28 lbs



# TRASH CHUTES

CHUTES & COMPONENTS



## TRASH CHUTES

Item No	Description	Weight
74001	Chute Section	38 lbs
74002	Hopper Section	65 lbs
74026	Intermediate Hopper	70 lbs
74003	Chute Liner (Galvanized)	34 lbs
74037	Winch Hoist w/o Cable	45 lbs
74024	Griphoist w/o Cable	22 lbs
74012	Support Frame	75 lbs
74500	Package A	84 lbs
	Support Frame Package	
74501	• Hopper Support Leg (Set)	110 lbs
	• Support Frame	
74507	Package B1	139 lbs
	Window Outrigger Package	
74505	• Screw Jack Clamp	89 lbs
	• Outrigger	
74505	*Sill plates lumber (not included)	89 lbs
	Package C1	
74507	Winch Assembly Package	139 lbs
	• Winch/Pulley Stand	
74507	• Winch Cable Assembly	139 lbs
	• Lifting Bar	
74507	• Lifting Chains (Set)	139 lbs
	• Winch	
74505	Package C2	89 lbs
	Winch Assembly Griphoist Pkg	
74505	• Winch/Pulley Stand	89 lbs
	• Winch Cable Assembly	
74505	• Lifting Bar	89 lbs
	• Lifting Chains (Set)	
74505	• Winch	89 lbs





# ADDITIONAL ITEMS

CROWD CONTROL, SECURITY FENCING & FOLDING RAMPS

## FENCING



50015 & 50018



50212



50019

50017

50018



50017 & 50018



50215



50214

Granite crowd control & security fencing offers an affordable yet durable solution for nearly any application. The steel and galvanized finish provide a sturdy fence that is weather resistant. The male hooks that connect the fencing are double welded to ensure maximum strength.

Item No	Description	Weight
50015-50	8' L x 44" H Fencing Section	43 lbs
50017-50	Wide Arch Base Foot	3 lbs
50018-50	Narrow Arch Base Foot	3 lbs
50019-50	Flat Base Foot	4 lbs

Item No	Description	Weight
50212	6' H x 8' L Security Fencing	56 lbs
50213	8' H x 8' L Security Fencing	75 lbs
50214	Flat Foot	11 lbs
50215	Connector	1 lbs

### 9" W x 8' L Folding Ramps

- Aluminum Construction** – Lightweight and resistant to rust.
- Reinforced** – Extra bracing to provide additional strength.
- Quad Ripple Finish** – Provides a smooth durable finish.
- Solid Surface** – No sharp metal edges or cutouts
- Weight Capacity** – At 900 pounds per ramp or a combined 1,800 pounds for both ramps, these ramps are industry leading.
- Made in the USA** – Controlled construction from the first weld to the quad ripple application.

Item No	Description	Weight
59269-2	9" W x 8' L Folding Ramp Set of 2	43 lbs



### Granite Industries

595 East Lugbill Rd  
 Archbold, OH 43502  
 Phone: 877-447-2648  
 Email: support@graniteind.com