2021
DISTRIBUTION & RENTAL
Catalog

DITEQ™

www.DITEQ.com

Discover the DITEQ *Difference!*

DITEQ
DIAMOND TOOLS & EQUIPMENT

General Purpose Diamond Blades
4-6 High Speed / Flat Saw / Masonry & General Purpose Diamond Blades
7 High Speed / Masonry Diamond Blades

Green Concrete Diamond Blades / Equipment / Joint & Crack Repair
8 G-TEQ Early Entry Saw / Diamond Blades
8 Joint Widening Blades / Wire Brushes / Crack Repair
9 Diamond Blades / Skid Plates for Soff-Cut® Saws

Professional Blades / Diamond Chain
10 Professional Blades and Ringsaw Blades
10 Diamond Chain, Bars and Sprockets

Diamond Core Bits / Core Drill Machines
11-13 Diamond Core Bits
14-16 SHIBUYA Core Drill Machines

Grinding Wheels / Scarifier Tools
17 Electric Handsaw
17-18 Diamond Cup Grinding Wheels
18 Carbide Cutters / Scarifier Tooling

19-20 **ANYCUT Wheels / Abrasives / Tuckpoint Blades**

21 **Specialty Carbides**

Vacuum Systems / Shrouds / Floor Machines
20-22 Wet/Dry and Dry HEPA Vacuums
22 Shrouds / Dust Collection
23-24 Wet Slurry Vacuums
24 Swing Machine and Burnishers
25 SlurrySep and Slurry Dry
25 Concrete Destroyer / Sprayers
25 Floor Pads
26 Floor Scrubbers

27 **Hydraulic Tools**

28 **TG Series Grinders/Polishers**

29 **Diamond Tools for Grinders (DT and TL series)**

Stone and Tile Fabrication Tooling
30 Diamond Blades
30 Diamond Polishing Pads

31 **Terms and Conditions / Warranty**

Note:
- Many more products and product options are available. This Catalog only reflects the common items.
- Pricing is for reference only and is subject to change at any time.

Diamond Blade Operating Speeds

Diameter	Recommended Operating Speed (RPM)*	Maximum Safe Speed (RPM)
4″	9,072	15,000
4-1/2″	8,063	13,300
5″	7,257	12,000
6″	6,048	10,185
7″	5,184	8,730
8″	4,536	7,640
9″	4,032	6,790
10″	3,629	6,110
12″	3,024	5,090
12″ High Speed		6,300
14″	2,592	4,365
14″ High Speed		5,460
16″	2,268	3,820
16″ High Speed		4,725
18″	2,016	3,395
20″	1,814	3,055
22″	1,649	2,775
24″	1,512	2,545
26″	1,396	2,350
28″	1,296	2,180
30″	1,210	2,035
32″	1,134	1,910
36″	1,008	1,695
42″	864	1,455
48″	756	1,270
54″		1,130
60″		1,015

*Based on 9,500 SFPM (Surface Feet Per Minute)

Maximum Blade Cutting Depth

Blade Diameter	Cutting Depth
Concrete Saw Blades	
12″	3-5/8″
14″	4-5/8″
16″	5-5/8″
18″	6-5/8″
20″	7-5/8″
24″	9-5/8″
26″	10-5/8″
30″	12-3/8″
36″	14-7/8″
42″	17-3/8″
48″	19-7/8″
High Speed Saw Blades	
12″	4″
14″	5″
16″	6″
Wall Saw Blades	
18″	6-1/2″
24″	9-1/2″
30″	11-1/2″
36″	14-1/2″
42″	17-3/4″
48″	20-3/4″

Blade Diameter	Cutting Depth
Masonry Saw Blades	
14″	5″
18″	7″
20″	8″
Power Hand Saw Blades	
6″	1-3/4″
7″	2-1/4″
8″	2-3/4″
9″	3-1/4″
10″	3-3/4″
Tile Saw Blades	
4″	1″
4-1/2″	1-1/4″
5″	1-1/2″
7″	2-1/2″
8″	3″
10″	3-3/4″

Discount Codes: A - Abrasive/Chemicals
D - Diamond
E - Equipment
P - Parts

High Speed, Flat Saw, Masonry & General Purpose Segmented Blades

Material	C/A44 ARIX	C/A34GD Guardian	C/S-33SC	C/A-33 Monster	C/S-32 BRUTE	C/S-32 BRUTE Silent	C/A24	C-43 AX	C-33 AX	U23 XTRA	U22	U13 XTRA	JS-S Jet Stream	DXS XTRA	DXS
Hard Brick			●		●	●									
Granite			●		●	●									
Brick/Pavers			●		●	●		●	●	●	●	●	●	●	●
Cured Concrete	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Concrete w/Steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Clay Tile		●	●	●	●	●	●	●	●	●	●	●	●	●	●
Block		●		●			●	●	●	●	●	●	●		
Asphalt	●	●		●											
Green Concrete	●	●		●											

Professional Combo Blades

DRY/WET

.393" seg height

Laser Welded

- Engineered for superior cutting performance on a wide range of material.
- Features tungsten inserts for undercutting core protection for abrasive material including soft-medium-hard concrete, abrasive materials and asphalt

C-44AX Combo *DITEQ's Do All Blades*

★★★★PRO IV High Performance with Undercut Protection

Concrete/Asphalt/Green Concrete

Fast Cut/Medium Life

Diameter & Width	Part No.	D List
14" x .125" x 1"-20mm DP	**D10082**	**$480**
16" x .125" x 1" DP	D10095	**547**
18" x .125" x 1" DP	**D10084**	**601**
20" x .145" x 1" DP	**D10087**	**711**

DRY/WET

.512" seg. height

3 Segment Design

- ARIX™ diamond arrangement technology for faster cutting speed and longer blade life.
- Super high quality diamonds for optimal segment strength
- Wear Guard deep segment
- Air-cooled structural core prevents overheating
- For use on high speed saws, masonry saws and lower horsepower walk-behind concrete saws up to 20 hp

C/A-34GD Guardian Combo

★★★Super Premium

Concrete/Block/Asphalt/Green Concrete

Fast Cut/Long Life

Diameter & Width	Part No.	D List
12" x .125" x 1"-20mm DP	**D11030**	**$370**
12" x .125" x 20mm DP	**D11050**	**370**
14" x .125" x 1"-20mm DP	**D11031**	**414**
14" x .125" x 20mm DP	**D11051**	**414**
16" x .125" x 1"-20mm DP	**D11032**	**497**
16" x .125" x 20mm DP	D11052	**497**
18" x .125" x 1"-20mm DP	**D11033**	**601**
20" x .145" x 1"-20mm DP	**D11034**	**767**
24" x .145" x 1" DP*	D11080	**1015**

**24" blade has solid core and is wet use only*

DRY/WET

- Made to cut a wide variety of stone *DRY*
- Two segment design with a combination of standard and turbo ARIX segments for speed and long life

C/S-33SC

★★★Super Premium Fast Cut/Longest Life

Granite/Brick/Hard Concrete/Pavers

Fast Cut/Long Life

Diameter & Width	Part No.	D List
12" x .125" x 20mm DP	D11069	**$370**
12" x .125" x 1"-20mm DP	D11067	**370**
14" x .125" x 20mm DP	D11070	**414**
14" x .125" x 1"-20mm DP	D11068	**414**
16" x .125" x 1"-20mm DP	D11079	**497**

High Speed / Flat Saw / Masonry / General Purpose Diamond Blades

DRY/WET

13mm / .512" seg. height

- Contractor General Purpose Blade
- Combo Concrete / Block / Green Concrete / Asphalt
- Use on High Speed / Masonry / Low HP Flat Saw
- Three Segment Design
- 13mm Segment Height

C/A-33 MONSTER

★★★Super Premium G3

Concrete/Block/Green Concrete/Asphalt

Fast Cut/Medium Life

Diameter & Width	Part No.	D Price
12" x .125" x 1" - 20mmDP	D11150	$278
14" x .125" x 1"-20mm DP	D11151	310
14" x .125" x 20mm DP	D11156	310
16" x .125" x 1"-20mm DP	D11152	373
16" x .125" x 20mm DP	D11157	373
18" x .125" x 1"-DP	D11153	452
20" x .145" x 1"-DP	D11154	578

DRY/WET

13mm / .512" seg. height

- Contractor General Purpose Blade
- Combo Stone / Brick / Concrete
- Use on High Speed / Masonry / Low HP Flat Saws
- Turbo Segment Design
- 13mm Segment Height

C/S-32 BRUTE

★★★Super Premium G3

Granite/Brick/Hard Concrete/Pavers

Fast Cut/Medium Life

Diameter & Width	Part No.	D List
12" x .125" x 1" - 20mmDP	D11160	$270
14" x .125" x 1"-20mm DP	D11161	303
16" x .125" x 1"-20mm DP	D11162	369
18" x .125" x 1"-DP	D11163	435
20" x .145" x 1"-DP	D11164	556

DRY/WET

13mm / .512" seg. height

- New core with sound deadening technology can be used wet or dry
- Contractor General Purpose Blade
- Combo Stone / Brick / Concrete
- Use on High Speed / Masonry / Low HP Flat Saws
- Turbo Segment Design
- 13mm Segment Height

C/S-32 BRUTE Silent

★★★Super Premium G3

Granite/Brick/Hard Concrete/Pavers

Fast Cut/Medium Life

Diameter & Width	Part No.	D List
12" x .125" x 1" - 20mmDP	D11165	$314
14" x .125" x 1"-20mm DP	D11166	372
16" x .125" x 1"-20mm DP	D11167	462
18" x .125" x 1"-DP	D11168	506
20" x .145" x 1"-DP	D11169	715



DRY/WET

.591" seg height

- Combo blade with MEGA tall turbo and standard segments
- Super Kool Core
- Medium Cut
- Medium life
- Cuts - concrete, brick, block, pavers and stone

C/A 24 Combo

★★Premium

Concrete/Block

Medium Cut/Medium Life

Diameter & Width	Part No.	D List
14" x .125" x 1"-20mm	D11042	$254
14" x .125" x 20mm	D11059	254
16" x .125" x 1"-20mm	D10202	314
16" x .125" x 20mm	D11060	314

Super Premium Blades



.393″ seg. height
Laser Welded

C-43AX
★★★★ PRO IV High Performance
Fast Cut/Long Life
Cured Concrete/Brick/Block

Diameter & Width	Part No.	D List
14″ x .125″ x 1″-20mm DP	D10053	$453
16″ x .125″ x 1″-20mm DP	D10054	529
18″ x .125″ x 1″ DP	D10055	547
20″ x .145″ x 1″ DP	D10056	657



.393″ seg. height
Laser Welded

C-33AX
★★★Super Premium
Fast Cut/Long Life
Brick/Cured Concrete/Block

Diameter & Width	Part No.	D List
12″ x .125″ x 1″-20mm DP	D11021	$292
14″ x .125″ x 1″-20mm DP	D11022	325
14″ x .125″ x 20mm DP	D11027	325
16″ x .125″ x 1″-20mm DP	D11023	397
18″ x .125″ x 1″ DP	D11024	436
20″ x .145″ x 1″ DP	D11025	547
24″ x .160″ x 1″ DP	D11028	821

.512″ seg. height
Laser Welded

U23 Xtra Segmented Blade
★★Premium Gen. Purpose
Fast Cut/Long Life
Brick/Cured Concrete/Block

Diameter & Width	Part No.	D List
14″ x .125″ x 1″-20mm +DP	D70069	$215

Laser Welded
.393 in.
segment height

U-22 General Purpose
★★Premium Fast
Fast Cut/Medium Life
Cured Concrete /Brick/Block

Diameter & Width	Part No.	D List
12″ x .125″ x 20mm DP	D70012	128
12″ x .125″ x 1″-20mm DP	D70013	128
14″ x .125″ x 20mm DP	D70016	144
14″ x .125″ x 1″-20mm +DP	D70017	144
16″ x .125″ x 1″-20mm +DP	D70085	171

.512″ seg. height
Laser Welded

U13-Xtra General Purpose Segment
★Economy *Medium Cut/Long Life*
Cured Concrete/Brick/Block

Diameter & Width	Part No.	D List
14″ x .125″ x 1″-20mm	D70080	$188

.500" seg. height

JS-S Jet Stream
★Economy *Fast Cut/Long Life*
Brick/Concrete/Block

Diameter & Width	Part No.	D List
4″ x .080″ x 7/8″-5/8″	D96403	$26
4.5″ x .080″ x 7/8″-5/8″	D96404	31
5″ x .080″ x 7/8″-5/8″	D96405	36
6″ x .090″ x 7/8″-5/8″	D96406	46
7″ x .090″ x DM-7/8″-5/8″	D96407	51
8″ x .090″ x DM-7/8″-5/8″	D96408	66
9″ x .095″ x 7/8″-5/8″	D96409	77
10″ x .110″ x 7/8″-5/8″	D96410	87
12″ x .125″ x 1″ - 20mmDP	D96401	97
14″ x .125″ x 1″-20mm DP	D96402	102
14″ x .125″ x 20mm DP	D96411	102

.591″ seg. height

DX Xtra-S
★Economy *Medium Cut/Long Life*
Brick/Concrete/Block

Diameter & Width	Part No.	D List
12″ x .125″ x 1″-20mm	D96231	$138
14″ x .125″ x 1″-20mm	D96230	149

.393″ seg. height

DX-S Universal Segmented Blade
★Economy *Medium Cut/Long Life*
Brick/Concrete/Block

Diameter & Width	Part No.	D List
4″ x .080″ x 7/8″-5/8″	D96205	$22
4.5″ x .080″ x 7/8″-5/8″	D96206	26
5″ x .080″ x 7/8″-5/8″	D96220	31
6″ x .080″ x 7/8″-5/8″	D96221	43
7″ x .080″ x DM-7/8″-5/8″	D96207	48
8″ x .085″ x DM-7/8″-5/8″	D96222	61
9″ x .095″ x 7/8″-5/8″	D96223	67
10″ x .095″ x DM-7/8″-5/8″	D96208	85
12″ x .125″ x 1″ - 20mm	D96214	100
14″ x .125″ x 1″ - 20mm	D96215	105

Shaft Adapter

Description	Part No.	P List
20mm to 1 inch	161778	$2

High Speed / Small Diameter General Purpose Turbo / Specialty Diamond Blades

Asphalt, Green Concrete, Brick, Block Speciality Diamond Blades

Material	A36 ARIX	U/A26	U/A16	D23	D25
Hard Brick				●	
Brick				●	
Cured Concrete				●	
Concrete w/ Steel				●	
Stone				●	
Clay Tile				●	
Block/Pavers	●	●	●	●	
Green Concrete	●	●	●	●	
Asphalt	●	●	●	●	
Ductile Iron				●	●
Steel				●	
Glass				●	
Fiberglass				●	
Plastic				●	

HIGH SPEED BLADES

Super Premium Blades



.393" seg. height
Laser Welded

A36AX
★★★Super Premium
Fast Cut/Long Life
Asphalt/Green Concrete/Lightweight Block

Diameter & Width	Part No.	D List
14" x .125" x 1"-20mm DP	**D24502**	**397**
16" x .125" x 1"-20mm DP	D24503	**436**
18" x .135" x 1" DP	**D24504**	**547**

Premium Blades

.393"seg. height
Laser Welded

U-A26 Universal Segmented
★★Premium
Fast Cut/Medium Life
Block/Green Concrete/Asphalt

Diameter & Width	Part No.	D List
14" x .125" x 1"-20mm DP	**D70073**	**$233**
16" x .125" x 1"-20mm DP	D70086	**287**

Economy Blades

.472"seg. height

U-A16 Segmented Blade
★General Purpose,
Medium Cut/Medium Life
Green Concrete/Asphalt/Block

Diameter & Width	Part No.	D List
14" x .125" x 1"-20mm DP	**D70088**	**$154**

Specialty Blades

.200"seg. height
Laser Welded

D25 Ductile Iron
★★Premium

Diameter & Width	Part No.	D List
14" x .125" x 1"-20mm	**D44002**	**276**
16" x .125" x 1"-20mm	D44005	**387**

.200"seg. height

D23 Construction Utility
★★Premium
Fast Cut/Multi-Purpose

Diameter & Width	Part No.	D List
4.5" x .080" x 7/8"-5/8"	D11102	**$94**
5" x .080" x 7/8"-5/8"	D11103	**105**
7" x .100" x DM-7/8"-5/8"	D11104	**160**
9" x 7/8-5/8	D11107	**204**
12" x .125" x 1-20mm	**D10061**	**314**
12" x .125" x 20mm	D10151	**314**
14" x .125" x 1-20mm	**D10057**	**325**
14" x .125" x 20mm	D10152	**325**
16" x .125" x 1-20mm	D10100	**547**

Turbo and Masonry Blade Application Chart

Material	B31/ B33 Silent Turbo	B35/ ARIX	B38 Silent	Silent C/S-32 Brute	B28	ARIX B41	C33 Fire-star	B22 Fire-hawk	U23-ST	DX-T
Refractory				●		●				
Hard Brick				●					●	●
Brick	●	●		●			●	●	●	●
Stone	●			●			●	●	●	
Clay Tile				●			●	●		
Block/Pavers	●		●	●	●		●	●		●

Silent Turbo

★★★Super Premium

Diameter & Width	B31 Stone/ Brick	B33 Brick/ Block	D List
14" x .125" x 1" -20mm	D43034	D41023	$403
20" x .145" x 1"	D44113	D44109	709

DRY/WET .393" seg height

Silent Core

★★★Super Premium

Diameter & Width	Brick/ Block B35AX	Block B38	D List
20" x .135" x 1"	D44104	D44102	$811

DRY/WET

C/S-32 BRUTE Silent

★★★Super Premium G3

Granite/Brick/Hard Concrete/Pavers

Fast Cut/Medium Life

Diameter & Width	Part No.	D List
12" x .125" x 1" - 20mmDP	D11165	$314
14" x .125" x 1"-20mm DP	D11166	372
16" x .125" x 1"-20mm DP	D11167	462
18" x .125" x 1"-DP	D11168	506
20" x .145" x 1"-DP	D11169	715

DRY/WET .512" seg. height

QB-32 BRUTE Silent

★★★Super Premium G3

Granite/Brick/Hard Concrete/Pavers

Fast Cut/Medium Life

Diameter & Width	Part No.	D List
16.5" x .125" x Q2-1"	D43051	$561



B28 Segmented

★★Premium *Block*

Diameter & Width	Part No.	D List
20" x .145" x 1"	D43004	$403

.393" segment height

DRY/WET

B41 Segmented

★★★★PRO IV *Refractory*

Diameter & Width	Part No.	D List
14" x .125" x 1"	D43021	$454
20" x .125" x 1"	D43023	607

.393" segment height

DRY/WET

C33 Firestar

★★★ Super Premium

Diameter & Width	Part No.	D List
4.5" x .070" x 7/8"-5/8"	D57116	$49
5" x .080" x 7/8"-5/8" Flush	D57107	56
7" x .095" x DM-7/8"-5/8"	D57101	110
10" x .110" x DM-7/8"-5/8"	D57106	194
14" x .125" x 1"-20mm DP	D57104	358

DRY/WET .393" segment height

B22 Firehawk III Multi-Purpose Turbo Blade

★★Premium *Fast Cut*

Diameter & Width	Part No.	D List
4" x .095" x 7/8 - 5/8" flush	D58013	$39
4.5" x .095" x 7/8 - 5/8" flush	D58012	44
5" x .095" x 7/8 - 5/8" flush	D58011	49
6" x .095" x 7/8 - 5/8" flush	D58018	71
7" x .095" x 7/8 - 5/8" DM	D58014	94
10" x .110" x 7/8 - 5/8" DM	D58015	182
12" x .125" x 1" - 20mm DP	D58016	238
14" x .125" x 1" - 20mm DP	D58017	292

DRY/WET .472" segment height



U23ST Segmented Turbo Blade

★★Premium General Purpose

Fast Cut/Longest Life *Cured Concrete/Brick*

Diameter & Width	Part No.	D List
14" x .125" x 1"-20mm +DP	D41004	$270

.472"segment height

DRY/WET

Laser Welded

Stone Fire Rim Turbo Blade

★★★ Super Premium

Diameter & Width	Part No.	D List
4.5" x .095" x 7/8"- 5/8" flush	D58022	$66
5" x .095" x 7/8"- 5/8" flush	D58023	71
6" x .095" x 7/8"- 5/8" flush	D58024	83
7" x .095" x DM7/8"- 5/8" flush	D58025	94

DRY/WET

DX-T Wide Turbo Rim Blade

★Economy, Fast Cut

Diameter & Width	Part No.	D List
4" x .095" x 7/8"- 5/8"	D96209	$21
4.5" x .095" x 7/8"- 5/8"	D96210	24
5" x .095" x 7/8"-5/8"	D96224	31
7" x .095" x DM-7/8"- 5/8"	D96211	48

DRY/WET .275" seg. height

Joint Widening / Green Diamond Blades / G-TEQ Early Entry Saws

G-TEQ Early Entry Saws

Model No.	G-TEQ 550H	G-TEQ 200E
PUSH/SELF-PROPELLED	Push	Push
HORSEPOWER	5.5HP	2HP Electric
ENGINE/MOTOR	GX160 Honda	120 V, 1 PH,17 FLA
Max. Depth of Cut*	1.5 in.	1.5 in.
Weight	115 lb.	115 lb.
PART No.	**F50010**	**F50002**
LIST *E*	**$3,395**	**$3,395**

**With new blade - will be reduced as blade wears*

Accessories	Part No.	*P* List
Flat trac wheel kit	100301	**$135**
Dust Chute	100311	**47**
Outer Clamping Disc	100308	**51**
Outer Clamping Disc Bolt	100309	**1**

G-TEQ Green Concrete Connection Blades (Z-Arbor)

★★★Super Premium

Hard Material ← → Soft Material

DRY/WET

Diameter & Width	GC-41AX Purple	GC-42AX Green	GC-34 Red	GC-45AX Orange	GC-65AX Blue	GC-36 Yellow	*D* List
6.5" x .095" x 8.5mm	**D22321**	D22322	**D22303**	D22323	D22324	D22304	**$156**

Joint Widening Blades

Aggregate	C33	A38
SOFT		●
MEDIUM	●	
HARD		

shown stacked together

Bevel Blades ★★★Super Premium

Diameter & Width	Part No.	*D* List
12" x .375" x 1"-DP 45°	D22808*	**$987**

**priced each, Beveled on one side.*



DRY/WET

10 mm / .393 in. segment height

Widening Blades

Diameter & Width	Super Premium C33	Super Premium A38	List
14" X .187" X 1"-DP	D12087	D24066	**$547**
14" X .250" X 1"-DP	**D12062**	D24063	**709**
14" X .375" X 1"-DP	**D12063**	D24064	**828**
14" X .500" X 1"-DP	D12085	D24065	**1,159**

Blade Spacers

Diameter & Width	Part No.	*P* List
8" x .03" thick x 1"-DP	110092	**$13**
8" x .048" thick x 1"-DP	110107	**10**
8" x .07" thick x 1"-DP	110093	**13**
8" x .12" thick x 1"-DP	110094	**14**
8" x .18" thick x 1"-DP	110095	**17**
8" x .25" thick x 1"-DP	110096	**20**

Wire Brush

Diameter & Width	Part No.	*A* List
12" x 3/8" x 1"-DP	100218	**$138**

Brushes priced individually. Sold 2 per box in whole box quantities only. Low horsepower flat saws (5 to 20 hp) use only. 5/8" minimum blade clamping thickness.

DRY/WET

12 mm / .472 in. segment height

G33 Segmented Green Concrete Blade

★★★Super Premium

Diameter & Width	Part No.	*D* List
8" x .095" x 5/8"-7/8"	**D12079**	**$166**
10" x .095" x 5/8"	**D12088**	**209**

Wire Brush

Diameter & Width	Part No.	*A* List
4" x 1/2" x5/8-11	100766	**$19**
8" x 1/2"-7/8" Arbor	100759	**60**

Toll-Free: 866-688-1032 • Fax: 877-220-4777 • Website: www.DITEQ.com

Liberty Bell Arbor Blades / Skid Plates / Deco Blades

Early Entry Blade Application Chart for Green Concrete Connection and Liberty Bell Arbor Blades

Color Code	Clear	Purple	Green	Orange	Blue	Yellow
For fast curing concrete / extreme hot weather	●					
Extremely hard aggregates, medium sharp sand		●				
Hard aggregates, sharp abrasive sand			●	●	●	
Medium aggregates, medium sharp sand			●	●	●	
Medium to hard aggregates, all types sand				●	●	
Medium soft aggregates, medium abrasive sand					●	●

ARIX Liberty Bell Arbor Green Concrete Blades

★★★★PRO IV

Hard Material ← → Soft Material

DIA x w	Soff-Cut® Model	GC-41AX Purple	GC-61AX Purple	GC-42AX Green	GC-45AX Orange	GC-65AX Blue	GC-46AX Yellow	D List
6" x .100"	150	D22681		D22682	D22683		D22684	$156
6.5" x .100"	150	D22751		D22752	D22753	D22754		168
8" X .100"	2000/2500	D22685		D22686	D22687		D22688	254
10" x .100"	2000/2500	D22631		D22632	D22633			320
10" x .100"	2000/2500					D22693		368
10" x .187	2000/2500	D22689			D22651			561
10" x .187	2000/2500					D22694		643
10" x .250"	2000/2500	D22638			D22617			657
10" x .250"	2000/2500					D22695		714
12" x .080"	4000/4200/5000					D22666		525
12" x .120"	4000/4200/5000			D22612	D22607			475
12" x .120"	4000/4200/5000		D22621			D22662		563
12" x .187"	4000/4200/5000	D22690			D22652			755
12" x .187"	4000/4200/5000					D22696		796
12" x .220	4000/4200/5000				D22664			816
12" x .250"	4000/4200/5000				D22608			806
12" x .250"	4000/4200/5000					D22697		923
13.5" x .120"	4000/4200/5000			D22628	D22629			563
13.5" x .120"	4000/4200/5000		D22624			D22661		643
13.5" x .187"	4000/4200/5000	D22691			D22644			828
13.5" x .187"	4000/4200/5000					D22698		918
13.5" x .250"	4000/4200/5000	D22641			D22619			900
13.5" x .250"	4000/4200/5000					D22699		1071
14" x .120"	5000/190	D22604		D22630	D22610			601
14" x .120"	5000/190					D22700		663
14" x .187"	5000/190	D22692			D22653			836
14" x .187"	5000/190					D22703		969
14" x .250"	5000/190	D22605			D22611			921
14" x .250"	5000/190					D22704		1117

More Blades available. Consult DITEQ for details.

Liberty Bell Arbor Adaptor

Description	Part No.	P List
6" - 8"	436459	$9
10" - 14"	436456	9

Skid Plates for Soff-Cut Saws

PIN FOR FP SKID PLATE
p/n-100412

Description	Skid Plate Standard Part No.	Skid Plate for Fixed Pin Part No.	Soff-Cut® Model	P List
6"-8" x .095"	100608	100608FP	150	$41
9"-10" x .095"	100609	100609FP	2000 / 2500	47
9"-10" x .187"	100728		2000 / 2500	47
9"-10" x .250"	100612	100612FP	2000 Prowler/ 2500	47
12"-13.5" x .125"	100610	100610FP	4000 Prowler, 4200	52
12"-13.5" x .187"	100729		4000/4200	52
12"-13.5" x .250"	100613	100613FP	4000 Prowler, 4200	52
12"-14" x .125"	100611	100611FP	5000	57
12"-14" x .187"	100730		5000	57
12"-14" x .250"	100614		5000	57

PRO FLAT SAW BLADES

	CONCRETE		ASPHALT	
	C-72N13		A-56N13	
SIZE	P/N	List	P/N	List
14" X .125" X " DP			D27001	**$745**
14" X .145" X 1" DP			D27002	**$800**
16" X .125" X 1" DP			D27006	**$910**
16" X .145" X 1" DP			D27007	**$966**
18" X .125" X 1" DP	D14979	**$1,026**	D27008	**$966**
18" X .160" X 1" DP	D14964	**$1,269**	D27010	**$1,296**
18" X .250" X 1" DP			D27012	**$1,568**
20" X .160" X 1" DP	D14960	**$1,361**	D27015	**$1,352**
24" X .160" X 1" DP	D14963	**$1,649**	D27017	**$1,572**
26" X .160" X 1" DP	D14966	**$1,760**	D27020	**$1,760**
26" X .160" X 1" DP INSERT	D14985	**$1,844**		
26" X .187" X 1" DP	D14965	**$1,964**	D27021	**$1,925**
30" X .160" X 1" DP	D14959	**$2,096**	D27022	**$2,206**
30" X .187" X 1" DP	D14970	**$2,593**	D27023	**$2,421**
36" X .160" X 1" DP	D14971	**$2,593**	D27024	**$2,568**
36" X .187" X 1" DP	D14972	**$3,111**	D27025	**$2,642**
42" X .187" X 1" DP	D15003	**$3,498**	D27030	**$3,162**

RING SAW BLADES

SAW	SIZE	C-50AXBRN	C-50AX	List
HUSQVARNA	14" x .160"	D10176		**$403**
	14" X .235"	D10177		**$536**
	17" X .160"	D10188		**$867**
	17" X .235"	D10190		**$969**
	DRIVE WHEEL	D10052		**$23**
HYCON	16" X .160"	D10178		**$811**
	16" X .235"	D10179		**$918**
	DRIVE WHEEL	140689		**$31**
DIAMOND PRODUCTS	16" X .160"		D10160	**$913**
	20" X .160"		D10161	**$1,321**

DIAMOND CHAIN

Shown- Ductile Iron Black Edge Vacuum Brazed Chain.

Chainsaw Chains, Bars and Sprockets

SIZE	Sprocket	List P	Bar	List P	Chain Ductile Iron Black Edge	List D	Chain Concrete S-Bond, segment every link	List D
CHAINSAW- STIHL GS461 'ROCKBOSS' (.375 PITCH)								
16"	140684	**$62**	140681	**$186**	141385	**$1,306**	140661	**$1,384**
20"	140684	**$62**	141381	**$344**	141489	**$1,704**	141482	**$1,795**
25"	140684	**$62**	141382	**$466**	141490	**$1,995**	140675	**$2,120**
CHAINSAW- HUSQVARNA GAS K970 (.375 PITCH) STANDARD								
16"	140593	**$31**	140563	**$277**	141386	**$1,428**	141445	**$1,514**
20"	140593	**$31**	141371	**$352**	141489	**$1,704**	141482	**$1,795**
25"	140593	**$31**	141488	**$475**	141490	**$1,995**	140675	**$2,120**
CHAINSAW- ICS695GC GAS / ICS PRIME (.456 PITCH) AND HUSQVARNA K970-F4 (CONVERTED WITH 152455 KIT)								
16"	140633	**$62**	140627	**$233**	141395	**$1,216**	140653	**$1,525**
20"	140633	**$62**	140682	**$285**	141396	**$1,436**	140664	**$1,729**
25"	140633	**$62**	141245	**$391**	141397	**$1,681**	140671	**$2,137**

1-1/4"-7 thread
Brazed

C43 Segmented/ Prestressed Concrete & Asphalt

Diameter	C43 ★★★★ PRO IV	List
2"	D32124	**$204**
2-1/4"	D32125	**210**
2-1/2"	D32126	**215**
3"	**D32128**	**276**
3-1/2"	D32130	**325**
4"	D32131	**380**
4-1/4"	**D32132**	**424**
4-1/2"	D32133	**436**
5"	D32135	**497**
5-1/2"	D32136	**547**
6"	**D32138**	**657**
6-1/4"	D32139	**706**
6-1/2"	D32140	**767**
7"	D32141	**821**
8"	D32142	**877**
10"	D32144	**1,209**

***5/8"-11 thread for hand held drills**

9" drilling depth

Laser Welded

C34 ARIX Short Dry Bit

★ ★ ★ Super Premium Standard*

Diameter	5/8"-11 thd Part No.	D List
1"	**D31536**	**$138**
1-1/4"	**D31543**	**138**
1-1/2"	**D31521**	**149**
1-3/4"	**D31522**	**166**
2"	**D31523**	**194**
2-1/4"	**D31524**	**204**
2-1/2"	**D31525**	**225**
3"	**D31526**	**238**
3-1/2"	**D31527**	**276**
4"	**D31528**	**330**
4-1/2"	**D31529**	**402**
5"	**D31530**	**442**
6"	**D31531**	**480**

Use your Hammer Drill to drill clean holes with these adapters and DITEQ's C34 ARIX Dry Bit!

Hammer Drill Adapters for Diamond Core Bits

Description	Part No.	P List
SDS Max to SDS Plus Chuck	151617	**$107**
SDS Max to 5/8-11M Rotary adapter	151623	**76**
SDS Plus to 5/8-11 Rotary Adapter	151670	**76**

Threaded Adapters	Part No.	List P
Hilti Adapter, DD160-200-250-350- x 1-1/4" -7	151464	**$145**
Hilti Adapter, (spline x 1-1/4"-7M)	150589	**90**
Hilti Adapter, DD100 (Slots x 1-1/4"-7M)	151066	**45**
Hilti Adapter, DD100 (Slots x 5/8")	151065	**45**
Adapter 1-1/4"-7F to 5/8"-11 M	150024	**50**
Adapter 5/8"-11 F to 1-1/4"-7 M	150764	**50**
3/8" shank, 5/8"-11M	150217	**31**
1/2" shank, 5/8"-11M	150983	**28**
1/2 Gas Thread x 5/8" 11 short	150421	**31**
1/2 Gas Thread x 5/8" 11 long	150329	**83**
1/2" Gas Thread x 1-1/4"-7 M	150052	**88**

Extensions	Part No.	List P
5/8"-11 x 12" L	150509	**$52**
5/8"-11 x 6" L	150547	**47**
1-1/4"-7 x 6" L	150161	**72**
1-1/4"-7 x 12"L	150043	**88**
1-1/4"-7 x 24"L	150890	**145**
1-1/4"-7 x 36"L	151664	**336**
1-1/4"-7 x 48"L	152700	**414**

151769

Diamond Bit Accessories	Part No.	P List
Washer, Copper 1-1/4"-7 core bit	150653	**$8**
Slider II	151769	**129**

Wet / Dry Diamond Core Bits

Aggregate	C-41AX	C-42AX	C-50AXP BRUTE	C-62AX	C-53	C-52	C-51	C-43	C-32	C-34AX
SOFT	●	●	●		●	●		●	●	●
MEDIUM	●	●	●	●	●	●	●	●	●	●
HARD	●	●	●	●		●	●		●	

G3 ARIX™ ARIX Generation 3
Advanced 3D Diamond Distribution
Radical New Bond Formulas
THREE GENERATIONS BEYOND

1-1/4"-7th
for rig mounted and hand-held drills

C-42AX G3 Pro Wet/Dry Bit

★★★★Pro IV — D

Diameter	Part No.	List
2"	**D31533**	$194
2-1/4"	D31544	204
2-1/2"	D31545	225
3"	**D31546**	238
3-1/2"	D31547	276
4"	**D31548**	330
4-1/4"	D31553	370
4-1/2"	D31549	402
5"	**D31550**	442
6"	D31552	480
7"	D31554	653
8"	D31555	704
10"	D31579	887
12"	D31580	1,173
14"	D31581	1,295

1-1/4"-7 Thread and 14" barrel
Bits 6" and under can be used wet or dry. Bits over 6" must be used wet.
Bits 6" and under are laser welded.

1-1/4"-7th
for rig mounted and hand-held drills

C-41AX G3 Pro Wet/Dry Short Bit

★★★★Pro IV — D

Diameter	Part No.	List
1"	D30501	$112
1-1/4"	D30503	122
1-1/2"	D30505	138
1-3/4"	D30507	163
2"	D30508	194
2-1/4"	D30509	204
2-1/2"	D30510	225
3"	D30511	238
3-1/2"	D30512	276
4"	D30513	330
4-1/2"	D30514	402
5"	D30515	442
6"	D30516	480
7"	D30517	653
8"	D30518	704
9"	D30519	765

1-1/4"-7 Thread 9" usable length
Bits 6" and under can be used wet or dry. Bits over 6" must be used wet.
Bits 6" and under are laser welded.

1-1/4"-7th
WET ONLY

WET ONLY
1-1/4"-7th

C-50AXP BRUTE G3 Wet Core Bits

★★★★★PRO V *Fast Speed with Good Life* — D

Diameter	Part No.	List
2"	D34301	$194
2-1/4"	D34302	219
2-1/2"	D34303	235
2-3/4"	D34304	255
3"	D34305	270
3-1/2"	D34306	326
4"	D34307	357
4-1/4"	D34308	393
4-1/2"	D34309	413
5"	D34310	444
5-1/2"	D34311	474
6"	D34312	571
7"	D34315	729
8"	D34316	780
9"	D34317	918
10"	D34318	969
12"	D34319	1,255
13"	D34331	1,346
14"	D34320	1,408
16"	D34382	1,714
18"	D34325	2,122
20"	D34329	2,300
24"	D34330	3,191

C62AX Wet Core Bit

★★★★★★PRO VI — D

Diameter	Part No.	List
2"	D34101	$233
2 1/4"	D34102	254
2 1/2"	D34103	265
2 3/4"	D34104	287
3"	**D34105**	304
3 1/2"	D34106	358
4"	**D34107**	414
4 1/4"	D34108	468
4 1/2"	D34109	524
5"	D34110	547
5 1/2"	D34111	607
6"	D34112	657
6 1/4"	D34113	745
6 1/2"	D34114	767
7"	D34115	821
8"	D34116	877
9"	D34117	1,042
10"	D34118	1,098
12"	D34119	1,429
14"	D34120	1,760

Other sizes available upon request

WET ONLY

C51 / C52 Segmented /Double Pointed

★★★★★ PRO V

Diameter	C51 Part No.	List	C52 Part No.	List
3/8″	D36225	$112		
1/2″	D36226	117		
5/8″	D36227	120		
3/4″	D36228	124		
7/8″	D36229	128		
1″	D36230	134	D32321	$144
1-1/8″	D36231	139	D32322	149
1-1/4″	D36232	143	D32323	154
1-3/8″	D36233	159	D32324	171
1-1/2″	D36234	169	D32325	182
1-5/8	D36235	174	D32326	188
1-3/4″	D36236	181	D32327	194
1-7/8″			D32328	199
2″	D36101	$179	D32201	204
2-1/4″	D36102	195	D32202	233
2 1/2″	D36103	205	D32203	248
2-3/4″	D36104	225	D32204	270
3″	D36105	237	D32205	282
3-1/4″	D36106	263	D32285	325
3 1/2″	D36107	289	D32207	343
4″	D36108	310	D32208	375
4-1/4″	D36109	368	D32209	414
4-1/4″x20″L			D33467	634
4 1/2″	D36110	394	D32210	436

Diameter	C51 Part No.	List	C52 Part No.	List
5″	D36112	$415	D32212	$468
5 1/2″	D36113	447	D32213	497
6″	D36115	473	D32215	601
6-1/4″	D36116	520	D32216	657
6 1/2″	D36117	572	D32217	711
7″	D36118	625	D32218	767
7-1/2″			D32291	800
8″	D36119	677	D32219	821
8-1/2″	D36210	814	D32292	910
9″	D36120	814	D32220	966
10″	D36121	887	D32221	1,020
11″	D36176	949	D32230	1,240
12″	D36122	972	D32222	1,319
13″	D36132	1,419	D32240	1,552
14″	D36123	1,151	D32223	1,483
16″	D36124	1,618	D32232	1,760
18″	D36125	1,813	D32233	2,234
20″	D36126	2,101	D32234	2,421
24″	D36136	2,942	D32235	3,359
26″	D36163	4,488	D32231	4,793
30″	D36129	5,043	D32238	5,610
36″	D36351	6,936	D33417	7,956

Size	Stnd Drill Depth
8"<	14"
9"-11"	15"
12"	16"
14"	18"
16"-36"	21.75"

3/8″ - 1-3/4″ are crown
1″ - 14″ are laser welded
16″> are brazed

16″ and above standard with spoke back
Solid or welded backs and special barrel lengths are available upon request
1″ - 1-1/2″ are 5/8″-11 - Remainder are 1-1/4″-7 thread

CORE BITS

C-52 Threaded Core Bits ★★★★★PRO V

Fast Speed with Good Life

Diameter	Threaded Crown Part No.	D List	Threaded Crown .235" Part No.	D List	Threaded Cap Part No	D List	Threaded 10-5/8″* Tubing Part No.	D List	Threaded 34″* Tubing Part No.	D List
1″	D34861	$97	D34871	$107	C101034	$51	T101013	$36	T102992	$107
1-1/8″	D34865	102	D34872	113	C101035	51	T101014	41		
1-1/4″	D34862	112	D34873	123	C101036	51	T101015	41	T102993	122
1-1/2″	D34863	122	D34874	135	C101037	51	T101016	46	T102994	138
1-3/4″	D34866	138			C101038	56	T101017	51		
2″	D34864	153	D34876	168	C101040	61	T101019	56	T102995	168
2-1/4″	D34867	163			C101041	66	T101020	61		
2-1/2″	D34805	168	D34878	186	C101042	66	T101021	61	T102996	184
3″	D34806	199	D34879	219	C101043	71	T101022	71	T102997	214
3-1/2″	D34807	219	D34880	242	C101515	87	T101507	87		
4″	D34811	260			C101054	97	T101029	112		
4-1/4″	D34868	270			C101046	102	T101025	117		
4-1/2″	D34869	281			C101047	102	T101023	122		
5″	D34809	296	D34885	326	C101048	107	T101026	128		
5-1/2″	D34870	332			C101050	112	T101027	138		
6″	D34810	357	D34887	388	C101051	122	T101028	143		

*Actual length when connected
1″ - 1-3/4″ are crown 1″ - 6″ are laser welded
All cap sizes are 1-1/4″-7 thread

Double pointed segments

WET ONLY

SHIBUYA Professional Core Drill Machines - Hand Drills

Hand Held Drills

MOTOR	D-Handle Hand Held HH1531	HH1531 ABV Combo Drill HH1531
AMPS/VOLTS	15/115	15/115
RPM (Under Load)	720/1800/3600	720/1800/3600
BIT CAPACITY	(Max. Handheld) 3"	8" (Angle)
BIT CAPACITY		10" (Vertical)
COLUMN LENGTH		39.4"
WEIGHT w/o accessories	15 lb (6.8 kg)	69 lb. w/pump
MODEL No.	HH1531	HH1531ABV
PART No.	**DR2030**	**DR2032**
List *E*	**$1,895**	**$3,795**

HH1531 220V models available

Hand Drill Accessories	Part No.	List	
Stand, Fixed base, column & carriage	152729	$838	*P*
Stand, Angle base, column & carriage	152730	1,045	*P*
Adaptor kit/Squeeze clamp	150342	146	*P*
Adaptor kit/Fixed bolt on*	150343	62	*P*
Stand, ABV combo angle stand with pump	151774	2,065	*E*
Stand, ABV combo angle stand - no pump	152020	1,444	*E*
Dust/Slurry Ring (5")	151291	195	*P*
Dust/Slurry Ring (7")	151287	195	*P*
Grease Tube - Hand Drill only	151082	47	*P*
Garden hose quick disconnect	150590	8	*P*

*HH1531 D-Handle model only

D-Handle Hand Held

Both the "D" handle hand drills come standard with molded plastic storage case

bit not included

HH1531 ABV Combo with vacuum pump

CORE DRILL CATALOG FOR FULL LINE OF CORE DRILLING EQUIPMENT

CORE DRILLS ON WEBSITE

TS-165

	TS-165 15 amps - 1 Speed				TS-165ABV 15 amps - 1 Speed
	Without Case		With Case		
BASE STYLE	FIXED	ANGLE BASE	FIXED	ANGLE BASE	Angle Base Combo
MOTOR	H1511				H1511
AMPS/VOLTS	15/115				15/115
RPM (No Load)	850				850
BIT CAPACITY (Max.)	9″				10″ Vertical/8″ Angle
COLUMN LENGTH	31.5″ (800mm)	39.4″ (1000mm)	23.5″ short*	23.5″ short*	39.4″ (1000mm)
WEIGHT w/o access.	28.7 lb (13 kg)	33.8 lb (15.3 kg)	33.5lb (15.2kg)	33.5lb (15.2kg)	64 lb (14 kg) w/pump
MODEL No.	TS165	TS165AB	TS165KIT	TS165ABKIT	TS165ABV
PART No.	**DR0061**	DR0062	**DR0064**	DR0063	DR0066
List *E*	**$1,795**	**$1,995**	**$2,050**	**$2,295**	**$2,850**

220V models available

TS-165 Accessories	Part No.	*E* List
Small Vacuum Pad	**150001**	**$245**
Standard Gast Vacuum Pump	**150004**	**607**
Premium Shibuya Vacuum Pump	150005	**1,750**

*Case Drills: Kit core drills come with a 23.5″ column with an 8″ extension. Without the extension, the kit core drill will accept up to 9″ short core bits. With the extension, standard length (14″) core bits can be used.

Molded plastic storage cases keeps accessories organized

TS-165ABV Combo w/pump

bit not included

bit not included

TS-165PRO

	TS-165PRO 15 amps - 2 Speed				TS-165PRO ABV 15 amps - 2 Speed
	Without Case		With Case		
BASE STYLE	FIXED	ANGLE BASE	FIXED	ANGLE BASE	ANGLE BASE COMBO
MOTOR	H1521				H1521
AMPS/VOLTS	15/115				15/115
RPM (No Load)	700/1000				700/1000
BIT CAPACITY (MAX)	9″				10″ Vertical/8″ Angle
COLUMN LENGTH	31.5″ (800mm)	39.4″ (1000mm)	23.5″ short*	23.5″ short*	39.4″ (1000mm)
WEIGHT w/o access.	30.9 lb (14 kg)	36 lb (16.3 kg)	35.7 lb (16.2 kg)	35.7 lb (16.2kg)	66 lb.
MODEL No.	TS165PRO	TS165PRO-AB	TS165PRO-KIT	TS165PRO-ABKIT	TS-165PRO-ABV
PART No.	**DR0065**	**DR0051**	**DR0053**	**DR0052**	DR0058
List *E*	**$1,995**	**$2,225**	**$2,295**	**$2,495**	**$3,295**

220V models available

TS-165PRO Accessories	Part No.	*E* List
Small Vacuum Pad	**150001**	**$245**
Standard Gast Vacuum Pump	**150004**	**607**
Premium Shibuya Vacuum Pump	150005	**1,750**

*Case Drills: Kit core drills come with a 23.5″ column with an 8″ extension. Without the extension, the kit core drill will accept up to 9″ short core bits. With the extension, standard length (14″) core bits can be used.

SHIBUYA Core Drills - TS-255PRO

TS-255PRO

	TS-255PRO			TS-255PRO-ABV
	20 amps - 2 speed			20 amps - 2 speed
BASE STYLE	FIXED	FIXED	ANGLE BASE	ANGLE BASE COMBO
MOTOR		H2021		H2021
AMPS/VOLTS		20/115		20/115
RPM (No Load)		460/1020		460/1020
BIT CAPACITY (Max.)		12"		12" Vertical/10" Angle
COLUMN LENGTH	31.5" (800mm)	39.4" (1000mm)	39.4" (1000mm)	39.4" (1000mm)
WEIGHT w/o accessories	40.1 lb (18.2 kg)	43 lb (19.2 kg)	42.3 lb (19.2 kg)	73 lb. w/pump
MODEL No.	TS255PRO	TS255PRO	TS255ABPRO	TS-255ABV
PART No.	**DR0056**	**DR0055**	**DR0054**	**DR0068**
List *E*	**$2,845**	**$2,895**	**$2,995**	**$3,595**
PART No. Less Pump*				DR0069*
List *E*				**$2,895**
220V models available				

TS-255PRO Accessories	Part No.	List	
Large Vacuum Pad - TS255PRO	**150002**	**$375**	***E***
Standard Gast Vacuum Pump	**150004**	**607**	***E***
Premium Shibuya Vacuum	150005	**1,750**	***E***
Optional Ceiling Jack	**150160**	**83**	***P***
Optional 51" 1-piece column Fixed Base	150609	**555**	***P***
Optional 51" 1-piece column Angle Base	151853	**555**	***P***
Gasket - combo pad	151802	**36**	***P***

TS-255PRO

bit not included



Shown using SHIBUYA Dry Coring Vacuum Attachment for dust control

Single gasket system provides a stronger vacuum

TS-255PRO-ABV w/ Vacuum Pump
DR0068

bit not included

CARDI TP400 16″ Electric Hand Saw

Technical Data	TP400 16″ Hand Saw
Motor	120 V , 20 A, 60 Hz
Power	2.8 kW / 2800 W
Weight	24 lbs.
Cutting Depth	6 in.
Part Number	H00011
List Price E	**$2795**

Segmented Storm Cup Wheel

CST34 ★★★Super Premium

DRY/WET

Description	CST34	List D
4″ x 7/8″-5/8″	D81019	**$149**
4″ x 5/8″-11 thread	D81020	**149**
4.5″ x 7/8″-5/8″	D81021	**166**
4.5″ x 5/8″-11 thread	D81022	**166**
5″ x 7/8″-5/8″	D81023	**194**
5″ x 5/8″-11 thread	D81024	**194**
7″ x 7/8″-5/8″	D81025	**304**
7″ x 5/8″-11 thread	D81026	**304**

Arrowhead Cup Wheel

★★★Super Premium

DRY/WET

Description	Part No.	D List
4″ x 7/8″-5/8″ + 5 Seg	D81065	**$100**
4″ x 5/8″-11 + 5 Seg	D81066	**102**
7″ x 7/8″-5/8″ + 10 Seg	D81071	**171**
7″ x 5/8″-11 + 10 Seg	D81072	**171**

Additional sizes available upon request.

Diamond Grinding Wheels

CS14, CD14 Cup Grinding Wheel

★Standard

DRY/WET

Description	CS14 Single Row	D List	CD14 Double Row	D List
4″ x 7/8″-5/8″	D80001	**$49**	D80006	**$78**
4″ x 5/8″-11 thread	D80002	**49**	D80007	**78**
4.5″ x 7/8″-5/8″	D80025	**66**	D80026	**94**
4.5″ x 5/8″-11	D80029	**66**	D80030	**94**
5″ x 7/8″-5/8″	D80003	**94**	D80008	**110**
5″ x 5/8″-11 thread	D80023	**94**	D80024	**110**
7″ x 7/8″-5/8″	D80004	**105**	D80009	**149**
7″ x 5/8″-11 thread	D80005	**105**	D80010	**149**

Vacuum Brazed Spike Discs

DRY/WET

Diameter	35 Grit Concrete	80 Grit Metal	D List
4.5″	162020	162021	**$122**
5″ with air holes	162022	162023	**143**
7″	162024	162025	**199**

Vacuum Brazed Bead Wheels

DRY/WET

Diameter	Part No.	D List
4″ x 7/8″	162443	**$142**
5″ x 7/8″	162444	**184**
7″ x 7/8″	162445	**301**

Segmented Turbo Cup Grinding Wheels

CST13 ★Standard
CST23 ★★Premium

DRY/WET

Description	CST13	List	CST23	D List
4″ x 9-10 seg x 7/8″-5/8″	D81047	**$56**	D81001	**$94**
4″ x 9-10 seg x 5/8″-11	D81035	**56**	D81002	**94**
4″ x 18 seg x 5/8″-11	D81049	**83**	D81058	**138**
4.5″ x 9-10 seg x 5/8″-11	D81051	**61**	D81028	**100**
5″ x 12 seg x 5/8″-11			D81003	**115**
7″ x 12 seg x 7/8″-5/8″	D81034	**102**	D81004	**138**
7″ x 12 seg x 5/8″-11	D81036	**100**	D81005	**138**
7″ x 24 seg x 7/8″-5/8″	161597	**160**	D81008	**220**
7″ x 24 seg x 5/8″-11	D81056	**160**	D81009	**220**

PCDC-35 and PCDC-39 Cup Wheels

DRY/WET

Description	No. of Chips	Part No.	D List
PCDC-35 4″ x 5/8″ - 11	9	D83203	**152**
PCDC-35 5″ x 5/8″-11	8	D83205	**193**
PCDC-39 7″x 5/8″ - 11 or 7/8″	12	D83204	**305**

Segmented Turbo Cup Grinding Wheels w/ Drive pin hole

CST13 ★Standard

DRY/WET

Diameter / Segment	Part No.	D List
7″ x 12 seg x 7/8″-5/8″	161594	**$102**
7″ x 24 seg x 7/8″-5/8″	161597	**170**

Includes drive pin hole for EDCO machines

Brazed Diamond Grinding Wheels

DRY/WET

Description	4.5″	List	7″	D List
Position 0 (25 Grit)	161027	**$126**	161021	**$225**
Position 1 (30 Grit)	161028	**108**	161022	**217**
Position 2 (40 Grit)	161029	**100**	161023	**195**
Position 3 (50 Grit)	161030	**100**	161024	**195**
Position 4 (100 Grit)	161031	**100**	161025	**195**
Position 5 (200 Grit)	161032	**100**	161026	**195**

CTC32 Continuous Turbo Cup

★★★Super Premium

Description	Fine 100/120 Part No.	Medium 60/80 Part No.	Coarse 30/40 Part No	D List
4" x 5/8"-11 th	D82006	D82004	D82002	**161**
5" x 5/8"-11th	D82018	D82016	D82014	**172**
6" x 5/8"-11 th			D82020	**184**
7" x 5/8"-11 th	D82030	D82028	D82026	**306**

DRY/WET

CUP WHEELS

S-Segment Cup Wheel

CST24★★Premium

Description	20 Grit	List	40 Grit	D List
4" x 5/8"-11	D81075	**$110**	D81079	**$90**
5" x 7/8"-5/8"	D81076	**184**		
7" x 7/8"-5/8"	D81077	**215**		
7" x 5/8"-11	D81078	**220**	D81080	**179**

DRY/WET

For Dust Control, see page 22

Turbo HD Grinding Wheels

★★★Super Premium

Description	Part No.	D List
4" x 7/8"-5/8" 7 + 7 Seg	D81032	**$121**
4" x 5/8"-11 7 + 7 Seg	D81045	**121**
7" x 7/8"-5/8" 9 + 9 Seg	D81033	**259**
7" x 5/8"-11 9 + 9 Seg	D81046	**259**

DRY/WET

L/P Series (Compatible w/ Hilti)

★★★Super Premium

Description	Part No.	D List
4.5" x 3/4" - 6 segments	D81088	**$104**
5" x 3/4" - 7 segments	D81089	**115**
6" x 3/4" - 8 segments	D81085	**168**
6" x 3/4" - 8 segments - 80G FINE	D81087	**168**

Designed with a 3/4" arbor to fit on Hilti machines.

DRY/WET

Turbo Low Profile Grinding Wheels

★★★Super Premium

Description	Part No.	D List
6" x 3/4" - 16 segments	D81083	**$168**

Designed with a 3/4" arbor to fit on Hilti machines.

DRY/WET

FTC32 Ceiling Grinding Plate

★★★Super Premium

Description	Part No.	D List
5" x 5/8"-11	160161	**$208**
6" x 5/8"-11	160162	**268**

DRY/WET

S22 Vacuum Brazed Grinding Wheels

★★Premium

Description	Part No.	D List
4" Coarse x 5/8"-11	D66039	**$151**

DRY/WET

Scarifier Drum Assemblies, Spacers and Cutters

CPM8 Drum Complete TCT General Purpose

Description	Qty	Part No.
Drum Weldment	1	163194
Retaining Plates	2	163195
TCT Cutter - 6T-44 x 16 x 6	78	160203
Hardened Spacer, 1/2", small thick	215	160920
Shaft for Spacers, 1/2 x 8-9/16"	6	160988
CPM8 DRUM Complete TCT GP		**163196**
List *A*		**$2,186**



CPM8 Cutter Package

Description	Qty	Part No.
TCT Cutter - 6T-44 x 16 x 6	78	160203
Hardened Spacer, 1/2", small thick	215	160920
Shaft for Spacers, 1/2 x 8-9/16"	6	160988
CPM8 Cutter Package*		**161434**
List *A*		**$1,034**

**Drum not included*

ANYCUT WHEELS

Material	ANYCUT WHEEL	ANYCUT CUT/OFF WHEEL	ANYCUT GRINDING WHEEL	ANYCUT CUT AND GRIND WHEEL
Light Steel	●	●	●	●
Structural Steel	●	●	●	●
Stainless Steel	●	●	●	●
Steel Bar	●	●	●	●
Rebar	●	●	●	●
Steel Studs	●	●	●	●
Iron Pipe	●	●	●	●
Ductile Iron	●	●	●	●
Copper Pipe	●	●	●	●
Copper Tubing	●	●	●	●
Reinforced Hose	●	●	●	●
ABS Pipe	●	●	●	●
PVC Pipe	●	●	●	●
Fiberglass	●	●	●	●
Concrete	●	●	●	●
Cement Board	●	●	●	●
Stone	●	●	●	●
Quartzite	●	●	●	●
Porcelain Tile	●	●	●	●

Its rounded edge makes this wheel useful in the welding industry and foundries for feathering out welds and pre-weld edge chamfering. It also provides aggressive stock removal and smoothing of materials with less sparks than abrasives.

ANYCUT Grinding Wheel

★★★Super Premium

Aggressive Fast Grinding

Extreme Long Life

DRY/WET

Diameter & Width	Part No.	Price (D)
4.5" x 7/8"	D11306	**$82**
7" x 7/8"	D11307	**184**

This thin cut off wheel can both cut with its edge and grind on wheels flat surface using a flush mount adapter. Faster and cleaner than abrasive blades on steel, concrete, brick, tile, fiberglass, PVC pipe and more. Flush mount adapter shown below.

REVERSIBLE FLUSH-MOUNT - TWICE THE LIFE

ANYCUT Cut and Grind Wheel

★★★Super Premium

Aggressive Fast Cutting and Grinding

Extreme Long Life

DRY/WET

Diameter & Width	Part No.	Price (D)
4.5" x .125" x 7/8"	D11308	**$153**
5" x .125" x 7/8"	D11309	**194**
6" x .125" x 7/8"	D11310	**230**
7" x .125" x 7/8"	D11311	**316**

This thin cut off wheel with strong steel core with cooling holes is very aggressive cutting through many materials including steel studs, iron pipe, copper tubing, threaded rod, PVC pipe. Maintains full depth cutting throughout wheel life. Not to be used on high speed saws.

ANYCUT Cut Off Wheel

★★★Super Premium

Aggressive Fast Cutting / Extreme Long Life

DRY/WET

Diameter & Width	Part No.	Price (D)
14" x .110" x 1" - DP	D11301	**$367**



Adapters

Description	Part No.	List (P)
5/8" - 11F to 7/8" Arbor	130117	**$12**
Flush Mount Adapter (Stainless)	130122	**14**

Designed to be used on small hand tools to cut a wide variety of materials including steel, porcelain tile, brick, metal pipes, concrete, threaded pipe, fiberglass, cement board and more. Adapter shown above right.

ANYCUT Cut Off Wheel

★★★Super Premium

Aggressive Fast Cutting Extreme Long Life

DRY/WET

Diameter & Width	Part No.	Price (D)
4.5" x .080" x 7/8"-5/8"	D11302	**$71**
5" x .080" x 7/8"-5/8"	D11303	**112**
6" x .080" x DM-7/8"-5/8"	D11304	**133**
7" x .080" x DM-7/8"-5/8"	D11305	**163**

ABRASIVE & ANYCUT BLADES

Abrasive Blades / Tuckpoint Diamond Blades

Abrasive Wheels are priced individually and sold in whole box quantities only. Other size and specs available.

Type 1

DRY ONLY

High Speed Abrasive Blades

Dimensions	Grit	Application	Part No.	A List
12"x1/8"x 1"		Metal	A30001	$11
14"x1/8"x 1"		Metal	**A30009**	15
14"x1/8"x 20mm		Metal	**A30010**	15
14"x1/8"x 1"	AC24R	Ductile	A30013	17

10 per box Abrasive blades are priced individually and sold in whole box quantities only.

Type 27

DRY ONLY

Raised Hub Abrasive Wheels

Diameter & Width	Application	Pack Qty.	Part No.	A List
4-1/2" x .045"x 7/8"	Metal/ Stainless	25 per box	A00001	$4

DRY ONLY

Chop Saw Abrasive Blades

Diameter & Width	Application	Part No.	A List
14"x 3/32" x 1"	Metal	A20002	$12

10 per box

DRY ONLY

Cup Grinding Wheels

Diameter & Width	Application	Grit	Part No.	A List
4"x2"x 5/8"-11 prong type	Concrete	C16R	A50002	$37
5"x2"x5/8"-11 prong type	Concrete	C16R	A50003	42
6"x2"x5/8-"11 safety back	Concrete	C16R	A50004	55

10 per box

DRY ONLY

Cut/Off Abrasive Blades

Diameter & Width	Application	Type 1 Part No.	A List
4-1/2"x 3/32"x 7/8"	Metal	A10003	$4
7"x 3/32"x DM-5/8"	Metal	A10001	5

25 per box

TEQ-ZEK wheels are made of silicon carbide and are aggressive and long lasting.

DRY ONLY

Type 27

TEQ-ZEK Grinding Wheels

Description	Grit	Part No.	A List
4.5" x 7/8"	16	160142	$9
7" x 7/8"	16	160143	11

(priced each, packaged 5 per box) 8/10 and 24 grit also available
5/8"-11 Adapter and nut (P/N 161779) $16(P)

DRY/WET

Segmented Tuckpoint/Rodding Blades

Diameter & Width	TP23 Premium	TP23 D List	TP33 Super Premium	TP33 D List
4"x.250"x7/8"-5/8"	D45001	$39	D45002	$71
4.5"x.250"x7/8"-5/8"	D45004	44	D45005	83
5"x.250"x7/8"-5/8"	D45007	56	D45008	94
7"x.250"xDM-7/8"-5/8"	D45010	100	D45011	154
4.5"x.375"x7/8"-5/8"	D45020	66		
5"x.375"x7/8"-5/8"	D45021	78		
7"x.375"xDM-7/8"-5/8"	D45022	105		

DRY/WET

Laser Welded

Double and Triple Segmented Tuckpoint Blades

Diameter & Width	TP23D Double ★★ Premium	D List	TP33D Double ★★★ Super Premium	D List	TP33T Triple ★★★ Super Premium	D List
4"x.250"x7/8"-5/8"	D45039	$44				
4.5"x.250"x7/8"-5/8"	D45040	56	D45032	$89		
5"x.250"x7/8"-5/8"	D45041	61	D45033	100		
7"x.250"xDM-7/8"-5/8"			D45034	166		
4.5"x .375"x7/8"-5/8"					D45036	$115

DRY/WET

CR C35 Beveled V-Crack Chaser

★★★ Super Premium

Diameter & Width	Part No.	D List
4" x cont. type x 5/8"-11 thrd	D90001	$215
4 x .375" x 5/8-11	D90008	160
4" x .375" x 7/8"-5/8"	D90002	149
5" x .375" x 7/8"-5/8"	D90003	188
7" x .375" x 7/8"-5/8"	D90004	304
8" x .375" x 1" with DP	D90005	306

List D	P/N	
$85	160282	POLISH PAD 5" DRY 50 GRIT
85	160283	POLISH PAD 5" DRY 120 GRIT
85	160284	POLISH PAD 5" DRY 200 GRIT
85	160285	POLISH PAD 5" DRY 400 GRIT
85	160286	POLISH PAD 5" DRY 800 GRIT
85	160288	POLISH PAD 5" DRY 1800 GRIT
85	160289	POLISH PAD 5" DRY 3000 GRIT

List D	P/N	
$86	161034	7" RING RESIN 30G
86	161035	7" RING RESIN 50G
86	161036	7" RING RESIN 120G
86	161037	7" RING RESIN 220G
86	161038	7" RING RESIN 400G
86	161039	7" RING RESIN 800G
86	161040	7" RING RESIN 1800G
86	161041	7" RING RESIN 3000G

10" Grinding Discs

Description	Part No.	List D
FGG-15 10" x 10Seg	D91002	**$358**
FGG-25 10" x 20Seg Arrow	D91034	**547**
FGG-25 10" x 20Seg	D91001	**547**
FGG-28 10" x 20Seg Asphalt	D91010	**547**
		List P
TL Tool Plate 10" x 6 Slot	161638	**$371**

Jobsite Cleanup vacuums

The TSP390 HEPA Tradeline Series 'Industrial Henry' is a lightweight 120CFM HEPA vacuum at only 18lbs and 47dB noise. Comes with 33FT Cord and Wand Kit

HEPA DRY Tradeline Series

Inches Water Lift	100"
Air Movement (CFM)	120
Hose Length	8.5 ft
Weight	18 lb.
Part No.	**163381**
List *E*	**$580**

Accessories	Part No.	*P* List
Vaccum Bags - Pkg of 10	162813	**$36**

EDCO Wedge Block/Plate

Description	Part No.	List D
30/40G GP Diamond Block	161457	**$199**
30/40G GP Diamond Plate	161182	**191**

Dustless Vacuum Systems

	WET/DRY Vacuum	DRY only HEPA
Specifications	16 WD	
Inches Water Lift / CFM	72" / 116 CFM	
Air Movement (CFM)	116	
Volts / Amps / Watts	110v/ 11.5A / 1324 peak	
Vac Part No.	**162251**	**162252**
List *E*	**$475**	**$730**

Tools included

Dustless Vacuum Accessories	Part No.	*P* List
WD Filter package wet/dry lifetime	160089	**$65**
WD Filter master pk (pkg. 5 Pri & Sec)	160090	**249**
HEPA Filter	160074	**234**
HEPA Filter cover	160233	**36**
Micro pre-filter bags (qty of 2 filter bags)	160123	**25**
6' Hose 1-1/4" Diameter	160092	**36**
25' x 2" Flexible hose w/coupler	160093	**134**
Splitter, Y- 2" x 2" x 2"	160105	**17**
"Y" hose stub (req'd with 160105)	160235	**25**
2" hose to 2" hose coupler	161107	**11**

160309

162732

162713

Carbide Chips

Description	Part No.	List A
Carbide 8-sided, 1"sq	160309	**$39**
Carbide 4-Sided Bevel, 1"sq	162732	**$39**
Carbide 8-Sided 3/4"sq	162713	**$26**

Dry HEPA Industrial Vacuums / Dust Collection/Shrouds

Shown with wand kit.
Comes standard with 15 ft. of 2 inch Hiloflex hose.

DRY Dual Motor HEPA Vacuum

Motor	Dual, 2 hp, 1600 Watts
Vacuum Pressure (H_2O")	100"
Air Movement (CFM)	200
Standard Filtration	.3 micron@ 99.97% efficiency
Sound Level	67 dB(A)
Weight	50 lb.
Capacity (gal)	12
Vacuum only Part No.	**160799**
List *E*	**$1,734**
Vacuum w/ Wand Kit Part No.	**162242**
List *E*	**$1,836**

Accessories for Dual Motor Dry Vacuum		*P*
Description	**Part No.**	**List**
5 Pack Hepa-Flo Bags (large - 4B)	160814	**$114**
10 Pack standard bags (large - 4B)	160839	**75**
Optional HEPA Assembly	160812	**645**
HEPA Replacement Element	160817	**298**
"Y" Connector	162793	**54**
Wand Kit	160801	**207**
Replacement Hose - 15 ft. Hiloflex	160813	**195**
29" Mounted Brush Attachment	160818	**279**

Droid 600		*P*
Accessories	**Part No.**	**List**
Bags - pack of 100	161864	**$595**
Bags - pack of 10	161865	**66**

DRY DUST DROID
HEPA For Extra Fine Dust

	Dual Motor
Specifications	**600 Vac**
HEPA Rated	99.97%
Motor	dual 2 hp
Volts	120 or 240v /50-60 hz
Watts/AMPS	3120 / 13 (ea)
Vacuum Pressure (H_2O")	90 in.
Air Movement (CFM)	600
Inlet (in.)	3"
Capacity (gal)	30
Hose(included)	3" x 25'
PART No.	**161682**
List *E*	**$12,995**

	5"	***P***
WCR Dust Rings	**Part No.**	**List**
WCR Dust Ring	151291	**$195**
Cover Plate Dust Ring	151292	**50**
Seal, Dust Ring	151293	**7**

DustBuddie (clear - hose sold separately)

	Fits 4-5" Grinders	***E***	**Fits 6-9" Grinders**	***E***
Description	**Part No.**	**List**	**Part No.**	**List**
DustBuddie	162437	**$81**	162438	**$88**
18" Hose	160091			**26**

DustBuddie XP (black - includes 18" hose)

	Fits 4-5" Grinders	***E***	**Fits 6-9" Grinders**	***E***
Description	**Part No.**	**List**	**Part No.**	**List**
DustBuddie XP	162456	**$135**	162457	**$149**

DustBuddie for Worm Drive Saw ***E***

Description	**Part No.**	**List**
Fits 7-1/4" worm Drive/Hypoid Circular Saws	162787	**$170**

Dustie (grey)

	5"	**7"**	***E***
Description	**Part No.**	**Part No.**	**List**
Dustie	160321	160322	**$41**
Cover Plate	160224	160328	**19**
18" Hose	160091		**26**

Hose sold separately

CutBuddie III (includes 18" hose)

	5"	***E***	**7"**	***E***
Description	**Part No.**	**List**	**Part No.**	**List**
CutBuddie III	161781	**$135**	161782	**$149**

Dry BitBuddie ***E***

Description	**Part No.**	**List**
1-3/8" dia. bits w/hose	160220	**$31**
1" to 4" dia. bits (round) w/hose	160979	**53**
2-8" dia. bits (round)	161625	**59**

Dust Bull for High Speed Saws ***E***

Description	**Part No.**	**List**
Universal, Fits Husqvarna, Stihl and Makita High Speed Saws	162852	**$510**

Dry Coring Vac Attachment
for Core Drills with 1-1/4" thread ***P***

Description	**Part No.**	**List**
Dry Coring Vacuum Attachment	152085	**$695**

VACUUMS

Model No.:	WV2900	WV5500
Capacity	29 Gallon	55 Gallon
Water Lift	117″	117″
Air Flow	112 CFM	112 CFM
Weight	80 Lbs	94 Lbs
Volt/Amp	120v / 10.7A	120v / 10.7A
Noise Level	68 dB	68 dB
Hose and Wand	1-1/2″ x 15Ft	1-1/2″ x 15Ft
Part No.	163347	163349
List E	$1,321	$1,525

Shown with 29″ mounted squeegee P/N 160802

Dump tube in back allows quick and easy draining of tank into floor drains

Optional 14" nylon filter (160829) and filter grid (160828) for dry vacuuming. Both parts must be used together. (Note: not for use on fine dust)

WET Slurry Clean-up Vacuum

Pickup Unit	29″ Mounted Squeegee kit	w/Wand	w/Wand	29″ Mounted Squeegee kit
Motor	Single 2 stage,	Single 2 stage	Single 2 stage	Single 2 stage
Power	1.6 hp, 1200 Watts	1.6 hp, 1200 Watts	1.6 hp, 1200 Watts	1.6 hp, 1200 Watts
Speed	Single	Single	Single	Single
Airflow	95 cfm	95 cfm	95 cfm	95 cfm
Inches Water Lift	100″	100″	100″	100″
Tank Capacity (gallons)	**12**	**12**	**20**	**20**
Power Cord	42′ in length	42′ in length	42′ in length	42′ in length
Sound Level	64 dB(A)	64 dB(A)	64 dB(A)	64 dB(A)
Weight	44 lb.	44 lb.	81 lb.	81 lb.
Tank & Head	Structural foam	Structural foam	Structural foam	Structural foam
Part No.	160802	160825	161552	160838
List *E*	**$877**	**$836**	**$1,081**	**$1,177**

Optional Accessories	Part No.	*P* List
Squeegee Wand Kit w/10′ Hose	160824	**$207**
Filter, 14″ nylon, primary	160829	**114**
Filter, 14″ nylon, secondary	162088	**104**
Thin filter grid	162089	**31**

Motor Filter	Part No.	*A* List
13″ Pad, white	A70022	**$8**

A 13″ pad can be used to minimize concrete slurry mist and foam from reaching the motor.

Wet Industrial Vacuums

WET Slurry Continuous Duty Vacuums	
Volts/Watts	120V/1,500
Amps	13
Vacuum Pressure (H_2O")	90"
Air Movement (CFM)	115
Inlet (in.)	2"
Capacity (gal)	55
Effective Slurry pickup distance	100 ft
Hose Included	25 ft x 2" diameter
PART No. Complete	**100553**
List *E*	**$3,635**
Motor Head and Hose	**100554**
List *E*	**$2,375**

Accessories/Components		*P*
Description	**Part No.**	**List**
Cart	100630	**$630**
Vacuum Wand, slurry vac	100631	**140**
Motor only	100555	**189**
Motor brush set	100556	**24**
Filter, slurry vac	100558	**35**
Seal, slurry vac	100561	**48**

For wet use only.

100553 shown

Vacuum and motor unit shown mounted on 55 gallon metal drum (included)

100554 Shown

SLURRY VACUUMS

Floor Machines (Swing Machine/Burnishers)

Pro Swing Machine - Heavy Duty	
Model No.:	DITEQ Pro 17"
Pad Size	17"
Disc RPM	165 rpm
Weight	123 lbs
Motor	1-1/2HP TEFC
Volt/Amp	120v / 7.9A
Noise Level	66 dB
Part No.	G00140
List E	**$1,876**

Optional Equipment Pro Heavy Duty		
Model No.:	**DITEQ Pro 17"**	**List P**
Water Tank Kit	162247	**$135**
Splash Guard Shroud	163352	**145**
Dry Vac Shroud	163397	**386**
Brush (Poly Bristle)	162223	**110**
Brush (Soft Shampoo)	162271	**181**
Weight Kit (50 Lbs)	163346	**465**
Plate - Pad Driver	162270	**111**
Plate - Pad Driver Econ	162710	**91**
Plate - Diamond Tooling	163350	**692**
Plate - Orbitec	163351	**950**
Plate - Carbide Stripping, (Includes set of 160309 Carbides)	162870	**938**

Contractor Propane High Speed Burnisher (Buffer)		
Specifications:		
Disc Size	21"	27"
Engine	18HP Kawasaki Propane	18HP Kawasaki Propane
Disc RPM	1800 rpm	1800 rpm
Production per hour	23,000 sf/hour	23,000 sf/hour
Weight	250 Lbs	250 Lbs
Part No.	300234	300236
List E	**$3,917**	**$4,233**

Eagle by DITEQ

Slurry Control

MudDog Slurry Treatment

DITEQ's SlurrySep quickly separates the water from the slurry solids. SlurrySep pH Balance product can treat the water's pH levels before disposal. SlurryDry rapidly absorbs and encapsulates the water and slurry without mixing. The result is a non-flowing solid ready for disposal. SlurryDry has a typical absorption rate in excess of 250X's! DITEQ's SlurryDry will not release liquids even after freezing and reheating.

SlurrySep Floc Agent

Description	SlurrySep	List	SlurrySep-PH	A List
50-lb bag	100540	**Call**	100541	**Call**
4 gallon bucket*	100543	**Call**	100544	**Call**

SlurryDry Slurry Gel

Description	SlurryDry-QS	List	SlurryDry-LS	A List
50-lb bag	100539	**$615**		
40-lb bag			100767	**Call**
4 gallon bucket*	100542	**330**	100563	**Call**

QS - Quick Solidification
*LS - Low Solids Slurries * 4 gallon buckets weigh approximately 25 lb.*

CONCRETE DESTROYER cleans and removes dry, hardened concrete off practically anything. Environmentally friendly - works without harmful chemicals and acids.

CONCRETE DESTROYER

Description	Standard Formula Part No.	List	Foaming Formula Part No.	A List
32-oz. spray bottle*	100316	**$26**	100335	**$36**
1 gallon bottle**	100317	**51**	100336	**59**
5 gallon bucket	100318	**244**	100337	**260**
55 gallon drum	100319	**2,201**	100338	**2,206**

* Packaged 2 boxes of 6 32-oz bottles (12 total per case) ** Packaged 4 one gallon bottles per case
270 Gallon tote size is also available. Call for more information.

Daily Cleaner for Polished Concrete Floors

Concentrated Description	Part No.	A List
1 gallon*	161233	**$36**

**Packaged 4 one gallon bottles per case*

Pumps and Spigots

Description	Part No.	P List
Pump for 55 gallon drums	100328	**$104**
Spigot for 5 gallon bucket	100323	**7**

Floor Pads (Box of 5), Call for Pricing

FL Pad	12"	13"	14"	15"	16"	17"	20"	21"	24"	27"
White (Soft)	A70030B	A70022B	A70050B	A70027B	A70032B	A70004B	A70014B	A70016B	A70020B	A70018B
Black (Abr)	A70029B	A70021B	A70048B	A70026B	A70031B	A70003B	A70013B	A70015B/51B	A70019B	300209B
Hogs Hair	A70040B	A70041B		A70042B		A70043B	A70044B	A70045B	A70046B	A70047B
Blue								300189B	300190B	300191B
Red	A70034B	A70024B	A70049B	A70028B	A70033B	A70039B	A70025B	A70036B		A70037B
Green		A70023B		A70035B				A70038B		

Compact Scrubbers

	TG516 Corded	TGB516NX Battery
Cleaning Path	15/16″	15/16″
Pad Size	15″	15″
Brush Size	16″	16″
Solution/Recovery Tank	5 gal	5 gal
Solution Flow Rate	0.9 gpm	0.9 gpm
Brush Pressure	55 lbs	55 lbs
Brush Speed (rpm)	150 rpm	200 rpm
Brush Motor	400W/.5 hp	400W/.5 hp
Vacuum Motor Power	400W/.5 hp	300W/.5 hp
Noise Level	67 dB(A)	65 dB(A)
Working Capacity	16,600 sf/hr	17,600 sf/hr
Cleaning Speed		
Power	115V electric	36V
Weight	85 lbs	75 lbs*
Dimensions (LxWxH)	33″x18″x44″	33″x18″x44″
Part No. w/poly scrub brush	G00123	G00146
Part No. w/pad driver	G00122	G00147
List E	**$2,647**	**$4,027**

*including battery

Compact Scrubber Optional Accessories

	Part No.
Extra Battery for TGB516NX / Charger-NX	163493 / 163494
Squeegee Set	162330
Brush, Poly Scrub 16″	162033
Brush, Soft Shampoo Brush – 16″	162034
Pad Driver, 15″	162032

FLOOR SCRUBBERS

Walk-Behind Industrial Scrubbers

	TGB1120	TT1120
Cleaning Path	20″	20″
Pad or Brush Size	20″	20″
Solution/Recovery Tank	11 gal	11 gal
Water Flow Rate	0-0.5 gpm	0-0.5 gpm
Brush Pressure	75 lbs	105 lbs
Brush Speed (rpm)	150	180
Brush Motor	24V, 400W	1000W
Vacuum Motor Power	24V, 400W	1200W
Traction Motor		
Noise Level	67 dB(A)	67 dB(A)
Working Capacity	22,000 sf/hr	22,000 sf/hr
Working Speed		
Climbing incline		
Run Time (hours)	3-3.5	
Batteries (gel)	2 x 100 Ah	
Electric Cord		65 ft.
Weight	277 lbs	150 lbs
Dimensions (LxWxH)	44″x22″x43″	44″x22″x43″
Part No.	G00128	G00127
List E	**$5,998**	**$4,704**

All models include pad driver

Hydraulic Power Packs

p/n	P00021	P00033
List E	**$7,395**	**$5,605**
Model	HPP18V-Flex	HPP14-Flex
Flow (GPM)	1x5, 1x8, 1x10	1x5 or 1x8
PSI (MAX/NOM)	2300/1750	2200/1750
Engine- B&S	18HP	14HP
Starter	Recoil & Electric	Recoil Only
Fuel Capacity	2.3 GAL	1.7 GAL
Dim. LxWxH (inch)	31.75 x 24.5 x 27.5	28 x 23.38 x 26.38
Weight (Lbs)	232	178

The **HPP14-Flex** has 5GPM or 8GPM selection. Instead of creating heat by running the engine at full power and using an orifice to change the flow, the HPP13 (and all the HYCON PowerPacks with flow control) uses the throttle to change the flow from 5GPM to 8GPM. This creates less heat and uses less fuel when set for use at 5GPM. The **HPP18** comes in Flex (5/8/10 GPM).

Hydraulic Hand Drills

P/N	DR2026	DR2027
List E	**$2,489**	**$2,489**
Model	HHCD104	HHCD214
RPM (Max)	1500RPM @5GPM 2400RPM @8GPM	600RPM @5GPM 950RPM @8GPM
Bit Capacity	1" - 4"	2" - 14"
Bit Thread	1 1/4 - 7 UNC	1 1/4 - 7 UNC
Speed	Variable	Variable
Weight	17 Lbs	17 Lbs



HYDRAULIC CATALOG FOR FULL LINE OF HYDRAULIC EQUIP

Hydraulic Hand Saw

p/n	H00025	H00026
List E	**$2,341**	**$2,494**
Model	HCS14	HCS16
GPM required	5-8	5-10
Working Pressure MAX PSI	2500	2500
Length with Blade (inch)	35	36
Weight (Lbs)	16	17
Power (HP)	7.0	10.3
Arbor	1"	1"
Blade RPM	2400-3600	1800-3600
Blade Diameter (inch) Nom	14"	16"
Cutting Depth (inch)	5-3/8	6-3/8
Vibration Level	<2.5m/sec^2	<2.5m/sec^2

p/n	List E	Description
141170	**$1,326**	SAW CART - HYCON HCS 14"/16"

HCS Brute Blades	14"	16"
C-50AXBRN x.125"Thick x1"Arbor	D11201	D11202
C-50AXBR2N x.125"Thick x 1"Arbor	D11239	D11231
C-50AXBR2N x.235" X 1"-FLUSH		D11242

Post Driver

P/N	H20008
List E	**$3,259**
Model	HPD60
Weight	64 Lbs
GPM	8GPM

152529	ROUND ADAPTER 2-3/8IIN
151872	ROUND ADAPTER 3IN
152688	ROUND ADAPTER 4 1/8IN
152689	ROUND ADAPTER 5IN
151871	SQ ADAPTER 2 1/2IN
152687	SQ ADAPTER 4 1/8IN

Breaker

P/N	H20014
List E	**$2,229**
Model	HH10RV
Weight	22Lbs
GPM	5
Working Pressure	1450PSI
MAX Return Pressure	220PSI
Blow Frequency	2100 bpm
Blow Energy	16 Ft-Lb
Power Output	1 HP
Vibration (3-Axis)	9.6 m/sec^2
Shank	0.580

151859	HOSE HYD PAIR 1/2" X 50`
151867	HOSE HYD PAIR 1/2" X 25`

Hydraulic TRASH PUMPS

P/N	110134	110132
List E	**$1,729**	**$2,423**
Model	HWP2	HWP3
Weight	10Lbs	17Lbs
Discharge Size (inch)	2	3
GPM	5 - 8	5 - 8
MAX Pumping Capacity	202 GPM	352 GPM
MAX Lift Head	92 FT	72 FT
MAX Solids Size (inch)	1-1/2"	2-1/2"



	Moil Point	1" W	2"W	2-1/2"W	3"W
9" Long	152072	152076	152078	152319	152321
12"	152322	152314	152318	152320	

The Vortex pumps are used especially for dirty water because of less wear on the impeller. The Vortex pump impeller blades do not shovel the water. The impeller sets the water in a circular movement and by centrifugal force pumps the water out. Imagine stirring a bucket full of water and as it is being stirred the water will be pressed against the inside of the bucket and create a vortex/tornado funnel of air shaped cone in the middle. That same idea is used with the vortex pumps which results in much less wear since there is much less contact between the water and the impeller.

Grinders and Polishers

TG8 and RT8 Grinder/Polisher	TG8		TG8		RT8	
Disc Size	8″		8″		8″	
Motor/Engine Brand	2 HP Electric 115V/18.4A		5.5 HP Honda Gasoline		1.5 HP Electric 115V/13A	
RPM – Disc	2800		2800		1750	
Gas/Electric/Propane	Electric		Gas		Electric	
H x L x W (Inch)	37 x 37 x 20		37 x 37 x 20		37 x 37 x 20	
Weight	130 lbs		130 lbs		130 lbs	
Part No. w/D91003 Grinding Disc*	G00046	**$3,177 E**	G00048	**$3,498 E**		
Part No. w/160222 TEQ-Lok 4-slot	G00057	**$2,982 E**	G00058	**$3,290 E**		
Part No. w/163367 TL/DT/BO 3-slot					G00142	**$2,996 E**

Standard rotation is RH (right hand) .... * Each Replacement Disc comes with new O-ring Isolator 161113

GRINDING/POLISHING

SURFACE PREP CATALOG FOR FULL LINE OF SURFACE PREP & POLISHING TOOLS

TG12	Electric 1-Phase	Electric 1-Phase	Gasoline
Disc Size	12″	12″	12″
Power	3HP 220V/16.8A	5HP 220V/23A	13HP Honda
RPM – Disc	1000	1000	1000
Dimensions	32″ x 41″ x 18″	32″ x 41″ x 18″	32″ x 41″ x 18″
Weight	220 lbs	220 lbs	200 lbs
Part No.	G00117	G00051	G00055
List E	**$5,095**	**$5,401**	**$5,809**

Picture in Trunk of a car, G00122 (TG516 Scrubber) from page 26, DR2030 (D-Handle Hand Drill in a Case) from page 14, and, G00046 (TG8 Grinder) from page 28.

TG18	Electric 1-Phase	Gasoline	Propane
Disc Size	18″	18″	18″
Power	5HP 220V/23A	13HP Honda	18HP Kawasaki
RPM – Disc	425	1400	1400
Dimensions	56″ x 37″ x 25″	56″ x 37″ x 25″	56″ x 37″ x 25″
Weight	290 lbs	280 lbs	360 lbs
Part No.	G00066	G00134	G00116
List E	**$5,197**	**$5,809**	**$7,339**

PCD- Shredding Thick Non Abrasive Coatings

	TL		DT	
Description	P/N	List D	P/N	List D
PCD 2-QR RH WB	162775	$95	162003	$135
PCD 2-QR LH WB	162776	95	162004	135

Carbide Scrapers- Scraping up Coatings

	TL		DT	
Description	P/N	List	P/N	List
Carbide Scraper Mounting Block RH	161641	$107 P	162538 (RH/ LH)	$107 P
Carbide Scraper Mounting Block LH	161704	$107 P		
Carbide 8 Sided Chip	160309			$39 A
Low Profile Mounting Screw	900138			$1 P



Bead Strippers- Strip Coatings & Grind single Step

	TL		DT	
Description	P/N	List D	P/N	List D
Bead Strippers 30/40G Coarse	D91107	$100	D91121	$145

Volcanos- General Purpose

	TL		DT	
Description	P/N	List D	P/N	List D
VOLCANO S1 30G M	163227	$40	163226	$40

Double Arrow- Coating Stripping by Grinding

	TL		DT	
Description	P/N	List D	P/N	List D
Arrow 16M	161978	$70	162347	$65
Arrow 30M	161979	70	162348	65

Single Segment Grinding

	TL		DT	
Description	P/N	List D	P/N	List D
Single Round 30M	162410	$52	161910	$52
Single Segment 30M	162411	52	162305	52

Double Segment Grinding

	TL		DT	
Description	P/N	List D	P/N	List D
Double Round 30M	162795	$65	161925	$65
Double Round 60M	162796	65	161926	65
Double Segment 30M	162800	65	162304	65

Velcro Pad Drivers

	TL		DT	
Description	P/N	List P	P/N	List P
2" VELCRO PAD DRIVER	161165	$49		
3" VELCRO PAD DRIVER	163234	$36	162602	$36

Velcro Back RESIN Polishing

	2" DRY		3" Wet/DRY	
	P/N	List D	P/N	List D
30G*	161166	$49	162816	$30
50G*	161167	49	162681	30
100G*	161168	49	162682	30
200G*	161588	49	162683	30
400G	161173	$39	162684	30
800G	161174	39	162685	30
1500G	161175	39	162686	30
3000G	161176	39	162687	30

* For the 2" pads the 30Grit to 200Grit are Semimetal and can be used Wet or Dry.

Blade Adapters

Description	Part No.	P List
Flush Mount Adapter (Stainless)	130122	$14
5/8" - 11F to 7/8" Arbor	130117	12

S32 Raised Hub Turbo Blade

★★★ Super Premium

Diameter & Width	Part No.	D List
4" x .060" x 7/8"-5/8"	D50032	$43
4.5" x .060" x 7/8"-5/8"	D50033	61
5" x .060" x 7/8"-5/8"	D50034	80



S42 Narrow Rim Turbo Blade

★★★★ PRO IV

Diameter & Width	Part No.	D List
4" x .080" x 7/8"- 5/8" flush	D53027	$48
4.5" x .080" x 7/8"- 5/8" flush	D53028	56
5" x .080" x 7/8"- 5/8" flush	D53029	67
6" x .080" x 7/8" - 5/8"	D53030	85
7" x .080" x DM-7/8" - 5/8"	D53031	109



Hand Polishing Pads

★★ Premium

Grit	Part No.	D List
50 Grit	130375	$41
100 Grit	130376	41
200 Grit	130377	41
400 Grit	130378	41
800 Grit Resin	130380	29
1500 Grit Resin	130381	29
3000 Grit Resin	130382	29

Backer Pads (5/8"-11 threaded)

Rubber	Part No.	P List
4" Super Flex	130338	25
4" Standard Flex	130120	11
4" Rigid	130335	11
4" Extreme Flex	130510	25
5" Standard Flex	130121	37
7" Standard Flex	130520	46
Aluminum	**Part No.**	**P List**
3" Aluminum	130522	25
4" Aluminum	130511	25
5" Aluminum	130512	40
7" Aluminum	130521	75

Sharpening Stone

Description	Part No.	P List
Sharpening Stone	130009	$7





Polishing Pads ★★★Super Premium

	4" Wet Part No.	D List	4" Dry Part No.	D List	5" Wet Part No.	D List
50	D64082	$15	D64250	$28	D64019	$41
100	D64083	15	D64251	28	D64020	41
200	D64084	15	D64252	28	D64021	41
400	D64085	15	D64253	28	D64022	41
800	D64086	15	D64254	28	D64023	41
1500	D64087	15	D64255	28	D64024	41
3000	D64088	15	D64256	28	D64025	41
5000			D64257	28		
10000DF(Blk)	D64089	21			D64026	46
10000DF(Wht)	D64090	21			D64027	46
Complete Set per box	D64091	129			D64028	343

T23 Laser Cut Spider Continuous Rim

★★Premium

Diameter & Width	Wet/Dry Part No.	D List
4" x .060" x 5/8"	D50053	$28
4.5" x .060" x 5/8"	D50054	44
Diameter & Width	**Wet Only Part No.**	**List**
7" x .060" x 5/8"	D50040	$61
8" x .060" x 5/8"	D50041	71
10" x .060" x 5/8"	D50042	105

T24 Continuous Rim

★★Premium

Diameter & Width	Part No.	D List
8" x .060" x 5/8"	D51009	$66
10" x .080" x 5/8"	D51010	100
12" x .080"x 1"	D51011	149

TG-32 Glass Tile Blade

★★★Super Premium

Diameter & Width	Part No.	D List
7" x .063" x 5/8"	D50056	$59
10" x .065" x 5/8"	D50043	103

.200" seg. height

DX-C Continuous Rim Blade

★Economy, Fast Cut

Diameter & Width	Part No.	D List
4" x .060" x 5/8"	D96201	$20
4.5" x .060" x 7/8"-5/8"	D96202	24
5" x .060" x 7/8"-5/8"	D96219	35
7" x .060" x 5/8"	D96203	48
10" x .060" x 5/8"	D96204	85

To place orders:

Call 866-688-1032 Or Fax: 877-220-4777

You will need the following items for Customer Service:

- Your purchase order number and/or name
- Company name and billing information
- Customer number
- Shipping address, if different from billing address
- Date needed
- Products desired and quantity

For detailed product information visit **www.DITEQ.com.**

Freight Policy

Equipment – Freight is paid (Ground Shipment) as one shipment to one location within the continental United States by the carrier of DITEQ's choice for three (3) pieces of equipment shipped of equal value.

Diamond Tools – Freight is prepaid by the shipper and added to the invoice for orders less than $500.00. Freight is paid (ground shipment) to one location within the continental United States by the carrier of DITEQ's choice for orders of $500.00 or greater.

Parts, Chemicals, and Abrasives – Freight is prepaid by the shipper and added to the invoice.

Orders of $3,500 or greater in Diamond tools – Freight is paid (ground shipment) to one location within continental United States by carrier of DITEQ's choice on the total order including all the additional items on the order.

Anything not meeting the exemptions above are Shipped FOB Factory.

We reserve the right to route all shipments via the carrier of DITEQ's choice. Priority, Next Day or Two-day Service will be added to your invoice or billed collect. Shipments requiring special handling or to a residence may incur additional charges.

Terms and Conditions

Minimum order: For all finished product orders of less than $50, a $10 minimum order charge will be added. (shipping and tax excluded.)

Sales tax will be charged where applicable unless a tax exemption certificate is provided.

Repairs: Carefully package all returned items for repair and send with the following information on a packing slip:

- Your company name, address and phone number
- Original Invoice (warranty only)
- List of items for repair
- Returned Goods Authorization (RGA) number obtained from Customer Service
- Explanation of repair(s) needed.
- Replacement/Refund: All returned catalog items are subject to a 15% restocking fee. Returned for replacement or refund items should be in original cartons and accompanied by a packing slip with the following information:
- Contact customer service for a Returned Goods Authorization (RGA). (Merchandise cannot be accepted without this authorization.)
- List of items returned and reason(s) for return(s)
- Copy of original invoice(s). Merchandise receipt must be dated no longer than 12 months from date shipped.

Ship merchandise prepaid to:

DITEQ Corporation, 9876 Pflumm Road, Lenexa, KS 66215

We reserve the right to change and/or modify products and part numbers. Images within this catalog may not reflect the most current product line.

Prices are in U.S. dollars. Prices and specifications subject to change without notice.

© Copyright 2020 DITEQ Corporation. All rights reserved

Terms and Conditions / Warranty

LIMITED WARRANTY FOR NEW DITEQ EQUIPMENT

GENERAL PROVISIONS – The warranties described below are provided by DITEQ Corporation ("DITEQ") to the original purchasers of new DITEQ Equipment from DITEQ or authorized DITEQ dealers. Under these warranties, DITEQ will repair or replace, at its option, any covered part which is found to be defective in material or workmanship during the applicable warranty term. Warranty service must be performed by DITEQ or a dealer or service center authorized by DITEQ to sell and/or service the type of product involved, which will use only new or re-manufactured parts or components furnished by DITEQ. Warranty service will be performed without charge to the purchaser for parts. The purchaser will be responsible, however for any service call and/or labor, transportation and/or freight of product to and from DITEQ, the dealer's or service center's place of business, for any premium charged for overtime labor requested by the purchaser, and for any service and/or maintenance not directly related to any defect covered under the warranties below.

WHAT IS WARRANTED – All parts of any new DITEQ Equipment are warranted for the number of months specified below. Component manufacturers offer separate warranties and warranty terms as stated below. Warranty statements required by law covering engine emission-related parts and components are found in the engine operating manual delivered with the machine. Each warranty term begins on the date of product delivery to the purchaser.

HYCON	**12 Month**
RGC	**12 Month**
NACECARE	**12 Month**
SHIBUYA	**24 Month**
MAXCUT	**12 Month**
DITEQ/MITO	**12 Month**

WHAT IS NOT WARRANTED – DITEQ IS NOT RESPONSIBLE FOR THE FOLLOWING:

(1) Used products; (2) Any product that has been modified in ways not approved by DITEQ; (3) Depreciation or damage caused by normal wear, lack of reasonable and proper maintenance, failure to follow operating instructions, misuse, lack of proper protection during storage, transporting or accident; (4) Normal maintenance parts such as belts, bearings, filters, wheels, cutters, etc. and service.

SECURING WARRANTY SERVICE – To secure warranty service, the purchaser must (1) report the product defect to DITEQ, an authorized dealer or an authorized service center and request repair within the applicable warranty term, (2) present evidence of the warranty start date, and (3) make the product available to DITEQ, the dealer or service center within a reasonable period of time.

LIMITATIONS OF IMPLIED WARRANTIES AND OTHER REMEDIES – To the extent permitted by law, neither DITEQ nor any company affiliated with it makes any warranties, representations or promises as to the quality, performance or freedom from defect of the equipment covered by this warranty.

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, TO THE EXTENT APPLICABLE, SHALL BE LIMITED IN DURATION TO THE APPLICABLE PERIOD OF WARRANTY SET FORTH ON THIS PAGE. THE PURCHASER'S ONLY REMEDIES IN CONNECTION WITH THE BREACH OR PERFORMANCE OF ANY WARRANTY ON THE DITEQ EQUIPMENT ARE THOSE SET FORTH ON THIS PAGE. IN NO EVENT WILL THE DEALER, DITEQ OR ANY COMPANY AFFILIATED WITH DITEQ BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. (Note: Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages so the above limitations and exclusions may not apply to you.) This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

NO DEALER WARRANTY– THE SELLING DEALER MAKES NO WARRANTY OF ITS OWN AND THE DEALER HAS NO AUTHORITY TO MAKE ANY REPRESENTATION OR PROMISE ON BEHALF OF DITEQ, OR TO MODIFY THE TERMS OR LIMITATIONS OF THIS WARRANTY IN ANY WAY. If further information is desired, please contact DITEQ.

AN ELECTRONIC VERSION OF THIS 2021 DISTRIBUTION & RENTAL

International Grooving & Grinding Association

csda member

World of Concrete

STAFDA

ICPA Iowa Concrete Paving Association

Concrete Paving Association of Minnesota

American Rental Association

ARIX Diamond Arrangement Technology

DITEQ™ Diamond Tools & Equipment

DITEQ Corporation
9876 Pflumm Road • Lenexa, KS 66215
Phone 866-688-1032 • Fax 877-220-4777 • www.DITEQ.com