


#### makes a difference



# VACS FOR RENTAL & THE PROFESSIONAL CONTRACTOR.

High performance, self cleaning commercial vacuums.

## WD WET/DRY VACUUMS & ACCESSORIES

## WET/DRY VACUUMS

More than power – refined technology for superior cleaning. The compact, space-saving WD vacuums offer outstanding suction power, energy efficiency, high quality accessories, an innovative filter and maximum user convenience. The extremely powerful Kärcher WD vacuum cleaners are impressive across the board. All of this translates to a line of consumer wet/dry vacuums with top tier performance at attractive prices.







NAME	WD4	WD5	WD5/P
Part Number	1.348-115.0	1.348-196.0	1.348-197.0
	<ul> <li>STANDARD ACCESSORIES</li> <li>5.3 gallons of usable wet or dry cleaning capacity</li> <li>1800 Watts / 2.4 HP motor</li> <li>Top mounted filter cartridge</li> <li>Flat filter</li> <li>Includes onboard storage for hose, wands, floor tool</li> </ul>	<ul> <li>STANDARD ACCESSORIES</li> <li>6.6 gallons of usable wet or dry cleaning capacity</li> <li>1800 Watts / 2.4 HP motor</li> <li>Top mounted filter cartridge</li> <li>Flat filter</li> <li>Blower function</li> <li>Includes onboard storage for hose, wands, floor tool</li> </ul>	<ul> <li>STANDARD ACCESSORIES</li> <li>Onboard power tool outlet</li> <li>6.6 gallons of usable wet or dry cleaning capacity</li> <li>1800 Watts / 2.4 HP motor</li> <li>Top mounted filter cartridge</li> <li>Flat filter</li> <li>Blower function</li> <li>Includes onboard storage for hose, wands, floor tool</li> </ul>
TECHNICAL SPECS			
	Tank Capacity:	Tank Capacity:	Semi-automatic filter
	5.3 gallons	6.6 gallons	cleaning
	Max Watts:	Max Watts:	Tank Capacity:
	1800	1800	6.6 gallons
	Noise Level:	Noise Level:	Max Watts:
	74 dBA	73 dBA	1800
	Approx Weight w/o acc:	Approx Weight w/o acc:	Noise Level:
	15.65 lbs	18.75 lbs	73 dBA
			Approx Weight w/o acc:
			18.75 lbs
LIST PRICE (USD)	\$129.99	\$169.99	\$199.99
2	2 yr limited warranty	2 yr limited warranty	2 yr limited warranty

FEFF

### **NT 35/1 TACT TE**



## Efficient vacuum cleaners.

These powerful vacuum cleaners pick up coarse dirt and liquids as well as large quantities of fine dust. Tact, the fully automatic cleaning system, cleans the filter with strong air blasts. Ideal for long periods of uninterrupted use and constant high suction power.

#### 1 Tact system (Tact Automatic Filter Cleaning System)

- Fully automatic filter cleaning through powerful bursts of air with no loss of suction
- Our Tact vacuum cleaner offers the only filter cleaning system on the market with a filter life of at least 130 kg of fine dust.

#### <sup>2</sup> High-quality, robust equipment

- Robust and hard wearing rubber power cord.
- 2 sturdy stainless steel suction tubes supplied as standard.

#### <sup>3</sup> Ideal Connections

- All Te versions are equipped with our power tool bushing.
- Our power tool bushing allows you to connect all standard power tools.

#### <sup>4</sup> Power outlet

 Te versions are equipped with power outlet automatic on/off switch and antistatic preparation.

#### **Technical Data and Equipment**

NT 35/1 TACT TE			
Technical data			
Container capacity g	al 9.2		
Vacuum motor an	<b>p</b> 8		
water lift	<b>n</b> 88		
Max. power rating	<b>N</b> 1,265		
Filtration system	TACT		
Cable length	<b>ft</b> 25		
Hose length & diameter	<b>n</b> 96 x 1.37		
Air flow rate cf	<b>m</b> 120		
Operating noise level de	<b>A</b> 67		
Weight I	<b>S</b> 25.3		
Dimensions (L x W x H)	<b>n</b> 20.4 × 15 × 22.8		
Equipment			
Suction hose with bend, 8' (2.5 m)	•		
Suction tube, metal 2 x 1.6' (2 x 488 mm)	•		
Dust bag	2-ply paper		
Filter	Washable nylon filter		
Wet and dry floor tool	•		
Crevice tool			
Part No.	1.184-882.0	List Price \$599.99	

Included in delivery.

#### NT 45/1 TACT CUL



## **Built to last.**

High efficiency, low wear: The motor of the NT 45/1 Tact has no carbon brushes - ideal for hard and long industrial use with a life expectancy of 5,000 hours.

#### 1 Tact system (Tact Automatic Filter Cleaning System)

Fully automatic filter cleaning through powerful bursts of air with no loss of suction

#### Rugged and dependable commercial wet/dry vacuum

- ÷. Large rear wheels and front swivel casters for easy maneuverability.
- Metal Wand, Floor Tool, Crevice Tool, and Washable Nylon Filter are н. included with each NT wet/dry vacuum.
- Crush resistant hose stows conveniently on top for storage. .
- Self-cleaning filter. н.

3 Electronic Tank level monitor

#### **Technical Data and Equipment**

		NT 45/1 TACT CUL		
Technical data				
Container capacity	gal	11.9 (45 l)		
Vacuum motor a	amp	8		
Waterlift	in	88"		
Max. power rating	w	1,265		
Filtration system		ТАСТ		
Cable length	ft	25' (7.6 m)		
Hose length & diameter	in	8' x 1.37" (2,438 mm x 35 mm)		
Air flow rate	cfm	120		
Operating noise level	dBA	67		
Weight	lbs	27.5 (12.5 kg)		
Dimensions (L x W x H)	in	20.4" x 15" x 27" (520 mm x 380 mm x 686 mm)		
Equipment				
Suction hose with bend, 8' (2.5 m)		•		
Suction tube, metal 2 x 1.6' (2 x 488 mm)		•		
Dust bag		2-ply paper		
Filter		Washable nylon filter		
Wet and dry floor tool		•		
Crevice tool		•		
Part No.		1.145-846.0	List Price \$699.99	
Included in delivery.				

Included in delivery.

### NT 65/2 ECO



## For tackling tough jobs for industrial and commercial use.


Two powerful turbines, patented filter system, semi-automatic filter cleaning and large container capacity enable long periods of use with constant suction power.



1 On-board storage area

Large on-board storage area for tools and accessories.

<sup>3</sup> Electronic Tank level monitor



#### drainage hose

 Easily accessible drainage hose for convenient and safe liquid disposal

## Technical data and equipment.

	NT 65/2 ECO	
Technical data		
Container capacity	17.2 gallon (65 l)	
Vacuum motor	18 AMPS (2 stage)	
Waterlift	88"	
Max. power rating	1,265 W	
Filtration system	Power filter clean	
Cable length	33' (10 m)	
Hose length & diameter	12' x 1.37" (3,658 mm x 35 mm)	
Air flow rate	229 cfm	
Operating noise level	74 dBA	
Weight	41.9 lbs (19 kg)	
Dimensions (L x W x H)	23.6" x 18.9" x 36.2" (600 mm x 480 mm x 920 mm)	
_		
Equipment		
Suction hose with bend, 8' (2.5 m)	•	
Suction tube, metal 2 x 1.6' (2 x 488 mm)	•	
Dust bag	2-ply paper	
Filter	Washable nylon filter	
Wet and dry floor tool	-	
Crevice tool		
Part No.	1.325-104.0	List Price \$1,215.00
Included in delivery		

Included in delivery.

#### NT 48/1 CUL



#### Standard class - high suction.

These standard class wet and dry vacuum cleaners are ideal for wet and dry vacuuming of small areas with powerful suction performance. Robust, affordable and versatile, they effortlessly pick up dirt and liquid and are ideal for contract cleaners and for use in the automotive industry.



1 Container draining

An easily accessible drain hose enables convenient and safe container emptying.



Accessories can be stored at the back of the container.

3 Electronic Tank level monitor

## Technical data and equipment.

	NT 48/1 CUL	
Technical data		
Container capacity	12.6 gallon (48 l)	
Vacuum motor	10 AMPS	
Waterlift	80"	
Max. power rating	1,200 W	
Filtration system	Traditional cylindrical	
Cable length	25' (7.6 m)	
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)	
Air flow rate	141 cfm	
Operating noise level	66 dBA	
Weight	22 lbs (10 kg)	
Dimensions (L x W x H)	19" x 15.4" x 30.3" (485 mm x 390 mm x 770 mm)	
Equipment		
Suction hose with bend, 8' (2.5 m)	•	
Suction tube, metal 2 x 1.6' (2 x 488 mm)	•	
Dust bag	Paper	
Filter	Cylindrical dust filter	
Wet and dry floor tool	•	
Crevice tool	•	
Part No.	1.428-623.0	List Price \$442.50
Included in delivery.		

## NT 68/1



## Designed with water pick-up in mind.

The NT 68/1 offers more efficient water pick up with its front mounted and self-adjusting squeegee assembly. It's unique 18 gallon capacity is designed to empty complete without the need for tipping.

#### 1 Designed for productivity

- 18 gallon capacity offers easy mobility for medium to large jobs.
- Front-mounted 24" squeegee offers more productive water pick up.
- On board tool and Safety Sign Storage.

#### 2 Easy to use

- Large transport wheels.
- Unique design results in 100% dumping without tipping.
- Easy squeegee assembly lift.
- Crush proof nose.

## **Technical data and equipment**

	NT 68/1				
Technical data					
Container capacity	18 gallon (68 l)				
Vacuum motor	10 AMPS	10 AMPS			
Waterlift	80"	80"			
Max. power rating	1380 W	1380 W			
Cable length	50'				
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)				
Air flow rate	142 cfm				
Operating noise level	71 dBA				
Weight	64 lbs (29 kg)	64 lbs (29 kg)			
Dimensions (L x W x H)	35.5" x 24.5" x 37.5" (90	35.5" x 24.5" x 37.5" ( 901 mm x 622 mm x 953 mm)			
Equipment					
Squeegee				*	
Suction hose with bend, 8' (2.5 m)	•	*		•	
Suction tube, metal 2 x 1.6' (2 x 488 mm)	•	*		-	
Floor tool	•	*		•	
Crevice tool	•	*		-	
Drip tray		•		•	
Elbow	•	*		-	
Order No.	1.013-021.0 Price \$	803.00 1.103-495.0	Price \$944.00	1.103-494.0	Price \$1,020.00
<ul> <li>Included in delivery.</li> <li>Available accessories.</li> </ul>					

Please contact us for more information:

#### **North America**

4555 Airport Way Denver, CO 80239 U.S.A.

Phone 800-771-1881

www.karcher.com/us

#### **North America**

4275 NW Pacific Rim Blvd. Camas, WA 98607 U.S.A. Phone 800-771-1881

Fax 877-526-3246

www.sharkpw.com