




FEATURES





1. ERGONOMIC DESIGN

The modern design of the MAC3 tool offers an unrestricted view of the work area and allows for better posture during operation.

2. CORROSION RESISTANT

The surface of the cylinder is plated with corrosion resistant white zinc. This superior coating keeps the tool looking good for years to come.

3. NO LUBRICATION

Cylinders and pistons receive specific heat treatment procedures during the manufacturing process. This allows the tool run on standard compressed air without additional oil.

4. HIGH PERFORMANCE

Air cushion piston design adds longevity to the tools. It also provides increased performance and comfort for the user.

5. REDUCED AIR CONSUMPTION

Due to the one-piece cylinder housing, easy access distribution valve and the air cushion piston design, MAC3 tools require 25-40% less air than our competition.

OPTIONS

REDUCED VIBRATION HANDLES

MAC3 offers vibration reducing handles, capable of reducing vibration up to 70%. Reduced vibration allows the operator to work longer and more efficiently.

NOISE REDUCING SILENCER

For working environments with sound requirements or where construction noise is an issue, use a MAC3 silencer to reduce noise by 50%.

SPECIFICATIONS

PAVING BREAKERS

Manufactured with the toughest jobs in mind, MAC3 paving breakers are both reliable and powerful. Ideal for construction, heavy asphalt removal, breaking reinforced concrete, frozen ground, rock, plant maintenance and general demolition work, MAC3's paving breakers are the perfect tools for a multitude of applications.



Model	Silencer (S)	Vibro-reduced Handles (VR)	Weight	Length	Impact Rate	Air Consumption	Shank Size	
			lb	in	bpm	cfm	Туре	in
MAC40T	S	NA	41	23.5	1400	42.4	Hex	1 x 4 1/4
MAC60TX	S-Anti Freeze	VR	53	28.3	1300	42.4	Hex	1 1/8 x 6
MAC60TX	S-Anti Freeze	VR	53	28.3	1300	42.4	Hex	1 1/4 x 6
MAC60TS	S-Anti Freeze	NA	57.3	27.7	1200	42.4	Hex	1 1/8 x 6
MAC60TS	S-Anti Freeze	NA	57.3	27.7	1200	42.4	Hex	1 1/4 x 6
MAC60T	0	NA	71	27.7	1150	42.4	Hex	1 1/8 x 6
MAC60T	0	NA	71	27.7	1150	42.4	Hex	1 1/4 x 6
MAC90T	0	NA	84	28.3	1100	56.5	Hex	1 1/8 x 6
MAC90T	0	NA	84	28.3	1100	56.5	Hex	1 1/4 x 6

^{* &#}x27;O' denotes models with silencer optional. 'NA' when non-applicable.

CHIPPING HAMMERS

For those jobs that rely on precision, as well as power, MAC3 chipping hammers are the perfect partner for the job. Ideal for tile removal, brick wall renovations, concrete floors, pool renovations, breaking rock in tunnels or mines, bridge deck work and much more, MAC3 chipping hammers make an impact on any jobsite.



Model	Retainer Type	Weight	Length	Impact Rate	Air Consumption	Shai	nk Size
		lb	in	bpm	cfm	Туре	in
MAC11D	spring	11	13.9	2800	17.6	Rd	.680
MAC11D	spring	11	13.9	2800	17.6	Hex	.580
MAC15D	spring	18	15.6	1800	42.4	Rd	.680
MAC15D	spring	18	15.5	1800	42.4	Hex	.580
MAC20D	spring	19.9	16	1600	42.4	Rd	.680
MAC20D	spring	19.9	16	1600	42.4	Hex	.580
MAC20D	latch	21.6	19.5	1800	35.4	Hex	7/8 x 3 1/4
MAC30D	latch	30.9	23	1500	42.4	Hex	7/8 x 3 1/4

ENGINEERED TO LAST.

ABOUT US

The pneumatic tools manufactured by MAC3 are iconic in the construction and demolition industries. Recognizable not only by their white zinc finish, but also the reliability and power that can be felt on any jobsite. Designed and manufactured in France by professionals with decades of experience in the compressed air field, MAC3 continues to be committed to building the industry's highest quality products. To deliver a better experience and service for our customers, MAC3 has established a warehouse in the USA which guarantees availability of products, parts and service.

UNMATCHED WARRANTY





Distributor



MAC3 Inc. 9896 West 300 North Michigan City, IN 46360 Unites States of America Tel: 1-219-221-6874 Cell: 219-561-3004 Fax: 1-219-814-4255

Email: contact@mac3-tools.com

MAC3-tools.com