




TM

DITEQ

DIAMOND TOOLS AND EQUIPMENT

*Discover the
Difference!*

Discover the DITEQ Difference!





- Professional Diamond Blades**
4-7 High Horsepower Flat Saw Blades
- Green Concrete Diamond Blades / Equipment / Joint & Crack Repair**
8 G-TEQ Early Entry Saw / Diamond Blades
9 Diamond Blades / Skid Plates for Soff-Cut® Saws
10 Joint Widening Diamond Blades / Wire Brushes / Crack Repair
- Hydraulic Equipment / Blades**
11 Hydraulic Core Drill / Breakers / Power Packs
12-13 Hydraulic Ring Saws / Ring Diamond Blades
14-15 Hydraulic Hand / HydraSaws / Diamond Blades
- Wall Saw / Diamond Blades / Diamond Wire**
16 Wall Saw Diamond Blades
17 SHIBUYA Wall Saw / Diamond Blades / Diamond Wire
- Chain Saws / Diamond Chain**
18-19 Electric & Hydraulic Diamond Chain Saws / Diamond Chain
- Diamond Core Bits / Core Drill Machines**
20-23 Diamond Core Bits / Core Bit Retipping Machines / Segments
24-28 SHIBUYA Core Drill Machines
29-33 Core Drill Accessories / Parts
- General Purpose Diamond Blades**
34-37 High Speed / Flat Saw / Masonry & General Purpose Diamond Blades
38 High Speed / Masonry Diamond Blades
- Grinding Wheels / Scarifier Tools**
39-40 Diamond Cup Grinding Wheels
40 Carbide Cutters / Scarifier Tooling
- Vacuum Systems / Shrouds**
41-44 Industrial Wet and Dry Vacuums
42 Shrouds / Dust Collection
- Slurry Control / Clean-up Supplies**
44 SlurrySep and Slurry Dry
45 Pressure Washers / Concrete Destroyer / Sprayers
- Floor Scrubbers**
46-47 Rideable Scrubbers / Walk Behind Scrubbers / Compact Scrubbers
- Surface Prep Equipment and Tooling**
48-49 Grinders / Polishers
50-54 Diamond Tooling
55-56 Polishing Pads and Rings
56 Cleaners / Hardeners / Densifier Chemicals
57-58 Burnishers / Strippers / Burnisher Pads
- ANYCUT Wheels / Abrasives / Tuckpoint Blades**
59-60
- Stone and Tile Fabrication Tooling**
61-62 Diamond Blades / Wire
63-64 Core Bits / Router Bits / Profile Wheels
65 Diamond Polishing Pads
- Terms and Conditions / Warranty**
67

Diamond Blade Operating Speeds		
Diameter	Recommended Operating Speed (RPM) *	Maximum Safe Speed (RPM)
4"	9,072	15,000
4-1/2"	8,063	13,300
5"	7,257	12,000
6"	6,048	10,185
7"	5,184	8,730
8"	4,536	7,640
9"	4,032	6,790
10"	3,629	6,110
12"	3,024	5,090
12" High Speed		6,300
14"	2,592	4,365
14" High Speed		5,460
16"	2,268	3,820
16" High Speed		4,725
18"	2,016	3,395
20"	1,814	3,055
22"	1,649	2,775
24"	1,512	2,545
26"	1,396	2,350
28"	1,296	2,180
30"	1,210	2,035
32"	1,134	1,910
36"	1,008	1,695
42"	864	1,455
48"	756	1,270
54"		1,130
60"		1,015

*Based on 9,500 SFPM (Surface Feet Per Minute)

Maximum Blade Cutting Depth			
Blade Diameter	Cutting Depth	Blade Diameter	Cutting Depth
Concrete Saw Blades		Masonry Saw Blades	
12"	3-5/8"	14"	5"
14"	4-5/8"	18"	7"
16"	5-5/8"	20"	8"
18"	6-5/8"	Power Hand Saw Blades	
20"	7-5/8"	6"	1-3/4"
24"	9-5/8"	7"	2-1/4"
26"	10-5/8"	8"	2-3/4"
30"	12-3/8"	9"	3-1/4"
36"	14-7/8"	10"	3-3/4"
42"	17-3/8"	Tile Saw Blades	
48"	19-7/8"	4"	1"
High Speed Saw Blades		4-1/2"	1-1/4"
12"	4"	5"	1-1/2"
14"	5"	7"	2-1/2"
16"	6"	8"	3"
Wall Saw Blades		10"	3-3/4"
18"	6-1/2"		
24"	9-1/2"		
30"	11-1/2"		
36"	14-1/2"		
42"	17-3/4"		
48"	20-3/4"		

Discount Codes: **A** - Abrasive/Chemicals
D - Diamond
E - Equipment
P - Parts

ARIX™ Professional High Horsepower Flat Saw Diamond Blades

Cured
Concrete

ARIX PROFESSIONAL CURED CONCRETE DIAMOND BLADE - NORMAL APPLICATION CHART

Faster Speed
Softer Aggregate
Lower Horsepower ← → Harder Aggregate
Higher Horsepower

AGGREGATE	C-43AX10	C-53AX10	C-53AX13	C-63AX13
SOFT	●	●		
MEDIUM SOFT	●	●	●	
MEDIUM HARD			●	●
HARD				●



WET ONLY
10 mm / .393 in.
segment height

C-43AX10

★★★★PRO IV		D
Diameter & Width	Part No.	List
14" x .125" x 1"-DP	D10065	\$639
14" x .187" x 1"-DP	D18316	925
14" x .250" x 1"-DP	D18318	1,185
18" x .125" x 1"-DP	D10067	784
18" x .145" x 1"-DP	D18324	914
18" x .160" x 1"-DP	D18325	1,017
20" x .125" x 1"-DP	D18329	968
20" x .145" x 1"-DP	D10068	1,028
20" x .160" x 1"-DP	D18331	1,076
24" x .160" x 1"-DP	D18333	1,401
26" x .160" x 1"-DP	D18517	1,454
26" x .160" x 1"-DP with insert	D18526	1,613
30" x .160" x 1"-DP with insert	D18615	1,849

Insert for undercut protection



WET ONLY
10 mm / .393 in.
segment height

C-53AX10

★★★★★PRO V		D
Diameter & Width	Part No.	List
14" x .125" x 1"-DP	D18275	\$687
14" x .250" x 1"-DP	D18281	1,238
16" x .125" x 1"-DP	D18283	805
16" x .145" x 1"-DP	D18284	1,011
16" x .160" x 1"-DP	D18520	1,022
18" x .125" x 1"-DP	D18519	914
18" x .145" x 1"-DP	D18287	1,022
18" x .160" x 1"-DP	D18288	1,130
18" x .187" x 1"-DP	D18290	1,293
20" x .125" x 1"-DP	D18292	1,022
20" x .145" x 1"-DP	D18293	1,076
20" x .160" x 1"-DP	D18294	1,185
20" x .187" x 1"-DP	D18386	1,401
24" x .145" x 1"-DP	D18295	1,401
24" x .160" x 1"-DP	D18296	1,454
24" x .187" x 1"-DP	D18298	1,617
26" x .160" x 1"-DP	D18300	1,563
26" x .160" x 1"-DP with insert	D18401	1,710
26" x .187" x 1"-DP	D18302	1,725
28" x .187" x 1"-DP	D18418	2,467
28" x .187" x 1"-DP with insert	D18724	2,617
30" x .160" x 1"-DP	D18303	1,833
30" x .160" x 1"-DP with insert	D18640	2,039
30" x .187" x 1"-DP	D18305	2,050
36" x .160" x 1"-DP	D18309	2,374
36" x .187" x 1"-DP	D18311	2,590
42" x .187" x 1"-DP with insert	D18710	3,672
48" x .187" x 1"-DP	D18725	4,213

Insert for undercut protection



WET ONLY
13 mm / .512 in.
segment height

C-53AX13

★★★★★PRO V		D
Diameter & Width	Part No.	List
18" x .125" x 1"-DP	D18397	\$1,142
20" x .160" x 1"-DP	D18390	1,325
20" x .160" x 1"-DP with insert	D18711	1,401
26" x .160" x 1"-DP with insert	D18651	1,942
26" x .160" x 1"-DP	D18391	1,797
26" x .187" x 1"-DP with insert	D18393	2,050
28" x .187" x 1"-DP	D18737	2,200
28" x .187" x 1"-DP with insert	D18743	2,300
30" x .187" x 1"-DP	D18736	2,295
30" x .160" x 1"-DP with insert	D18713	2,158
30" x .187" x 1"-DP with insert	D18714	2,374
32" x .160" x 1"-DP with insert	D18715	2,482
36" x .160" x 1"-DP with insert	D18717	2,699
36" x .187" x 1"-DP with insert	D18718	2,915

Insert for undercut protection



WET ONLY
13 mm / .512 in.
segment height

C-63AX13

Great for Bridge Decks

★★★★★PRO VI		D
Diameter & Width	Part No.	List
14" x .125" x 1"-DP	D14830	\$1,076
14" x .145" x 1"-DP	D14843	1,185
14" x .160" x 1"-DP	D18500	1,293
18" x .125" x 1"-DP	D14854	1,293
18" x .145" x 1"-DP	D18511	1,401
18" x .160" x 1"-DP	D14860	1,563
20" x .125" x 1"-DP	D14868	1,454
20" x .145" x 1"-DP	D18512	1,563
20" x .160" x 1"-DP	D18513	1,617
20" x .187" x 1"-DP	D18701	1,887
24" x .160" x 1"-DP	D14888	2,050
24" x .160" x 1"-DP with insert	D14893	2,242
24" x .187" x 1"-DP	D14892	2,211
26" x .160" x 1"-DP	D14900	2,158
26" x .160" x 1"-DP with insert	D14901	2,244
26" x .187" x 1"-DP	D14902	2,320
30" x .160" x 1"-DP	D18226	2,428
30" x .160" x 1"-DP with insert	D18688	2,531
30" x .187" x 1"-DP	D18231	2,536
32" x .160" x 1"-DP	D18232	2,915
36" x .160" x 1"-DP	D18235	3,023
36" x .160" x 1"-DP with insert	D18694	3,131
36" x .187" x 1"-DP	D18237	3,564
42" x .187" x 1"-DP	D18035	3,900

Insert for undercut protection

**C-42N13 Traditional**

★★★★ PRO IV High Performance

Fast Cut/Longest Life

Diameter & Width	Part No.	List
14" x .125" x 1"-DP	D13001	\$579
14" x .145" x 1"-DP	D13002	644
14" x .160" x 1"-DP	D13003	703
16" x .125" x 1"-DP	D13004	644
16" x .145" x 1"-DP	D13005	671
16" x .160" x 1"-DP	D13039	812
18" x .125" x 1"-DP	D13006	752
18" x .145" x 1"-DP	D13007	795
18" x .160" x 1"-DP	D13008	860
18" x .187" x 1"-DP	D13038	1,136
20" x .125" x 1"-DP	D13009	805
20" x .145" x 1"-DP	D13015	860
20" x .160" x 1"-DP	D13016	968
20" x .187" x 1"-DP	D13030	1,271
24" x .145" x 1"-DP	D13017	1,185
24" x .160" x 1"-DP	D13018	1,238

WET ONLY
13 mm / .512 in.
segment height

Diameter & Width	Part No.	List
24" x .160" x 1"-DP with insert	D13043	1,320
24" x .187" x 1"-DP	D13019	1,401
26" x .145" x 1"-DP	D13020	1,238
26" x .160" x 1"-DP	D13021	1,293
26" x .160" x 1"-DP with insert	D13029	1,401
26" x .187" x 1"-DP	D13022	1,422
30" x .160" x 1"-DP	D13023	1,509
30" x .160" x 1"-DP with insert	D13042	1,622
30" x .187" x 1"-DP	D13024	1,725
32" x .160" x 1"-DP	D13025	1,779
32" x .187" x 1"-DP	D13026	1,942
36" x .160" x 1"-DP*	D13027	2,103
36" x .187" x 1"-DP*	D13028	2,158
42" x .187" x 1"-DP*	D13036	3,071
48" x .187" x 1"-DP*	D13031	3,456

Insert for undercut protection * wide notch blades

**C-72N13 Traditional**

★★★★★ PRO VII

Diameter & Width	Part No.	List
14" x .125" x 1"-DP	D14973	\$720
14" x .145" x 1"-DP	D14974	822
14" x .160" x 1"-DP	D14975	1,041
16" x .125" x 1"-DP	D14976	845
16" x .145" x 1"-DP	D14977	1,031
16" x .160" x 1"-DP	D14978	1,105
18" x .125" x 1"-DP	D14979	1,006
18" x .145" x 1"-DP	D14980	1,071
18" x .160" x 1"-DP	D14964	1,244
18" x .187" x 1"-DP	D14967	1,492
20" x .125" x 1"-DP	D14982	1,071
20" x .145" x 1"-DP	D14983	1,128
20" x .160" x 1"-DP	D14960	1,334
20" x .187" x 1"-DP	D14968	1,677
24" x .160" x 1"-DP	D14963	1,617
24" x .187" x 1"-DP	D14969	1,936
26" x .160" x 1"-DP	D14966	1,725
26" x .160" x 1"-DP with insert	D14985	1,808
26" x .187" x 1"-DP	D14965	1,925
30" x .160" x 1"-DP	D14959	2,055
30" x .160" x 1"-DP with insert	D14984	2,235
30" x .187" x 1"-DP	D14970	2,542
36" x .160" x 1"-DP	D14971	2,542
36" x .160" x 1"-DP with insert*	D14986	2,645
36" x .187" x 1"-DP*	D14972	3,050
42" x .187" x 1"-DP	D15003	3,400
42" x .187" x 1"-DP with insert*	D15008	3,510

WET ONLY
13 mm / .512 in.
segment height**C-82N13 Traditional**

★★★★★ PRO VIII

Diameter & Width	Part No.	List
14" x .125" x 1"-DP	D15063	\$773
14" x .145" x 1"-DP	D15058	884
14" x .145" x 1"-DP with insert	D15062	934
16" x .125" x 1"-DP	D15067	925
16" x .145" x 1"-DP	D15068	1,050
16" x .160" x 1"-DP	D15066	1,188
18" x .125" x 1"-DP	D15072	1,150
18" x .160" x 1"-DP	D15061	1,337
20" x .145" x 1"-DP with insert	D15071	1,340
20" x .160" x 1"-DP	D15051	1,434
24" x .160" x 1"-DP	D15052	1,738
26" x .160" x 1"-DP	D15054	1,854
26" x .160" x 1"-DP with insert	D15065	1,944
26" x .187" x 1"-DP with insert	D15055	2,177
30" x .160" x 1"-DP	D15053	2,403
30" x .160" x 1"-DP with insert	D15069	2,525
30" x .187" x 1"-DP with insert	D15056	2,840
36" x .160" x 1"-DP with insert*	D15070	3,095
36" x .187" x 1"-DP with insert*	D15057	3,386

WET ONLY
13 mm / .512 in.
segment height

* Wide notch blades Insert for undercut protection

PROFESSIONAL CURED CONCRETE**DIAMOND BLADE - NORMAL APPLICATION CHART**

Faster Speed
Softer Aggregate
Lower Horsepower

← → Harder Aggregate
Higher Horsepower

AGGREGATE	C-42N13	C-72N13	C-82N13
SOFT	●		
MEDIUM SOFT	●	●	
MEDIUM HARD		●	●
HARD			●

Professional High Horsepower Flat Saw Diamond Blades

Hard Rock /
Electric

PROFESSIONAL CURED CONCRETE DIAMOND BLADE APPLICATION CHART - HARD ROCK

Faster Speed ← *Longer Life*
Very Hard ← *Critically Hard*

AGGREGATE	C-73AX13	C-74AX13	C-83N13	C-8313
VERY HARD	•	•	•	
CRITICALLY HARD		•	•	•

Diamond Blades for Hard Rock

	C-73AX13	C-74AX13	C-83N13		C-8313	
	ARIX 	ARIX 	Traditional		Traditional	
	G3	G3				
Diameter & Width	PRO VII Part No.	PRO VII Part No.	PRO VIII Part No.	D List	PRO VIII Part No.	D List
14" x .125" x 1"-DP	D18902		D14113	\$1,095		
14" x .160" x 1"-DP	D18706		D14108	1,276	D14836	\$1,400
18" x .125" x 1"-DP			D14114	1,325		
20" x .160" x 1"-DP	D18903	D14895	D14106	1,942	D18015	2,185
22" x .160" x 1"-DP	D18909	D18910		2,150		
26" x .160" x 1"-DP	D18911	D18912	D14110	2,300		
30" x .160" x 1"-DP	D18703		D14111	2,500		
30" x .187" x 1"-DP WS	D18744			2,795		
36" x .160" x 1"-DP	D18705		D14112	3,395		




WET ONLY
13 mm / .512 in.
segment height

PROFESSIONAL ELECTRIC FLAT SAW DIAMOND BLADE APPLICATION CHART

Faster Speed ← *Softer Aggregate*
Harder Aggregate ←

Horsepower	C-42AX10	C-51AX13	C-42N13	C-43AX10	C-53AX10
10	•				
15	•	•			
20	•	•	•	•	
30		•	•	•	
40		•	•	•	•
50					•




WET ONLY

Diamond Blades Electric Flat Saws

	C-42AX10		C-51AX13		C-42N13		C-43AX10		C-53AX10	
	ARIX 		ARIX 		Traditional		ARIX 		ARIX 	
	G3		G3				G3		G3	
Diameter & Width	PRO IV Part No.	D List	PRO V Part No.	D List	PRO IV Part No.	D List	PRO IV Part No.	D List	PRO V Part No.	D List
14" x .125" x 1"-DP	D10073	\$481	D10111	\$536	D13001	\$579	D10065	\$639	D18275	\$687
16" x .125" x 1"-DP			D18425	690						
18" x .125" x 1"-DP	D11063	649	D18420	749	D13006	752	D10067	784	D18519	914
18" x .145" x 1"-DP			D18429	820	D13007	795	D18324	914	D18287	1,022
20" x .125" x 1"-DP	D10075	644	D10113	709	D13009	805	D18329	968	D18292	1,022
20" x .145" x 1"-DP	D10086	752			D13015	860	D10068	1,028	D18293	1,076
20" x .160" x 1"-DP					D13016	968	D18331	1,076	D18294	1,185
24" x .125" x 1"-DP	D10080	914	D18426	1,250			D18740	1,200		
24" x .145" x 1"-DP	D10102	1,076			D13017	1,185	D18332	1,293	D18295	1,401
24" x .160" x 1"-DP							D18333			1,401
26" x .145" x 1"-DP					D13020	1,238				
26" x .160" x 1"-DP					D13021	1,293	D18517	1,454	D18300	1,563
30" x .160" x 1"-DP					D13023	1,509	D18340	1,746	D18303	1,833

Asphalt Overlay Diamond Blades



WET ONLY
13 mm / .512 in.
segment height

PROFESSIONAL ASPHALT OVERLAY DIAMOND BLADES

Faster Speed ← → More Life
Slower Speed

AGGREGATE	C-63AX13	C-73AX13	C-84N13
SOFT		•	•
MEDIUM		•	•
HARD	•	•	•

	C-63AX13 with Insert PRO VI			C-73AX13 with Wedge PRO VII			C-84N13 with Insert PRO VIII		
			<i>D</i>			<i>D</i>			<i>D</i>
Diameter & Width/Protection	Part No.	List		Part No.	List		Part No.	List	
26" x .160" x 1"-DP	D14901	\$2,244							
26" x .187" x 1"-DP	D18686	2,428		D18452	2,495		D15073	\$2,177	
30" x .160" x 1"-DP	D18688	2,531							
30" x .187" x 1"-DP	D18690	2,644							
36" x .160" x 1"-DP	D18694	3,131							
36" x .187" x 1"-DP	D18674	3,270							

*wide notch

PROFESSIONAL ASPHALT DIAMOND BLADES

Faster Speed
Shorter Life ← → Slower Speed
Longer Life

AGGREGATE	A46N	A46	A48	A55N	A56N
SOFT			•		•
MEDIUM	•	•	•	•	•
HARD	•	•		•	

Asphalt Diamond Blades



WET ONLY



A46N A46 A48 and A55N A56N Asphalt

★★★★ PRO IV ★★★★★ PRO V

	A46N13		A46		A48		A55N13		A56N13	
	PRO IV	<i>D</i> List	PRO IV		PRO IV		PRO V		PRO V	<i>D</i> List
14" x .125" x 1"-DP	D26301	\$613	D26133		D28312		D27223		D27001	\$730
14" x .145" x 1"-DP			D26135		D28316		D27224		D27002	784
14" x .160" x 1"-DP					D28318		D27225		D27003	968
14" x .187" x 1"-DP			D26137		D28320		D27226		D27004	1,028
14" x .250" x 1"-DP			D29336				D27227		D27005	1,271
16" x .125" x 1"-DP			D26141		D28328		D27228		D27006	892
16" x .145" x 1"-DP			D28331		D28332		D27221		D27007	947
16" x .160" x 1"-DP							D27222			989
18" x .125" x 1"-DP	D26308	795	D26145		D28336		D27229		D27008	947
18" x .145" x 1"-DP			D26146		D28340		D27230		D27009	1,000
18" x .160" x 1"-DP			D26148		D28342		D27231		D27010	1,271
18" x .187" x 1"-DP			D26149		D28344		D27232		D27011	1,325
18" x .250" x 1"-DP							D27233		D27012	1,537
20" x .125" x 1"-DP			D26151		D28348		D27234		D27013	1,216
20" x .145" x 1"-DP			D28351		D28352		D27235		D27014	1,271
20" x .160" x 1"-DP			D26154		D28354		D27236		D27015	1,325
20" x .187" x 1"-DP							D27237		D27016	1,441
24" x .160" x 1"-DP			D26161		D28368		D27238		D27017	1,541
24" x .187" x 1"-DP					D28370		D27239		D27018	1,725
24" x .250" x 1"-DP							D27240		D27019	2,540
26" x .160" x 1"-DP	D26320	1,449	D26165		D28376		D27241		D27020	1,725
26" x .187" x 1"-DP			D26166		D28378		D27242		D27021	1,887
30" x .160" x 1"-DP	D26322	1,817	D26550				D27243		D27022	2,163
30" x .187" x 1"-DP	D26323	1,994			D29312		D27244		D27023	2,374
36" x .160" x 1"-DP							D27245		D27024	2,518
36" x .187" x 1"-DP					D28908		D27246		D27025	2,590
42" x .187" x 1"-DP			D29342							3,780

Green Concrete Diamond Blades / G-TEQ Early Entry Saws

Green Concrete Diamond Blades



12 mm / .472 in.
segment height

PROFESSIONAL GREEN CONCRETE DIAMOND BLADES

AGGREGATE	C83N	A46	A55N	A56N	A59
SOFT					•
MEDIUM		•	•	•	
HARD	•		•		

C83N / A46 / A55N / A56N / A59 Green Concrete Blades

	PROVIII		PROIV		PROV		D
Diameter & Width	C83N	List	A46	A55N	A56N13	List	A59 List
14" X .125" X 1"-DP			D26133	D27223	D27001	\$730	D28748 \$784
14" x .145" x 1"-DP			D26135	D27224	D27002	784	D28750 892
14" x .160" x 1"-DP	D14836	\$1,400		D27225	D27003	968	
14" X .187" X 1"-DP			D26137	D27226	D27004	1,028	
16" X .125" X 1"-DP			D26141	D27228	D27006	892	D28756 968
16" X .145" X 1"-DP			D28331	D27221	D27007	947	D28800 1,022
18" X .125" X 1"-DP			D26145	D27229	D27008	947	D28760 1,055
18" X .145" X 1"-DP			D26146	D27230	D27009	1,000	D28620 1,108
18" x .160" x 1"-DP			D26148	D27231	D27010	1,271	1,293
18" x .187" x 1"-DP			D26149	D27232	D27011	1,325	

G33 Segmented Green Concrete Blade

★ ★ ★ Super Premium

Diameter & Width	Part No.	List
8" x .095" x 5/8"-7/8"	D12079	\$163
10" x .095" x 5/8"	D12088	205



GC-45AX 46AX Early Entry Blades

with 1" Arbors

★ ★ ★ ★ Pro IV

	GC-45AX	GC-46AX	D
Diameter/Width	Orange	Yellow	List
12" x .125" x 1" DP	D22650		\$466
14" x .125" x 1" DP	D22648	D22649	589

Refer to application chart on next page

G-TEQ Early Entry Saws

Model No.	G-TEQ 550H	G-TEQ 200E
PUSH/SELF-PROPELLED	Push	Push
HORSEPOWER	5.5HP	2HP Electric
ENGINE/MOTOR	GX160 Honda	120V, 1 PH, 17 FLA
Max. Depth of Cut*	1.5 in.	1.5 in.
Weight	115 lb.	115 lb.
PART No.	F50010	F50002
LIST E	\$2,995	\$2,995

*With new blade - will be reduced as blade wears

Accessories	Part No.	List
Flat trac wheel kit	100301	\$130.00
Dust Chute	100311	45.00
Outer Clamping Disc	100308	27.00
Outer Clamping Disc Bolt	100309	1.08



G-TEQ Green Concrete Connection Blades (Z-Arbor)

★ ★ ★ Super Premium

	GC-31	GC-32	GC-34	GC-36	D
	Purple	Green	Red	Yellow	List
Diameter & Width	6.5" x .095" x 8.5mm	D22301	D22302	D22303	D22304 \$146

G-TEQ Deco Bevel Blades

★ ★ ★ Super Premium

	Z-Arbor	D
Diameter/Width	Part No.	List
5" x 3/8" x 1/8"V	D22811	\$330
5" x 5/8" x 1/8"V	D22812	368
5" x 5/8" x 1/4"V	D22813	401
5" x 1/4" x 1/8" R	D22809	422
5" x 1/2" x 1/8" R	D22810	449





EARLY ENTRY BLADE APPLICATION CHART FOR GREEN CONCRETE

CONNECTION AND LIBERTY BELL ARBOR BLADES

Color Code	Clear	Purple	Green	Orange	Yellow
For fast curing concrete / extreme hot weather	●				
Extremely hard aggregates, medium sharp sand		●			
Hard aggregates, sharp abrasive sand			●	●	
Medium aggregates, medium sharp sand			●	●	
Medium to hard aggregates, all types sand				●	
Medium soft aggregates, medium abrasive sand					●

ARIX Liberty Bell Arbor Green Concrete Blades

★★★★PRO IV

Diameter & Width	Soff-Cut® Model	Hard Material → Soft Material					D List
		GC-40AX Clear	GC-41AX Purple	GC-42AX Green	GC-45AX Orange	GC-46AX Yellow	
6" x .095" x 10mm	150		D22681	D22682	D22683	D22684	\$153
8" x .095" x 10mm	2000/2500		D22685	D22686	D22687	D22688	249
10" x .095" x 10mm	2000/2500		D22631	D22632	D22633	D22634	314
10" x .187" x 10mm	2000/2500				D22651		550
10" x .250" x 10mm	2000/2500		D22638	D22639	D22617	D22618	644
12" x .125" x 10mm	4000/4200/5000	D22657	D22601	D22612	D22607	D22635	466
12" x .187" x 10mm	4000/4200/5000				D22652		740
12" x .220" x 10mm	4000/4200/5000				D22646		703
12" x .250" x 10mm	4000/4200/5000		D22602	D22613	D22608	D22640	790
13.5" x .125" x 10mm	4000/4200	D22645	D22627	D22628	D22629	D22636	552
13.5" x .187" x 10mm	4000/4200				D22644		812
13.5" x .250" x 10mm	4000/4200		D22641	D22642	D22619	D22620	882
14" x .125" x 10mm	5000		D22604	D22630	D22610	D22637	589
14" x .187" x 10mm	5000				D22653		820
14" x .250" x 10mm	5000		D22605	D22616	D22611	D22643	903



Deco Bevel Blades

★★★Super Premium

Diameter/Width	Bell Arbor Soff-Cut Part No.	D List
5" x 3/8" x 1/8" V	D22801	\$330
5" x 5/8" x 1/8" V	D22802	368
5" x 5/8" x 1/4" V	D22803	401
5" x 3/4" x 3/8" V	D22804	487
5" x 1" x 1/2" V	D22805	497
5" x 1/4" x 1/8" R	D22806	422
5" x 1/2" x 1/8" R	D22807	449



Liberty Bell Arbor Adaptor

Description	Part No.	P List
6" - 8"	436456	\$9
10" - 14"	436456	9
10" - 14" x .250"	436458	9

Skid Plates for Soff-Cut Saws

Description	Skid Plate Part No.	Soff-Cut® Model	P List
6"-8" x .095"	100608	150	\$40
9"-10" x .095"	100609	2000 / 2500	45
9"-10" x .187"	100728	2000 / 2500	45
9"-10" x .250"	100612	2000 Prowler / 2500	45
12"-13.5" x .125"	100610	4000 Prowler, 4200	50
12"-13.5" x .187"	100729	4000/4200	50
12"-13.5" x .250"	100613	4000 Prowler, 4200	50
12"-14" x .125"	100611	5000	55
12"-14" x .187"	100730	5000	55
12"-14" x .250"	100614	5000	55

Skid Plate Refurbishment Kits

Description	Boot'Em™ Part No.	CastAway™ Part No.	Soff Cut® Model	P List
5"-5.5" x .095"	100220	100236	390	\$17.51
6"-8" x .095"	100221	100237	150/750 Prowler, 450	17.51
6"-8" x .225"	100226	100242	150/750 Prowler, 450	19.57
9"-10" x .095"	100222	100238	2000 Prowler, 2500	21.00
9"-10" x .250"	100227	100243	2000 Prowler, 2500	23.00
12"-13.5" x .125"	100223	100239	4000 Prowler, 4200	23.00
12"-14" x .125"	100224	100240	5000	24.00
12"-13.5" x .250"	100230	100246	4000 Prowler, 4200	25.00
12"-14" x .250"	100233	100249	5000	24.00

Soff-Cut® is a registered trademark of Soff-Cut® International, Inc. Boot'Em™ is a registered trademark of Swift Industries, Inc. Boot'Em™ patent no. 7,007,686. Cast Away™ is patent pending.

Joint Widening Diamond Blades / Wire Brushes / Crack Repair


JOINT WIDENING BLADES

AGGREGATE	C33	A38	A46N13	A46	A56N13
SOFT		•			•
MEDIUM	•			•	
HARD			•		




DRY/WET

10 mm / .393 in.
segment height



Widening Blades

Diameter & Width	Super Premium			PRO IV		PRO V		D
	C33	A38	List	A46N13	List	A46	A56N13	
14" X .187" X 1"-DP	D12087	D24066	\$536	D26304	\$863	D26137	D27004	\$1,028
14" X .250" X 1"-DP	D12062	D24063	695	D26305	1,067	D29336	D27005	1,271
14" X .375" X 1"-DP	D12063	D24064	812			D28325		1,942
14" X .500" X 1"-DP	D12085	D24065	1,136					
18" X .250" X 1"-DP				D26312	1,292		D27012	1,537



Wire Brush

Diameter & Width	Part No.	List
12" x 3/8" x 1"-DP	100218	\$125

Brushes priced individually. Sold 2 per box in whole box quantities only.
Low horsepower flat saws (5 to 20 hp) use only. 5/8" minimum blade clamping thickness.



Bevel Blades ★ ★ ★ Super Premium

Diameter & Width	Part No.	List
12" x .375" x 1"-DP 45°	D22808*	\$968

*priced each

shown stacked together



Carbide-Edge Routing Cutters / Crack Chasers

No. of Teeth	O.D.	I.D.	Thickness	Part No.	List
7	4.84"	1.00"	.36"	160805	\$73
7	4.84"	1.00"	.36"	161786*	102

* Full hub. More sizes available upon request.



CR C35 Beveled V-Crack Chaser

★ ★ ★ Super Premium

Diameter & Width	Part No.	List
4" x cont. type x 5/8"-11 thrd	D90001	\$211
4 x .375" x 5/8-11	D90008	157
4" x .375" x 7/8"-5/8"	D90002	146
5" x .375" x 7/8"-5/8"	D90003	184
7" x .375" x 7/8"-5/8"	D90004	298
8" x .375" x 1"-DP	D90005	471



Accessories


Description	Part No.	List
Hardened spacer	161777	\$1.03
Pin 7/8" Dia x 4-1/4" L	161776	8.76

More sizes available upon request.



C-TEQ Crack Chasing Saw

POWER	22HP
Engine	Subaru
RPM	5400
Overall Width	30"
Overall Length	53"
Handle Height	42" to 51"
Blade Depth	0 to 1-1/2"
Weight	450 lb.
Blade Capacity	6"
Blade Width	1/4"-3/4"
Model No.	C-TEQ 220
Part No.	F40003
List Price E	\$9,728



C-TEQ Saw Blades

★ ★ ★ Super Premium

Dia. & Width	C31 Concrete	A34 Asphalt	D
6" x .250"	D22401	D22402	\$190
6" x .375"	D22403	D22404	298
6" x .500"	D22405	D22406	379
6" x .750"	D22407	D22408	514

Z-Arbor for C-TEQ Crack Chasing Saw only.

Hydraulic Core Drill / Breakers / Hydraulic Power Packs



Hydraulic Hand Core Drill Rigs

Motor	HHCD104	HHCD214
Max. RPM	1500 @ 5 gpm 2400 at 8 gpm	600 at 5 gpm 950 at 8 gpm
Bit Capacity	1-4"	2-14"
Bit Thread	1-1/4-7 UNC	1-1/4-7 UNC
Speed	Variable	Variable
Weight	17 lb.	17 lb.
Part No.	DR2026	DR2027
List E	\$2,825	\$2,825

Requires minimum of 5 gpm @ 1500-2500 psi. Includes hose whips

Hydraulic Breakers

Weight Class	20 lb	40 lb	70 lb	90 lb
Power	5 gpm@2300 psi	5 gpm@2300 psi	8 gpm@2300 psi	10 gpm@2300 psi
Tool Size	.580 hex round collar	1-1/4" x 6"	1-1/4" x 6"	1-1/4" x 6"
Length (w/o steel)	21-1/2 in.	26-1/2 in.	30 in.	32 in.
Impacts per min @ max. Flow	2100	1560	1260	1440
Tool Included	one .580 hex round collar pointed	one 1 1/4" x 6" pointed	one 1-1/4" x 6" pointed	one 1-1/4" x 6" pointed
Weight	22 lb.	54 lb.	61 lb.	74 lb.
PART No.	H20014	H20003	H20007	H20012
LIST E	\$2,440	\$2,838	\$3,069	\$3,539

20 lb breaker requires size special bits - see below. Other breakers use standard size bits. Other breaker sizes available.



20 lb. Breaker Tools for H20014

Description	Part No.	List P
.580 Hex Round Collar Pointed	152072	\$38
.580 Hex Round Collar 1" wide x 9" long	152076	38
.580 Hex Round Collar 1" wide x 18" long	152077	54
.580 Hex Round Collar 2" wide x 9" long	152078	47
.580 Hex Round Collar 2" wide x 18" long	152079	64

Other tool sizes and types available.

20 lb. Breaker Tools for

Description	Part No.	List P
3/4 x 2" w/ 2" Chisel	151854	\$85
3/4 x 1" w/ 1" Chisel	151855	42
3/4 x 2" w/ Pointed Tip	151856	48

Other tool sizes and types available.



Hydraulic Hoses	Part No.	List P
1/2" OD x 50 ft long	151859	\$560
1/2" OD x 25 ft long	151867	376

Flow Divider	Part No.	List E
Hydraulic Flow Divider*	140746	\$806

*Input - do not exceed 21 GPM, Output set at 5, 8 or 10 GPM depending on the orifice used - all 3 provided

Hydraulic Power Packs

Model No.	16 HP Gas	23 HP Gas	22 HP Gas	35 HP Gas	15 HP Electric
Engine/Motor	B & S Vanguard	B & S Vanguard	Honda	B & S Vanguard	480V 3PH, 60 Hz
Power	5 or 8 gpm@2000-2500 psi	0-12 gpm@1750/2000/2500 psi	0-12 gpm@1750/2000/2500 psi	Dual 0-12 gpm@2250	0-12 gpm@1750/2000/2500 psi
Weight	226 lb.	280 lb.	360 lb.	436 lb.	280 lb.
PART No.	P00008	P00001	P00018	P00015	P00002
LIST E	\$7,100	\$9,110	\$9,612	\$14,680	\$9,594

Other models available.

Professional Ring Saw / Diamond Blades



RING SAW DIAMOND BLADES

	BRUTE		BRUTE	
AGGREGATE	w/Notch	C-50AXS	Standard	C-50AX
SOFT			•	•
MEDIUM	•	•	•	•
HARD	•	•		

Fast

Life

Ring Saw Features and Benefits:

Cut up to 11-3/4 in. deep with just a 15-3/4 blade

Compact for easy cutting in tight spaces

Lightweight tool provides superior performance

Equipped with two handles for optimum operator comfort and control

Designed for wet cutting

Cuts all types of concrete, block, brick, asphalt, etc.

Can be used indoors, outdoors and underwater

Minimal maintenance and easy parts replacement

The HHRS cuts close to corners - needs only 2-1/2" clearance

Hydraulic Ring Saw

Model No.	HHRS
Blade Capacity	16"
Cutting Depth	11-3/4"
RPM	4100@8 gpm
Blade Speed	1765 - 2340 RPM
Weight	24 lb.
PART No.	H00018
LIST <i>E</i>	\$4,995*

Includes guard, water attachment for wet sawing, hose whips w/flush face fittings, trigger lockout and a diamond ring blade. Requires 8-10 gpm@ 2300 psi.




**Price includes customer's choice of 16" x .160" diamond ring blade.*

ARIX Ring Saw Blades for HHRS

★★★★★ PRO V

						
Diameter & Width	C-50AXS	D	C-50AX BRN	C-50AXBR	Vacuum	D
		List	Notched	Standard	Brazed	List
16" x .160" x 10mm	D10163	\$710	D10178	D10172	D10182	\$795
16" x .235" x 10mm	D10164	850	D10179	D10173		900
Accessories						P
Drive Wheel for 16"					Part No.	List
					140689	\$30

Drive Wheel included with each blade



Professional Ring Saw Diamond Blades

RING SAW DIAMOND BLADES

	BRUTE w/Notch	C-50AX	C-50AX BRUTE Standard	C-51AX	Vacuum Brazed
AGGREGATE					
SOFT			•	•	•
MEDIUM	•	•	•	•	•
HARD	•	•			•

Fast Life



Vacuum Brazed



C-51AX

10 mm / .393 in.
segment height



C-50AX
BRUTE

10 mm / .393 in.
segment height



C-50AX
BRUTE
Notched

10 mm / .393 in.
segment height



Ring Saw Blades

★★★★★ PRO V

	  C-50AX BRUTE	<i>D</i>	 C-50AX	<i>D</i>	  C-50AX BRUTE	 C-51AX	<i>D</i>	Vacuum Brazed	<i>D</i>
Diameter & Width	Notched	List		List	Standard		List		List
14" x .160" x 10mm	D10176	\$395	D10107	\$395	D10170	D10077	\$415	D10153*	\$454
14" x .235" x 10mm	D10177	525	D10165	540	D10171		540		
*for ductile - cast iron									
Accessories	Part No.	List	<i>P</i>						
Drive Wheel for 14" Blade	D10052	\$22							
Drive Wheel included with each blade									



C-50AX DP-DS Ring Saw Blades


★★★★★ PRO V

Diameter & Width	C-50AX	<i>D</i> List
16" x .160" x 10mm	D10160	\$895
20" x .160" x 10mm	D10161	1,295

Hydraulic Hand Saw Diamond Blades

HYDRAULIC HAND SAW DIAMOND BLADES

AGGREGATE	BRUTE C50AXBRN Notched	C42-AX	C50-AXW	BRUTE C50AXBR	C51AX
SOFT		●		●	●
MEDIUM	●	●	●	●	●
HARD	●		●	●	●



BRUTE Notched

BRUTE



C42-AX / C50-AXW / C51AX Hydraulic Hand Saw Blades

★★★★PROIV ★★★★★PROV

Diameter & Width	C-50AXBRN BRUTE Notched 13mm PROV			C-42AX 10mm PRO IV		C-50AXW 13mm PRO V		C-50AXBR BRUTE 13mm PRO V		C-51AX 13mm PRO V	
	Part No.	D	List	Part No.	D	Part No.	D	Part No.	D	Part No.	D
14" x .125" x 1" DP Flush	D11201		\$550	D10073		D10122		D11170		D10111	
16" x .125" x 1" DP Flush	D11202		600	D10081		D10123		D11171		D10112	
16" x .165" x 1" DP Flush				D10093				D11179			
18" x .125" x 1" DP Flush								D11172			
20" x .125" x 1" DP Flush	D11203		720	D10075		D10124		D11173		D10113	
20-5/8" x .145" x 1" DP Flush	D11204		795	D10086				D11186			
20-5/8" x .165" x 1" DP Flush	D11205		860					D11176			
24" x .125" x 1" DP Flush	D11206		1,025	D10080				D11174		D10114	
24" x .145" x 1" DP Flush	D11207		1,150	D10102				D11187			
24" x .165" x 1" DP Flush	D11208		1,240					D11177			



FS20 shown with upright handle kit

FS20 Flushcut Hand Saw / Curb Saw

	Hand Saw	Combo Kit	Curb Saw
Model No.	FS20 w/Std Handle	FS20 w/Std Handle & Upright Handle Kit	FS20 w/Upright Handle Kit
Blade Capacity	20"	20"	20"
Cutting Depth	8"	8"	8"
RPM	1830@8 gpm	1830@8 gpm	1830@8 gpm
Weight	57 lb.	98 lb.	83 lb.
PART No.	H00016	H00017	H00020
LIST <i>E</i>	\$2,764	\$4,031	\$2,862

Includes guard, water attachment for wet sawing, hose whips with flush face fittings and trigger lockout. Requires 5-8 gpm@ 2000-2500 psi.

FS20 Flushcut Hand Saw

- Can cut flush to a perpendicular surface, making it ideal for wall corner cutting.
- Use the FS20 with the Upright Handle attachment for easy wall cutting at the floor level. This combination is also a great choice for curb cutting.
- FS20 uses hydraulic direct drive power to maintain constant cutting speeds and torque without belts, pulleys, excessive noise or exhaust fumes.
- It is virtually maintenance free
- Can be used inside or outside with no exhaust pollutants.



HydraSaws

- Available in four sizes with cutting depths from 5-1/4" to 9-1/2"
- HydraSaw cuts concrete, stone, brick, block, pipe, reinforced concrete, steel and aggregates quickly and cleanly.
- Its lightweight rugged steel tube construction is lighter than gas saws.
- Heavy-duty guard meets ANSI standards
- Cuts vertically, horizontally and underwater.
- Dual function trigger for automatic wet cutting
- Use inside or outside with no exhaust pollutants
- Hydracarts and saw carts are available for floor and slab cutting.



HydraSaws

Model No.	S14	S16	S20	S24
Blade Capacity	14"	16"	20"	24"
Cutting Depth	5-1/4"	6"	7-1/2"	9-1/2"
RPM	4100@8 gpm	2750@8 gpm	1830@8 gpm	1450@8 gpm
Auxiliary Handle	N/A	N/A	Included	Included
Weight	28 lb.	39 lb.	52 lb.	55 lb.
PART No.	H00019	H00013	H00014	H00015
LIST <i>E</i>	\$1,779	\$2,120	\$2,610	\$2,660

Includes guard, water attachment for wet sawing, hose whips w/flush face fittings and trigger lockout. Requires 5-8 gpm@ 2000-2500 psi

HydraSaw Accessories	Part No.	List <i>E</i>
Wall mount door guide kit	140707	1,139
Saw Cart Assy for S14/S16 only	140687	1,040
Saw Cart with Ballast Box for S14, S16, S20 and S24	140842	2,410

Saws shown mounted on carts. Carts sold separately.



140842
Saw cart with ballast box for S14 thru S24


140687
Saw cart for S14/S16 only

Professional Wall Saw Blades

PROFESSIONAL WALL SAW DIAMOND BLADES				
AGGREGATE	C-41AXW	C-41AX	C-51AXN	C-51AX
SOFT		●		●
MEDIUM	●	●	●	●
HARD	●		●	



C-41AX
AX and Wide Notch
10 mm / .393 in.
segment height



C-51AX BRUTE
Turbo
Notched
13 mm / .512 in.
segment height



C-41AXW			C-51AXN BRUTE			C-41AX			C-51AX BRUTE		
			Notched								
			GDM/ Pentrunder						GDM/ Pentrunder		
Diameter & Width	Longyear 1" Arbor	Pent-GDM 1-3/8" Arbor	Longyear/ Pentrunder 1" Arbor	Pentrunder 1-3/8" Arbor	D List	Longyear 1" Arbor	Pent 1" Arbor	Pent-GDM 1-3/8" Arbor	Longyear/ Pentrunder 1" Arbor	Pentrunder 1-3/8" Arbor	List
24" x .187"	D16551		D16851	D16869	\$1,195	D16501			D16801	D16819	\$1,395
24" x .220"	D16552				1,295	D16502		D16699			1,495
24" x .235"			D16852	D16870	1,395				D16802	D16820	1,595
24" x .250"	D16553				1,495	D16503					1,695
26" x .187"	D16554	D16572	D16853	D16871	1,295	D16504			D16803	D16821	1,495
26" x .220"	D16555	D16573			1,395	D16505					1,595
26" x .235"			D16854	D16872	1,495				D16804	D16822	1,695
26" x .250"	D16556				1,595	D16506					1,795
30" x .187"	D16557		D16855	D16873	1,495	D16507			D16805	D16823	1,695
30" x .220"	D16558				1,695	D16508					1,895
30" x .235"	D16590		D16856	D16874	1,795				D16806	D16824	1,995
30" x .250"	D16559				1,895	D16509		D16543			2,095
32" x .187"	D16560	D16574	D16857	D16875	1,695	D16510		D16542	D16807	D16825	1,995
32" x .220"	D16561	D16575			1,895	D16511	D16588	D16547			2,195
32" x .235"	D16591		D16858	D16876	1,995		D16703	D16705	D16808	D16826	2,295
32" x .250"	D16562				2,095	D16512	D16548	D16545			2,395
34" x .220"					2,095		D16675				2,395
34" x .250					2,295		D16682				2,595
36" x .187"	D16563		D16859	D16877	1,995	D16513		D16706	D16809	D16827	2,295
36" x .220"	D16564				2,095	D16514	D16578	D16525			2,395
36" x .235"	D16592		D16860	D16878	2,195			D16707	D16810	D16828	2,495
36" x .250"	D16565				2,295	D16515	D16579	D16581			2,595
42" x .187"	D16566		D16861	D16879	2,995	D16516		D16698	D16811	D16829	3,295
42" x .220"	D16567	D16587			3,195	D16517	D16683	D16694			3,395
42" x .235"			D16862	D16880	3,395		D16709	D16708	D16812	D16830	3,495
42" x .250"	D16568				3,495	D16518		D16582			3,595
48" x .187"			D16863	D16881	4,095	D16519			D16813	D16831	4,095
48" x .220"		D16580			4,295	D16520	D16684				4,295
48" x .235"			D16864	D16882	4,495				D16814	D16832	4,495
48" x .250"					4,495	D16521					4,695
54" x .187"	D16570		D16865	D16883	5,295	D16663			D16815	D16833	5,495
54" x .220"					5,595	D16659	D16692				5,795
54" x .235"			D16866	D16884	5,695				D16816	D16834	5,895
54" x .250"					5,795	D16664					5,995
60" x .187"			D16867	D16885	7,295	D16571			D16817	D16835	7,895
60" x .220"					7,595	D16670	D16693				8,095
60" x .235"			D16868	D16886	7,695				D16818	D16836	8,295


Professional Wall Saw/Blades / Curb Cut Blades / Diamond Wire

SHIBUYA Wall Saw

SS300R Plunge

Dimensions Saw	743(H) x 350(W) x 463(H)
Head & Chassis	
Motor	RS2521 2-Speed
Power Supply	115 Volts/1 PH
Spindle RPM (no load)	300/700
Rated Input	2.5 KW
Track	1-1.2m Track / 1-0.6m Track
Blade Capacity	30"
Blade Arbor Diameter	1-3/8 inch
Weight - Head & Chassis	80 lb
PART No.	WS0002
List E	\$15,995

Standard Wall Saw Kit includes: 27 amp electric motor RS2521 2 speed; 1-piece 23.6 in/600mm Track; 1 piece 47.2 in / 1200mm Track; Auto Travel Control; 30" Blade Guard



10 mm / .393 in.
segment height

SHIBUYA Wall Saw Options

Description	Part No.	List	
Flange Assy True Flush Cut SS300R	152000	\$995	E
True 30" SS300R Guard Flush Cut	152001	1,995	P
Track - 23.6 in / 600mm	150405	995	P
Track - 47.2 in / 1200mm	150406	1,395	P

C-40 Blades for SHIBUYA Wall Saw

Diameter & Width	Part No.	List	D
24" x .160" x 1-3/8"	D16140	\$995	
26" x .160" x 1-3/8"	D16141	1,295	
30" x .160" x 1-3/8"	D16142	1,495	



C-42AX10 Curb Cut Blades

★★★★ PRO IV

Diameter & Width	Part No.	List	D
20" x .250" x 1"	D16656	\$1,495	
22" x .220" x 1"	D16645	1,595	
24" x .250" x 1"	D16603	1,695	
26" x .187" x 1"	D16604	1,495	



D91036 electroplated wire with rubber removed to display diamond segment. Wire received by customer will be enclosed in rubber.



D91017 ARIX Wire

Construction Diamond Wire

	C-40EPS		C-41AX		D
Meter	Part No.	List	Part No.	List	
	D91036	\$351	D91017	\$379	

Prices per meter length.

Diamond Wire Crimps	Part No.	List	P
3/16" ID x 3/8" OD x 3/4" L	151157	\$1.08	
3/16" ID x 3/8" OD x 1-1/8" L	151304	4.33	



Electric Chain Saw / Hydraulic Chain Saws



includes chain p/n 140657

Electric Chain Saw - Includes Bar and Chain

Model No.	CDS220
Bar Length	13"
Motor	220V, 16A, 60 Hz
Power	3.5 kW/3500W
Phase	Single
Weight	20 lb
PART No.	H10001
LIST E	\$3,495

Electric Chain Saw

Accessories


	Part No.	List	
Sprocket	140679	\$40	P
Guide Bar, 13"	140678	160	P
Diamond Chain .375P (G58S)	140657	998	A

Other chains available.



STEALTH-12 Chain Saw

- Efficiently cuts concrete, brick, decorative stone and utility pipe.
- Precise, square corners up to 25" deep
- Lightweight, ergonomic saw with optimal balance
- Sits upright
- Has a convenient hose caddy
- Standard features include an x-ring cover seal, a self-retained clamping plate and nuts, a reliable scrench holder, a durable hand guard, and a replaceable rubber bumper pad
- Compatible with the majority of bars, chains and sprockets on the market



This separated bar shows the details of the guide bar manifold for water distribution. Precision machined ports on alternating sides of the bar ensure even distribution of water across the entire chain, not just one side.

STEALTH-12 Hydraulic Chain Saw - Includes Bar and Chain

Bar Length	10"	15"	20"	25"
Weight (Powerhead)	22.9 lb.	22.9 lb.	22.9 lb.	22.9 lb.
Head Length/Width/Height	22/8/11 in.	22/8/11 in.	22/8/11 in.	22/8/11 in.
Power @ 2500 psi	17.5 HP	17.5 HP	17.5 HP	17.5 HP
Torque @ 2500 psi	170 in.-lb.	170 in.-lb.	170 in.-lb.	170 in.-lb.
Maximum Speed	6500 RPM	6500 RPM	6500 RPM	6500 RPM
Hydraulic Supply	12 GPM	12 GPM	12 GPM	12 GPM
Hydraulic Pressure (max)	2500 psi	2500 psi	2500 psi	2500 psi
Water Flow (min)	2.5 GPM	2.5 GPM	2.5 GPM	2.5 GPM
Water Pressure (min)	30 psi	30 psi	30 psi	30 psi
PART No.	H10013	H10014	H10015	H10016
LIST E	\$5,192	\$5,377	\$5,551	\$5,840



C100

- 12 GPM
- Compact design
- Lightweight, ergonomic saw with optimal balance
- Slim bar design
- Dual trigger for flow/water - starts and stops saw and water simultaneously
- Uses .456 pitch 49 link chain

C100 Hydraulic Chain Saw - Includes Bar and Chain

Bar Length	15"
Weight (Powerhead)	17.6 lb.
Head Length/Width/Height	17.5/9.5/10.5
Power	17.5 HP
Trigger	Dual function*
Torque @ 2500 psi	170 in.-lb.
Maximum Speed	6500 RPM
Hydraulic Supply	12 GPM
Hydraulic Pressure (max)	2500 psi
Water Flow (min)	2.5 GPM
Water Pressure (min)	30 psi
PART No.	H10021
LIST E	\$3,686

Hydraulic Chain Saws / Diamond Chain



C50 Hydraulic Mini Chain Saw

Bar Length	13"	15"
Power	8 gpm@2000-2250 psi	8 gpm@2000-2250 psi
Trigger	Dual function*	Dual function*
PART No.	H10002	H10003
LIST E	\$2,812	\$3,037

*Includes bar and chain *starts and stops saw and water simultaneously*

Mini Chain Saw	13" Mini Chain Saw	15" Mini Chain Saw		
Accessories	H50S	List	H55S	List
Sprocket	140685	\$150	140685	\$150
Guide Bar	140597	225	140598	237
Diamond Chain .375P	140446	1,060	140652	1,166



Hydraulic Chain Saw - C150/12 GPM* with .456P Chain

Bar Length	15"	20"	30"
Power	12 gpm@2000-2500 psi	12 gpm@2000-2500 psi	12 gpm@2000-2500 psi
PART No.	H10007	H10008	H10009
LIST E	\$4,769	\$5,132	\$6,147

*Includes bar, chain and hose whips. *8GPM models available in 15" and 20"*

Hydraulic Chain Saw	15" Chain Saw	20" Chain Saw	30" Chain Saw		
Accessories	H62S	List	H72S	List	H90S
Chain Spec	Part No.	Price	Part No.	Price	Part No.
Sprocket	140738	\$242	140738	\$242	140738
Guide Bar	140729	246	140730	368	140731
Diamond Chain .456P	140742	1,610	140725	1,865	140727

880 / 890 .456P Hydraulic and Stealth

Size	10"	15"	20"	25"
Chain Spec	H50S	H57S	H67S	H79S
Part No.	140650	140653	140664	140671
List Price A	\$1,295	\$1,495	\$1,695	\$2,095
Guide Bar				
Part No.	140732	140733	140734	140735
List Price P	\$166	\$219	\$273	\$423

695 .465P Gas

Size	12"	14"	16"	20"
Chain Spec	H50S	H53S	H57S	H67S
Part No.	140650	140622	140653	140664
List Price A	\$1,295	\$1,295	\$1,495	\$1,695
Guide Bar				
Part No.	140680	140626	140627	140682
List Price P	\$180	\$180	\$225	\$275

K950 / 960 / 970 .375P Gas

Size	12"	14"	16"
Chain Spec	G58S	G64S	G70S
Part No.	140657	140662	140666
List Price A	\$998	\$1,095	\$1,204
Guide Bar			
Part No.	140617	140615	140563
List Price P	\$155	\$160	\$268

Sprockets	Part No.	List P
880	140736	\$208
890 and Stealth	140688	275
890 Flush	140838	275
695	140633	60
K950 / 960	140593	30

Chain Specs

G = Segment Every Other Link

H = Segment Every Link

S = Speed Bond

L = Life Bond

Other Chains/Bars/Sprockets/Transtorque Available

Wet / Dry Diamond Core Bits

WET / DRY DIAMOND CORE BITS

	C-50AXP									
AGGREGATE	C-41AX	C-42AX	BRUTE	C-62AX	C-53	C-52	C-51	C-43	C-32	C-34AX
SOFT	•	•	•		•	•		•	•	•
MEDIUM	•	•	•	•	•	•	•	•	•	•
HARD	•	•	•	•		•	•		•	



ARIX Generation 3
Advanced 3D Diamond Distribution
Radical New Bond Formulas

THREE GENERATIONS BEYOND



1-1/4"-7th
for rig mounted
and hand-held
drills



C-42AX G3 Pro Wet/Dry Bit

★★★★Pro IV

Diameter	Part No.	List
2"	D31533	\$190
2-1/4"	D31544	200
2-1/2"	D31545	221
3"	D31546	233
3-1/2"	D31547	271
4"	D31548	324
4-1/4"	D31553	370
4-1/2"	D31549	394
5"	D31550	433
6"	D31552	471
7"	D31554	640
8"	D31555	690
10"	D31579	870
12"	D31580	1,150
14"	D31581	1,270

1-1/4"-7 Thread and 14" barrel

Bits 6" and under can be used wet or dry. Bits over 6" must be used wet.
Bits 6" and under are laser welded.



1-1/4"-7th



WET ONLY
1-1/4"-7th

C-50AXP BRUTE G3 Wet Core Bits

★★★★★PRO V

Fast Speed with Good Life

Diameter	Part No.	List
2"	D34301	\$190
2-1/4"	D34302	215
2-1/2"	D34303	230
2-3/4"	D34304	250
3"	D34305	265
3-1/2"	D34306	320
4"	D34307	350
4-1/4"	D34308	385
4-1/2"	D34309	405
5"	D34310	435
5-1/2"	D34311	465
6"	D34312	560
7"	D34315	715
8"	D34316	765
9"	D34317	900
10"	D34318	950
12"	D34319	1,230
13"	D34331	1,320
14"	D34320	1,380
16"	D34382	1,680
18"	D34325	2,080
20"	D34329	2,255
24"	D34330	3,128

C62AX Wet Core Bit

★★★★★PRO VI

Diameter	Part No.	List
2"	D34101	\$228
2 1/4"	D34102	249
2 1/2"	D34103	260
2 3/4"	D34104	281
3"	D34105	298
3 1/2"	D34106	351
4"	D34107	406
4 1/4"	D34108	459
4 1/2"	D34109	514
5"	D34110	536
5 1/2"	D34111	595
6"	D34112	644
6 1/4"	D34113	730
6 1/2"	D34114	752
7"	D34115	805
8"	D34116	860
9"	D34117	1,022
10"	D34118	1,076
12"	D34119	1,401
14"	D34120	1,725

Other sizes available upon request



1-1/4"-7th
for rig mounted
and hand-held
drills



C-41AX G3 Pro Wet/Dry

Short Bit ★★★★★Pro IV

Diameter	Part No.	List
1"	D30501	\$110
1-1/4"	D30503	120
1-1/2"	D30505	135
1-3/4"	D30507	160
2"	D30508	190
2-1/4"	D30509	200
2-1/2"	D30510	221
3"	D30511	233
3-1/2"	D30512	271
4"	D30513	324
4-1/2"	D30514	394
5"	D30515	433
6"	D30516	471
7"	D30517	640
8"	D30518	690
9"	D30519	750

1-1/4"-7 Thread 9" usable length

Bits 6" and under can be used wet or dry. Bits over 6" must be used wet.
Bits 6" and under are laser welded.



C51 / C52 Segmented / Double Pointed

★★★★★ PRO V

C51			C52		
Diameter	Part No.	List	Part No.	List	
3/8"	D36225	\$110			
1/2"	D36226	115			
5/8"	D36227	118			
3/4"	D36228	122			
7/8"	D36229	125			
1"	D36230	131	D32321	\$141	
1-1/8"	D36231	136	D32322	146	
1-1/4"	D36232	140	D32323	151	
1-3/8"	D36233	156	D32324	168	
1-1/2"	D36234	166	D32325	178	
1-5/8"	D36235	171	D32326	184	
1-3/4"	D36236	177	D32327	190	
1-7/8"			D32328	195	
2"	D36101	\$175	D32201	200	
2-1/4"	D36102	191	D32202	228	
2 1/2"	D36103	201	D32203	243	
2-3/4"	D36104	221	D32204	265	
3"	D36105	232	D32205	276	
3-1/4"	D36106	258	D32285	319	
3 1/2"	D36107	283	D32207	336	
4"	D36108	304	D32208	368	
4-1/4"	D36109	361	D32209	406	
4-1/4"x20"L			D33467	622	
4 1/2"	D36110	386	D32210	427	

3/8" - 1-3/4" are crown

1" - 6" are laser welded

6-1/4" > are brazed

1 6" and above standard with spoke back

Solid or welded backs and special barrel lengths are available upon request

1" - 1-1/2" are 5/8"-11 - Remainder are 1-1/4"-7 thread

C51			C52		
Diameter	Part No.	List	Part No.	List	
5"	D36112	\$407	D32212	\$459	
5 1/2"	D36113	438	D32213	487	
6"	D36115	464	D32215	589	
6-1/4"	D36116	510	D32216	644	
6 1/2"	D36117	561	D32217	697	
7"	D36118	613	D32218	752	
7-1/2"			D32291	784	
8"	D36119	664	D32219	805	
8-1/2"	D36210	798	D32292	892	
9"	D36120	798	D32220	947	
10"	D36121	870	D32221	1,000	
11"	D36176	930	D32230	1,216	
12"	D36122	953	D32222	1,293	
13"	D36132	1,391	D32240	1,522	
14"	D36123	1,128	D32223	1,454	
16"	D36124	1,586	D32232	1,725	
18"	D36125	1,777	D32233	2,190	
20"	D36126	2,060	D32234	2,374	
24"	D36136	2,884	D32235	3,293	
26"	D36163	4,400	D32231	4,699	
30"	D36129	4,944	D32238	5,500	
36"		5,400	D33417	6,995	



Double pointed segments

C-52 Threaded Core Bits ★★★★★ PRO V

Fast Speed with Good Life

Diameter	Threaded Crown		Threaded Crown .235"		Threaded Cap		Threaded 10-5/8" Tubing		Threaded 34" Tubing	
	Part No.	List	Part No.	List	Part No.	List	Part No.	List	Part No.	List
1"	D34861	\$95	D34871	\$105	C101034	\$50	T101013	\$35	T102992	\$105
1-1/8"	D34865	100	D34872	111	C101035	50	T101014	40		
1-1/4"	D34862	110	D34873	121	C101036	50	T101015	40	T102993	120
1-1/2"	D34863	120	D34874	132	C101037	50	T101016	45	T102994	135
1-3/4"	D34866	135			C101038	55	T101017	50		
2"	D34864	150	D34876	165	C101040	60	T101019	55	T102995	165
2-1/4"	D34867	160			C101041	65	T101020	60		
2-1/2"	D34805	165	D34878	182	C101042	65	T101021	60	T102996	180
3"	D34806	195	D34879	215	C101043	70	T101022	70	T102997	210
3-1/2"	D34807	215	D34880	237	C101515	85	T101507	85		
4"	D34808	255	D34882	280	C101045	95	T101024	110	T102998	255
4-1/4"	D34868	265			C101046	100	T101025	115		
4-1/2"	D34869	275			C101047	100	T101023	120		
5"	D34809	290	D34885	320	C101048	105	T101026	125		
5-1/2"	D34870	325			C101050	110	T101027	135		
6"	D34810	350	D34887	380	C101051	120	T101028	140		

*Actual length when connected

1" - 1-3/4" are crown 1" - 6" are laser welded

All cap sizes are 1-1/4"-7 thread


Wet / Dry Diamond Core Bits



WET ONLY
1-1/4"-7 thread
Brazed

C43/C53 Segmented/Prestressed Concrete & Asphalt

Diameter	C43 ★★★★		C53 ★★★★★		D List
	PRO IV	List	PRO V	List	
2"	D32124	\$200	D33143	\$238	
2-1/4"	D32125	206			
2-1/2"	D32126	211			
3"	D32128	271	D33144	330	
3-1/2"	D32130	319			
4"	D32131	373	D33164	422	
4-1/4"	D32132	416	D33173	474	
4-1/2"	D32133	427			
5"	D32135	487			
5-1/2"	D32136	536			
6"	D32138	644			
6-1/4"	D32139	692			
6-1/2"	D32140	752			
7"	D32141	805			
8"	D32142	860			
10"	D32144	1,185			



DRY/WET
*5/8"-11 thread
for hand held
drills

9" drilling depth

Laser Welded

C34 ARIX Short Dry Bit

★★★ Super Premium

Diameter	Standard* 5/8"-11 thd		D List
	Part No.		
1"	D31536		\$135
1-1/4"	D31543		135
1-1/2"	D31521		146
1-3/4"	D31522		163
2"	D31523		190
2-1/4"	D31524		200
2-1/2"	D31525		221
3"	D31526		233
3-1/2"	D31527		271
4"	D31528		324
4-1/2"	D31529		394
5"	D31530		433
6"	D31531		471



WET ONLY
Laser Welded

C32 Crown

★★★ PRO III

Diameter	Part No.	D List
3/8"	D32041	\$103
1/2"	D32042	103
5/8"	D32043	108
3/4"	D32044	113
7/8"	D32045	113
1"	D32046	119
1 1/8"	D32047	130
1 1/4"	D32048	135
1 3/8"	D32049	146
1 1/2"	D32050	151
1 5/8"	D32051	163
1 3/4"	D32052	168
1 7/8"	D32053	178

3/8" - 1-3/4" are C32 crown
1" - 1-1/2" are 5/8"-11 thread
1-5/8" and up are 1-1/4"-7 thread



Use your Hammer Drill to drill clean holes with these adapters and DITEQ's C34 ARIX Dry Bit!

Hammer Drill Adapters for Diamond Core Bits

Description	Part No.	P List
SDS Max to SDS Plus Chuck	151617	\$103
SDS Max to 5/8-11M Rotary adapter	151623	73
SDS Plus to 5/8-11 Rotary Adapter	151670	73



Shown using SHIBUYA Dry Coring
Vacuum Attachment for dust control

Retipping Machines / Diamond Segments / Magnets

C32 Pointed Segments ★★ ★ Super Premium Segment Segment					
Diameter	Part No.	Thickness	Length	Height	List
4 - 6.5"	D35014	.165"	.945"	.315"	\$16.48
7 - 9"	D35015	.187"	.945"	.315"	16.48
10 - 14"	D35019	.187"	.945"	.315"	18.54
10 - 16"	D35016	.210"	.945"	.315"	22.00
10 - 16"	D35017	.250"	.945"	.315"	27.00
18 - 36"	D35018	.250"	.945"	.315"	27.00

C42AX Segments  ★★ ★ ★ PRO IV					
Diameter	Part No.	Thickness	Length	Height	List
2"	D35082	.145"	.629"	.314"	\$16
2.5" - 3.5"	D35083	.150"	.945"	.314"	16
4 - 6"	D35084	.165"	.945"	.314"	19
7 - 9"	D35085	.165"	.945"	.314"	19
7 - 10"	D35086	.187"	.945"	.314"	21
10 - 14"	D35087	.187"	.945"	.314"	21
12 - 36"	D35088	.250"	.945"	.314"	31

C-50AX Brute Segments   ★★ ★ ★ ★ PRO V					
Diameter	Part No.	Thickness	Length	Height	List
2" - 2.5"	D35091	.145"	.945"	.472"	\$17
2.75" - 3.5"	D35092	.145"	.945"	.472"	17
4 - 6.5"	D35093	.160"	.945"	.472"	20
7 - 9"	D35094	.160"	.945"	.472"	20
10 - 14"	D35095	.187"	.945"	.472"	23
10 - 14"	D35096	.210"	.945"	.472"	28
12 - 36"	D35097	.250"	.945"	.472"	34

Diatip™ Diamond Core Bit Retipping Machines			
	CD 600	Economy	CD 7-28
Power	Manual	Manual	Manual
Amps/Volts			
Minimum Bit Diameter	2-1/8"	2-1/8"	2-1/8"
Maximum Bit Diameter	28"	28"	28"
Core Bit Maximum Length	22"	22"	22"
Maximum Steel Thickness	.125"	.125"	.125"
Part No.	DR5003	DR5002	
List Price E	\$5,160	\$7,395	
<i>Diatip Machines are special order items</i>			



C51 Crown Segments ★★ ★ ★ ★ PRO V					
Diameter	Part No.	Thickness	Length	Height	List
3/8"	D35121	.125"	.420"		\$38
1/2"	D35122	.125"	.420"		42
5/8"	D35123	.125"	.420"		45
3/4"	D35124	.125"	.420"		48
7/8"	D35125	.125"	.420"		51
1"	D35126	.125"	.420"		53
1-1/8"	D35127	.145"	.420"		56
1-1/4"	D35128	.145"	.420"		59
1-3/8"	D35129	.145"	.420"		64
1-1/2"	D35130	.145"	.420"		71
1-5/8"	D35131	.145"	.420"		73
1-3/4"	D35132	.145"	.420"		80

C51 / C52 Double Pointed Segments ★★ ★ ★ ★ PRO V					
Diameter	Part No.	Thickness	Length	Height	List
2" - 2.5"	D35032	.145"	.945"	.420"	\$16.48
2.75" - 3.5"	D35033	.145"	.945"	.420"	16.48
2.75" - 3.5"	D35042	.160"	.945"	.420"	19.57
2.75" - 3.5"	D35077	.187"	.945"	.420"	22.00
2" - 3.5"	D35079	.250"	.945"	.420"	33.00
4 - 6.5"	D35034	.165"	.945"	.420"	19.57
5" - 7"	D35078	.187"	.945"	.420"	22.00
7 - 9"	D35035	.165"	.945"	.420"	19.57
10 - 14"	D35036	.187"	.945"	.420"	22.00
10 - 16"	D35037	.210"	.945"	.420"	27.00
14 - 36"	D35038	.250"	.945"	.420"	33.00

C62AX Segments ★★ ★ ★ ★ PRO VI					
Diameter	Part No.	Thickness	Length	Height	List
2" - 2.5"	D35051	.145"	.945"	.393"	\$22
2.75" - 3.5"	D35052	.145"	.945"	.393"	22
4 - 6.5"	D35053	.160"	.945"	.393"	24
7 - 9"	D35054	.165"	.945"	.393"	25
10 - 14"	D35055	.187"	.945"	.393"	27
10 - 16"	D35056	.210"	.945"	.393"	33
14 - 36"	D35057	.250"	.945"	.393"	38

Segments include solder.

DITEQ carries a wide variety of hammer bits and flat chisels. Contact customer service or our website for details



Carbide SDS Max Drill Bits				
Part No.	Size/Description	Usable Length	List	E
150905	1/2" x 13"	8"	\$67	
150906	5/8" x 13"	8"	81	
150907	7/8" x 13"	8"	94	
<i>Numerous bits available in a variety of specs for SDS Plus and SDS Max Hammer Drills. Many bits are available in bulk packs or individual display packages. Call for info.</i>				

Magnets			E	
Description	Part No.	List		
Superstrong Flux Magnet - each magnet has four different side clearances: 0.02"/0.03"/0.04" and 0.05" (0.5mm/1.0mm & 1.25mm) (Standard for segments 2" - 16")	151167	\$91		
US magnet, each magnet has four different side clearances: 0.06"/0.07"/0.08" and 0.09" (1.5mm/1.78/2.03mm/2.3mm (for larger segments)	151627	91		



SHIBUYA Professional Core Drill Machines - Hand Drills and TS-092

Hand Held Drills

	D-Handle Hand Held RH1531	Pistol-Grip Hand Held RH1532	RH1531 ABV Combo Drill RH1531
MOTOR			
AMPS/VOLTS	15/115	15/115	15/115
RPM (Under Load)	560/1400/2900	560/1400/2900	560/1400/2900
BIT CAPACITY	(Max. Handheld) 3"	(Max. Handheld) 3"	8" (Angle)
BIT CAPACITY			10" (Vertical)
COLUMN LENGTH			39.4"
WEIGHT w/o accessories	15 lb (6.8 kg)	15 lb (6.8 kg)	69 lb. w/pump
MODEL No.	RH1531	RH1532	RH1531ABV
PART No.	DR2003	DR2023	DR2024
List E	\$1,833	\$2,158	\$3,345

RH1531 220V models available



**Pistol-Grip
Hand Held**

bit not included

**D-Handle
Hand Held**

*Both the "D" handle and pistol grip
hand drills come standard with molded
plastic storage cases*

Hand Drill Accessories	Part No.	List	
Stand, Fixed base, column & carriage	150340	\$805	P
Stand, Angle base, column & carriage	150341	1,022	P
Adaptor kit/Squeeze clamp	150342	141	P
Adaptor kit/Fixed bolt on*	150343	60	P
Stand, ABV combo angle stand with pump	151774	1,995	E
Stand, ABV combo angle stand - no pump	152020	1,395	E
Dust/Slurry Ring (5")	151291	195	P
Dust/Slurry Ring (7")	151287	195	P
Grease Tube - Hand Drill only	151082	45	P
Garden hose quick disconnect	150590	8.00	P

*RH1531 D-Handle model only



RH1531 ABV Combo

bit not included



**10 amp / 1 Speed
For Tight Spaces**

*Use with 9"
core travel bits*

bit not
included

TS-092

	w/ CASE	w/ CASE
BASE STYLE	ANGLE ANCHOR	ANGLE ANCHOR
MOTOR	R1011	R1012
AMPS	10	10
RPM (no Load)	970	1750
BIT CAPACITY (Max.)	6"	4"
COLUMN LENGTH	22" (560mm)	22" (560mm)
WEIGHT w/o accessories	20 lb	20 lb
MODEL No.	TS-092ABKIT	TS-092ABKIT
PART No.	DR0017	DR0019
List E	\$1,725	\$1,725

220V models available

TS-092 Accessories	Part No.	List	P
Vacuum Pads — Extra Small	150159	\$195	
Vacuum Pads — Small	150001	245	
Vacuum Pump Assembly	150004	589	

SHIBUYA Core Drills - TS-132/TS-162



bit not included



Molded plastic storage cases keeps accessories organized




bit not included



TS-132

	TS-132 15 amps - 1 Speed				TS-132ABV 15 amps - 1 Speed
	Without Case		With Case		
BASE STYLE	FIXED	ANGLE BASE	FIXED	ANGLE BASE	Angle Base Combo
MOTOR			R1511		R1511
AMPS/VOLTS			15/115		15/115
RPM (No Load)			850		850
BIT CAPACITY (Max.)			9"		10" Vertical/8" Angle
COLUMN LENGTH	31.5" (800mm)	39.4" (1000mm)	23.5" short*	23.5" short*	39.4" (1000mm)
WEIGHT w/o access.	28.7 lb (13 kg)	33.8 lb (15.3 kg)	33.5lb (15.2kg)	33.5lb (15.2kg)	64 lb (14 kg) w/pump
MODEL No.	TS132	TS132AB	TS132KIT	TS132ABKIT	TS-132ABV
PART No.	DR0001	DR0002	DR0011	DR0003	DR0037
List <i>E</i>	\$1,779	\$1,995	\$2,050	\$2,158	\$2,395

220V models available



TS-132ABV
bit not included

TS-132 Accessories	Part No.	List <i>E</i>
Small Vacuum Pad	150001	\$245
Standard Gast Vacuum Pump	150004	589
Premium Shibuya Vacuum Pump	150005	1,295

*Case Drills: Kit core drills come with a 23.5" column with an 8" extension. Without the extension, the kit core drill will accept up to 9" short core bits. With the extension, standard length (14") core bits can be used.

TS-162

	TS-162 15 amps - 2 Speed				TS-162ABV 15 amps - 2 Speed
	Without Case		With Case		
BASE STYLE	FIXED	ANGLE BASE	FIXED	ANGLE BASE	ANGLE BASE COMBO
MOTOR			R1521		R1521
AMPS/VOLTS			15/115		15/115
RPM (No Load)			700/1000		700/1000
BIT CAPACITY (MAX)			9"		10" Vertical/8" Angle
COLUMN LENGTH	31.5" (800mm)	39.4" (1000mm)	23.5" short*	23.5" short*	39.4" (1000mm)
WEIGHT w/o access.	30.9 lb (14 kg)	36 lb (16.3 kg)	35.7 lb (16.2 kg)	35.7 lb (16.2kg)	66 lb.
MODEL No.	TS162	TS162AB	TS162KIT	TS162ABKIT	TS-162ABV
PART No.	DR0004	DR0005	DR0012	DR0006	DR0036
List <i>E</i>	\$1,942	\$2,158	\$2,320	\$2,428	\$2,595

220V models available

TS-162 Accessories	Part No.	List <i>E</i>
Small Vacuum Pad	150001	\$245
Standard Gast Vacuum Pump	150004	589
Premium Shibuya Vacuum Pump	150005	1,295

*Case Drills: Kit core drills come with a 23.5" column with an 8" extension. Without the extension, the kit core drill will accept up to 9" short core bits. With the extension, standard length (14") core bits can be used.

SHIBUYA Core Drills - TS-252

TS-252

BASE STYLE	TS-252PRO 20 amps - 2 speed			TS-252ABV 20 amps - 2 speed
	FIXED	FIXED	ANGLE BASE	ANGLE BASE COMBO
MOTOR		R2021		R1721
AMPS/VOLTS		20/115		20/115
RPM (No Load)		460/1020		450/900
BIT CAPACITY (Max.)		12"		12" Vertical/10" Angle
COLUMN LENGTH	31.5" (800mm)	39.4" (1000mm)	39.4" (1000mm)	39.4" (1000mm)
WEIGHT w/o accessories	40.1 lb (18.2 kg)	43 lb (19.2 kg)	42.3 lb (19.2 kg)	73 lb. w/pump
MODEL No.	TS252PRO	TS252PRO	TS252ABPRO	TS-252ABV
PART No.	DR0045	DR0043	DR0046	DR0034
List <i>E</i>	\$2,844	\$2,952	\$3,060	\$3,095
PART No. Less Pump*				DR0035*
List <i>E</i>				\$2,495

220V models available

TS-252 Accessories	Part No.	List	
Large Vacuum Pad - TS252	150002	\$375	<i>E</i>
Standard Gast Vacuum Pump	150004	589	<i>E</i>
Premium Shibuya Vacuum	150005	1,295	<i>E</i>
Optional Ceiling Jack	150160	55	<i>P</i>
Optional 51" 1 piece column	150609	536	<i>P</i>
Optional Column Complete - Hybrid 2" x 31.5"	152099	638	<i>P</i>
Optional Column Complete - Hybrid 2" x 39.4"	152100	810	<i>P</i>
Optional Swivel Kit for 152100 2" x 11.8"	152101	115	<i>P</i>
Gasket - combo pad	151802	35	<i>P</i>




TS-252 PRO



bit not included


TS-252ABV
DR0034



bit not included

Single gasket system provides a stronger vacuum

SHIBUYA Core Drills - TS-353 / TS-402 / TS-403



TS-353
Angle Base Combo

bit not included

TS-353	TS-353		TS-353ABV
	23 amps - 3 Speed		23 amps - 3 Speed
BASE STYLE	FIXED	FIXED w/swivel/ext kit	ANGLE BASE COMBO
MOTOR	R2031		R2031
AMPS/VOLTS	23 / 115		23 / 115
RPM - Standard	380/1000/1700		380/1000/1700
BIT CAPACITY	14"-16" (with spacer)		14" Vertical, 12" Angled
COLUMN LENGTH	39.4" (1000mm)		39.4" (1000mm)
WEIGHT	68.8 lb.	68.8 lb.	87 lb.
MODEL No.	TS353	TS353SW	TS-353ABV
PART No.	DR1017	DR1024	DR1047
List F	\$3,509	\$3,888	\$3,795

Only available in 115V



bit not included

TS-402		TS-402		TS-403		TS-403	
		27 amps - 2 Speed				27 amps - 3 speed	
BASE STYLE	FIXED	FIXED	ANGLE	FIXED w/swivel/ext kit	ANGLE w/swivel/ext kit		
MOTOR	R2221	R2231					
AMPS/VOLTS	27 / 115	27 / 115					
RPM - Standard	300/700	300/800/1400					
RPM - Optional		400/1200/2000					
BIT CAPACITY	14"-16" (with spacer)	14"-16" (with spacer)					
COLUMN LENGTH	39.4" (1000mm)	39.4" (1000mm)					
WEIGHT	68.8 lb.	68.8 lb.	69.9 lb.	68.8 lb.	69.9 lb.		
MODEL No.	TS-402	TS403	TS403AB	TS403SW	TS403SW		
PART No.	DR1001	DR1003	DR1004	DR1011	DR1012		
List <i>F</i>	\$3,564	\$3,726	\$4,429	\$4,105	\$4,807		
220V models available							

220V models available

TS-353 / TS-402/403 Accessories	Part No.	P List
Column Assy - TS353/TS-402/403 (59" one piece)	150766	\$644
Column Assy w/swivel/ext. kit - TS353/TS-402/403 (39"+19.5" two piece)	150770	995
Ceiling Jack - TS353/TS-402/403	150160	55
Angle Base - TS353/TS-402/403	150025	1,055
Extra Large Anchor Base	150998	968
Extra Large Vacuum Pad	150003	495
Premium Shibuya Vacuum Pump	150005	1,295

SHIBUYA Core Drills - TS-503 / TS-603 / Hydraulic Core Drills



TS-503

	TS-503 27-amps - 3 Speed	TS-503 27-amps - 3 Speed
BASE STYLE	FIXED	ANGLE
MOTOR	R2231	R2231
AMPS/VOLTS	27/115	27/115
RPM	300/800/1400	300/800/1400
BIT CAPACITY	18"	18"
COLUMN LENGTH	43" (1100mm)	43" (1100mm)
COLUMN SIZE	2-7/8"	2-7/8"
WEIGHT w/o accessories	113 lb	113 lb
PART No.	DR1009	DR1041
List E	\$6,995	\$7,565

220V models available

TS-503 / TS-603 Accessories

	Part No.	List
TS-503 / TS-603 Angle Anchor Base only	151632	\$1,509
TS-503 / TS-603 Angle Anchor Base with Column	151530	2,915
Extension kit, column - TS-503 / TS-603 (22.75")	150393	475
Brace Kit, column - TS-503/TS-603 (can use w/column ext.)	150394	519
Swivel Kit, column - TS-503/TS-603 (15")	150395	475



**Hand Held
Hydraulic Drills
on Page 8**

Hydraulic Core Drill Rigs

Motor	OMS80	OMS160	OMS250	OMS400
Displacement	80cc	160cc	250cc	400cc
RPM	500 at 10 gpm	250 at 10 gpm	160 at 10 gpm	100 at 10 gpm
Max. Bit Cap.	8"	16"	24"	32"
Column Size	2-3/8"	2-7/8"	2-7/8"	2-7/8"
Column Length	39.4"	43"	43"	43"
Model No.	TS-420H	TS-540H	TS-660H	TS-680H
Part No.	DR1026	DR1027	DR1028	DR1029
List E	\$6,700	\$9,728	\$9,995	\$9,995

TS-603

HAWG TS-603

27amps - 3 speed

BASE STYLE — Large	FIXED ANCHOR
MOTOR	R2531
AMPS/VOLTS	27/115
RPM	150/300/600
Standard BIT CAPACITY	26"
COLUMN LENGTH	43" (1100mm)
COLUMN SIZE	2-7/8"
WEIGHT	138 lb
PART No.	DR1010
List E	\$8,995

220V models available



Hydraulic Motor Assemblies

	Danfoss OMS80	Danfoss OMS160	Danfoss OMS250	Danfoss OMS400
MOTOR				
Displacement	80cc	160cc	250cc	400cc
RPM'S	500 at 10 GPM	250 at 10 GPM	160 at 10 GPM	100 at 10 GPM
Bit Diameter	8"	16"	24"	32"
PART No.	151271	151272	151273	151274
List E	\$4,995	\$4,995	\$4,995	\$4,995

Assemblies include motor spindle, flow control, adapter plate and disconnect. Hydraulic motors only are also available.

Hydraulic Motor Accessories

	Part No.	List
Adapter — 1-1/4" male — A-rod female	151276	\$168
Quick Release	150039	395
Flow Control Valve Manifold	151269	1,725
Pillow Block Assembly - A-rod Spindle	151270	2,374
Hydraulic Hose 30' x 5/8" set of 2	151277	920



SHIBUYA Drill Motors / Slurry/Dust Control



Motors			E
Description	Part No.	List	
R2021 115V 20A 460/1020 RPM	152090	1,795	
R2031 115V 23A 380/1000/1700 RPM	151053	1,955	
R2221 115V 27A 300/700 RPM	150028	1,995	
R2231 115V 27A 300/800/1400 RPM	150029	1,995	
R2231 220V 13A 300/800/1400 RPM	150330	2,095	
R2531 220V 13A 150/300/600 RPM (HAWG)	150473	4,095	
R2531 110V 27A 150/300/600 (HAWG)	150336	3,995	



Motor Adapter Kits			P
Description	Part No.	List	
Adapter Plate Kit for most competitors 2-7/8" carriages for SHIBUYA motors	150311	\$175	
Adapter Kit - 2-7/8" rig x R17 motor (20A)	150869	175	



Wall Mount			E
Description	Part No.	List	
Wall Mount - 4"-8"	150323	\$595	

Stitch Drill Cradle			E
Description	Part No.	List	
Stitch Drill Cradle - TS402/403	150722	\$4,595	
Track - 23.6 in/600mm	150405	995	
Track - 47.2 in/1200mm	150406	1,395	



Slurry Control

See pages 43-44
for Wet Vacuums



WCR Water Slurry Rings	5" Part No.	7" Part No.	P List
WCR Slurry Ring	151291	151287	\$195
Cover Plate Slurry Ring	151292	151288	48
Seal, Slurry Ring	151293	151289	6.49



Slurry Rings	Part No.	P List
8" Slurry Ring	150012	\$146
10" Slurry Ring	150013	168
12" Slurry Ring	150014	211
14" Slurry Ring	150015	319



Slurry Ring Fixture*	Part No.	P List
Fixture - TS252 (4"-10")**	150020	\$146
Fixture - TS402/403 (14"-18")**	150023	319
*Use with slurry rings above ** Bit size		

Dust Control

See pages 41-42
for Dry Vacuums



WCR Water Slurry/Dust Rings	5" Part No.	P List
WCR Slurry/Dust Ring	151291	\$195
Cover Plate Slurry/Dust Ring	151292	48
Seal, Slurry/Dust Ring	151293	6.49



Dry Bit Buddie for Core Drills and Rotary Drills	Part No.	E List
1-3/8" dia. bits w/hose	160220	\$49
1" to 4" dia. bits (round) w/hose	160979	55
2-8" dia. bits (round)	161625	75



Dry Coring Vac Attachment for Core Drills with 1-1/4" thread			P
Description	Part No.	List	
Dry Coring Vacuum Attachment	152085	\$695	



Water Tanks	Part No.	E List
Stainless Steel w/Pump	151990	\$295
Steel w/Pump	151055	145

Core Drill Accessories / Auto / Remote Feed Systems



Auto Feed shown on TS-252

top view



Auto Feed Maximizes Production - The auto feed system for SHIBUYA core drills pays for itself quickly with the time savings it delivers. With the auto feed you can operate more than one drill at a time; drill multiple holes in a fraction of the time; achieve better bit life through consistent in-feed pressure; avoid wasting time dealing with thrown circuit breakers as auto feed senses the amps being pulled and adjusts speed and amps to prevent thrown breakers. The auto feed sensors automatically shuts off the core drill when the bit starts free-wheeling, the bit gets stuck, or the bit reaches a pre-determined depth.

Auto Feed

	Part No.	List	
Auto-Feed - AFS-V 115V*	152021	\$3,295.00	E
Auto-Feed - AFS-V 220V*	152022	3,295.00	E
Adapter Kit -- TS-252	150320	90.00	P
Adapter Kit Left -- TS-132/162	150321	78.00	P
Adapter Kit Right -- TS-132/162	150322	78.00	P
Depth Stop Clamp	150477	73.00	P
Quick Pin Fed Handle	150142	18.54	P

* Does not include the stop clamp P/N 150477



Remote Control Operation

Use of the remote control allows the operator to control the drill functions from a distance away from the work area. Especially useful in tight quarters or above ground operations. May be powered by a generator or transformer which fulfills the following conditions: AC voltage, output over at least 4.6 kVA. The operating voltage must be between 105V and 120V. Frequency range 50-60 Hz.

Remote Control

	Part No.	List	
Remote Feed System - TS-503/603 115V	151290	\$7,133.00	E



The EXCO KwikCore™ Unit is designed to simplify the core drilling process by providing a high powered drill with automatic regulated feeding designed in a rugged frame. So no anchoring to the object being cored is necessary. The KwikCore Unit is supplied preassembled, requiring a few mechanical and electrical connections. KwikCore is intended to be used for drilling holes in concrete, clay, brick, PVC and various other materials.

Kwikcore Remote Drilling System

	Part No.
KC16 KwikCore with TS-403 Drill	DR5101
Other models available. Consult with your DITEQ salesman for specifics.	



Core Drill Accessories / Bases / Column Options / Vacuum Pads

Optional Columns*		Fits Models		P List
Column Length	Width	FB - Fixed Base AB - Angle Base	Part No.	
31" / 800mm	1-5/8"	TS-092 AB	150573	\$381
19.5" Swivel Top for 152100	2"	TS-252 FB	152101	115
31" / 800mm	2"	TS-162 FB	150353	280
31" / 800mm	2"	TS-252 FB	150412	356
31" / 800mm hybrid	2"	TS-252 FB	152099	638
39" / 1000mm complete hybrid	2"	TS-252 FB	152100	810
51" / 1300mm	2"	TS-132 FB	150609	536
51" / 1300mm	2"	TS-162 FB	150609	536
51" / 1300mm	2"	TS-252 FB	150609	536
59" / 1500mm	2-3/8"	TS-353 FB & AB	150766	644
39" + 19.5" Swivel Top	2-3/8"	TS-353 FB & AB	150770	995
59" / 1500mm	2-3/8"	TS-402 FB & AB	150766	644
39" + 19.5" Swivel Top	2-3/8"	TS-402 FB & AB	150770	995
59" / 1500mm	2-3/8"	TS-403 FB & AB	150766	644
39" + 19.5" Swivel Top	2-3/8"	TS-403 FB & AB	150770	995
78.5" / 2000mm	2-7/8"	TS-503 FB & AB	150975	1,995
22.75" / 580 mm Extension	2-7/8"	TS-503 FB & AB	150393	475
15" / 380mm Swivel top	2-7/8"	TS-503 FB & AB	150395	475
78.5" / 2000mm	2-7/8"	TS-603 FB & AB	150975	1,995
22.75" / 580 mm Extension	2-7/8"	TS-603 FB & AB	150395	475
15" / 380mm Swivel top	2-7/8"	TS-603 FB & AB	150393	475

* refer to model product charts for standard column specs



Twin Pipe Pad for drilling concrete pipes



Vacuum Pumps	Part No.	List	P
Standard Gast Vacuum Pump	150004	\$595	E
Premium Shibuya Vacuum Pump w/tank	150005	1,295	E
Jar, vacuum pump	150539	26	P
Ball, vacuum pump	150540	13.39	P



Gaskets	Part No.	List	P
Gasket - Combo Pad	151802	\$35	
Gasket - X-small Pads / Small Twin Pad	150570	42	
Gasket - Small Pads	150215	47	
Gasket - Large Pads	150216	68	
Gasket - X-Large Pads	150409	76	



Step Vacuum
150874
RH1531/1532;
TS-092/132/162



Extra Small
150159
RH1531/1532;
TS-092/132/162



Small Standard
150001
RH1531/1532;
TS-132/162



Large Standard
150002
TS-252



Extra Large Standard
150003
TS-353/402/403



Small Twin Pad 150036
- for pipes 10" to 18"
in diameter

Vacuum Pads	Part No.	List	E
Step Vac Pad - RH1531/1532, TS-092/132/162	150874	\$195	
Extra Small Vac Pad - R1531 TS092/132/162	150159	195	
Small Std Vac Pad - R1531 TS132/162	150001	245	
Large Standard Vac Pad - TS252	150002	375	
Extra Large Std. Vac Pad TS402/403	150003	495	
Small Twin / Pipe Pad	150036	695	

SHIBUYA Core Drill Accessories / Parts



Water Seals/Swivels/Valves

	Part No.	List
Water Seal - R10/R15/R17 motors (2 Req'd)	150070	\$13
Water Seal - R20/R22/R25 motors (2 Req'd)	150083	13
Water Swivel - R10 motors	150484	66
Water Swivel - R15/R17 motors	150074	68
Water Swivel - R20/R22/R25 motors	150085	76
Water Valve w/nipple	150318	30
Water Hose Valve w/nipple assy	150456	76
Garden Hose Quick Disconnect	150590	8

Grease

	Part No.	List
Grease, tube, 1 pint for R15, R17, R20, R22, R25*	152084	\$14
Grease, tube, for RH1531, RH1532*	151082	45

*A complete refill may require more than one tube. Consult DITEQ customer service for recommendations.



Switches and Circuit Protectors

	Part No.	List
Switch/Circuit Protector - R10 motors 115V	150486	\$70
Trigger Switch - RH-1532 115V hand drill	151805	80
Trigger Switch - RH-1531 115V hand drill	151777	90
Circuit Protector - RH-1531 115V hand drill	150447	36
Rocker Switch - RH15 hand-held/rig mode change 115V	150450	28
Switch/Circuit Protector - R15 Motors & RH15 rig mode	150120	75
Switch/Circuit Protector - R17 motor 115V TS-252	150121	75
Switch/Circuit Protector - R20 motor 115V TS-252PRO	152118	75
Switch - R22/R25 motors 115V TS-402/403 (old)	150122	64
Switch/Circuit Protector - R22/R25 motors 220V	150478	75
Circuit Protector - R22/R25 motors 115V TS402/403 (old)	150124	75
Switch/Circuit Protector - R22/R25 motor 115V - New	152112	75
Switch/Circuit protector - R20 110V TS-353	151100	75
Conversion to 30 Amp switch kit - R22/R25 110V	152086	100

Carbon Brushes

	Part No.	List
Carbon Brush - RH15/R15/R17/R20 motors 115V (2 Req'd)	151668	\$8
Carbon Brush - R22/R25 motors 120V (2 Req'd)	151669	8
Carbon Brush - R15/17/22 motors 220V (2 Req'd)	150416	8
Carbon Brush - R10 motors 115V (2 Req'd)	150485	8



151769

Diamond Bit Accessories

	Part No.	List
Washer, Copper 1-1/4"-7 core bit	150653	\$17
Washer, Plastic 1-1/4"-7 core bit	150654	6
Slider	151769	125



Carriages

	Part No.	List
Pro 2-7/8" Roller Carriage Assy w/quick release motor mount - TS503 (18" bit)	150381	\$2,482
Pro 2-7/8" Roller Carriage Assy w/quick release motor mount - TS603 (26" bit)	150382	2,595



Quick Release Motor Mount

	Part No.	List
Quick Release Motor Mount - TS402/403/503/603	150039	\$395
Quick Release Motor Mount - R1721 / TS252	150310	395



Extensions

	Part No.	List
Ext., 5/8"-11 x 12" L	150509	\$50
Ext., 5/8"-11 x 6" L	150547	45
Ext., 1-1/4"-7 x 6" L	150161	70
Ext., 1-1/4"-7 x 12" L	150043	85
Ext., 1-1/4"-7 x 24" L	150890	140
Ext., 1-1/4"-7 x 36" L	151664	325



Spacers

	Part No.	List
1-1/4" Spacer Kit - TS402/403	150312	\$92
1-1/4" Spacer Kit - TS252	150514	87
2-3/8" Spacer kit - TS-402/403/503/603	152023	150
4" Spacer Kit - TS-402/403/503/603	150079	195

Gear Clamps/Clutch

	Part No.	List
Socket, Clutch - R motors	150051	81
Gear Clamp - R17/R22/R25 motors	150054	81
Gear Clamp - R15 motors	150055	81
Gear Clamp - RH1531 hand drill	150506	24



Crows Foot



Ratchet




Spoke Handle



Spindle Wrench

Tools/Miscellaneous	Part No.	P List
Crows Foot - 36mm R17/R22/R25 motors	150049	\$190
Crows Foot - 32mm R15 motors	150050	190
4 Spoke Feed Handle - TS252/353402/403/503/603	150758	211
Ratchet - 19/21mm - TS402/403/503/603	150537	45
Ratchet - 17/19mm - TS252	150877	45
Wrench, Spindle, 36mm - R17/R22 motors	150513	15
Wrench, Spindle, 32mm - R15/R15 motors	150535	15



151464




150024



150421



150589



150764



150329



151066



150217




151065



150983

Threaded Adapters	Part No.	P List
Hilti Adapter, DD-160-200-250-350 x 1-1/4" -7	151464	\$250
Hilti Adapter, (spline x 1-1/4"-7M)	150589	150
Hilti Adapter, (spline x 5/8-11)	151811	125
Hilti Adapter, DD100, DD130 (Slots x 1-1/4"-7M)	151066	65
Hilti Adapter, DD100, DD130 (Slots x 5/8")	151065	55
Adapter 1-1/4"-7F to 5/8"-11 M	150024	48
Adapter 5/8"-11 F to 1-1/4"-7 M	150764	48
3/8" shank, 5/8"-11M	150217	30
1/2" shank, 5/8"-11M	150983	27
1/2 Gas Thread x 5/8" 11 short	150421	30
1/2 Gas Thread x 5/8" 11 long	150329	30
1/2 Gas Thread x 1-1/4"-7 M	150052	85



Pro Fastnut and Washer

Part No.	P List
Pro Fastnut - 1/2" - 13	150327 \$60
Heavy Square Washer - 1/2"	150615 5

151700



Steel Smart Drop-In Anchor System

Size	Part No.	F List
Smart-Bit for 5/8" SDS	151708	\$56
Smart-Tool setting tool for 1/2" Drop-in Anchors	151705	106
Hammer Bit, 5/8" x 13" SDS Max	150906	81
Hammer Bit 3/16" x 6 1/4 SDS	151578	1.14
Adapter SDS Max to SDS Plus	151617	103
Setting Tool for 1/2" drop in anchors	150887	6.49
Smart Drop-in 1/2" - 13 Anchors	151700	1.08
Smart Drop-in 5/8" - 11 Anchors	151701	3.24

Other sizes and types of anchors, setting tools and bit are available



Carbide SDS Max Drill Bits

Part No.	Size/Description	Usable Length	F List
150905	1/2" x 13"	8"	\$67
150906	5/8" x 13"	8"	81
150907	7/8" x 13"	8"	94

Numerous bits available in a variety of specs for SDS Plus and SDS Max Hammer Drills. Many bits are available in bulk packs or individual display packages. Call for info.

150351



Diamond Bit Accessories


Part No.	P List
Core Removal Tool and Wedge	150351 \$11.33

High Speed / Flat Saw / Masonry / General Purpose Diamond Blades

HIGH SPEED, FLAT SAW, MASONRY & GENERAL PURPOSE SEGMENTED BLADES

	C/S-32												JS-S		
	C/A44	C/A34GD	C/S-	C/A-33	C/S-32	BRUTE		C-43	C-33	U23		U13	Jet	DXS	
Material	ARIX	Guardian	33SC	Monster	BRUTE	Silent	C/A24	AX	AX	XTRA	U22	XTRA	Stream	XTRA	DXS
Hard Brick			●		●	●									
Granite			●		●	●									
Brick/Pavers			●		●	●		●	●	●	●	●	●	●	●
Cured Concrete	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Concrete w/Steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Clay Tile		●	●	●	●	●	●	●	●	●	●	●	●	●	●
Block		●		●			●	●	●	●	●	●			
Asphalt	●	●		●											
Green Concrete	●	●		●											

PROFESSIONAL COMBO BLADES




- Engineered for superior cutting performance on a wide range of material.
- Features tungsten inserts for undercutting core protection for abrasive material including soft-medium-hard concrete, abrasive materials and asphalt

C-44AX Combo *DITEQ's Do All Blades*

★★★★PRO IV High Performance with Undercut Protection

Concrete/Asphalt/Green Concrete Fast Cut/Medium Life

Diameter & Width	Part No.	List
14" x .125" x 1"-20mm DP	D10082	\$471
16" x .125" x 1" DP	D10095	536
18" x .125" x 1 DP	D10084	589
20" x .145" x 1 DP	D10087	697



- ARIX™ diamond arrangement technology for faster cutting speed and longer blade life.
- Super high quality diamonds for optimal segment strength
- Wear Guard deep segment
- Air-cooled structural core prevents overheating
- For use on high speed saws, masonry saws and lower horsepower walk-behind concrete saws up to 20 hp

C/A-34GD Guardian Combo

★★★Super Premium

Concrete/Block/Asphalt/Green Concrete Fast Cut/Long Life

Diameter & Width	Part No.	List
12" x .125" x 1/20mm DP	D11030	\$363
12" x .125" x 20mm DP	D11050	363
14" x .125" x 1/20mm DP	D11031	406
14" x .125" x 20mm DP	D11051	406
16" x .125" x 1/20mm DP	D11032	487
16" x .125" x 20mm DP	D11052	487
18" x .125" x 1/20mm DP	D11033	589
20" x .145" x 1/20mm DP	D11034	752
24" x .145" x 1" DP*	D11080	995

**24" blade has solid core and is wet use only*



- Made to cut a wide variety of stone *DRY*
- Two segment design with a combination of standard and turbo ARIX segments for speed and long life

C/S-33SC

★★★Super Premium Fast Cut/Longest Life

Granite/Brick/Hard Concrete/Pavers

Fast Cut/Long Life

Diameter & Width	Part No.	List
12" x .125" x 20mm DP	D11069	\$363
12" x .125" x 1"-20mm DP	D11067	363
14" x .125" x 20mm DP	D11070	406
14" x .125" x 1"-20mm DP	D11068	406
16" x .125" x 1"-20mm DP	D11079	487

High Speed / Flat Saw / Masonry / General Purpose Diamond Blades



- Contractor General Purpose Blade
- Combo Concrete / Block / Green Concrete / Asphalt
- Use on High Speed / Masonry / Low HP Flat Saw
- Three Segment Design
- 13mm Segment Height

C/A-33 MONSTER

★ ★ ★ Super Premium  G3
Concrete/Block/Green Concrete/Asphalt

Fast Cut/Medium Life

Diameter & Width	Part No.	D	Price
12" x .125" x 1" - 20mmDP	D11150		\$265
14" x .125" x 1"-20mm DP	D11151		295
14" x .125" x 20mm DP	D11156		295
16" x .125" x 1"-20mm DP	D11152		355
18" x .125" x 1"-DP	D11153		430
20" x .145" x 1"-DP	D11154		550



- Contractor General Purpose Blade
- Combo Stone / Brick / Concrete
- Use on High Speed / Masonry / Low HP Flat Saws
- Turbo Segment Design
- 13mm Segment Height

C/S-32 BRUTE

★ ★ ★ Super Premium  G3
Granite/Brick/Hard Concrete/Pavers

Fast Cut/Medium Life

Diameter & Width	Part No.	D	List
12" x .125" x 1" - 20mmDP	D11160		\$245
14" x .125" x 1"-20mm DP	D11161		275
16" x .125" x 1"-20mm DP	D11162		335
18" x .125" x 1"-DP	D11163		395
20" x .145" x 1"-DP	D11164		505



- New core with sound deadening properties can be used wet or dry
- Contractor General Purpose Blade
- Combo Stone / Brick / Concrete
- Use on High Speed / Masonry / Low HP Flat Saws
- Turbo Segment Design
- 13mm Segment Height


C/S-32 BRUTE Silent

★ ★ ★ Super Premium  G3
Granite/Brick/Hard Concrete/Pavers

Fast Cut/Medium Life

Diameter & Width	Part No.	D	List
12" x .125" x 1" - 20mmDP	D11165		\$285
14" x .125" x 1"-20mm DP	D11166		338
16" x .125" x 1"-20mm DP	D11167		420
18" x .125" x 1"-DP	D11168		460
20" x .145" x 1"-DP	D11169		550

NEW



- Combo blade with MEGA tall turbo and standard segments
- Super Kool Core
- Medium Cut
- Medium life
- Cuts - concrete, brick, block, pavers and stone

C/A 24 Combo

★ ★ Premium


Concrete/Block

Medium Cut/Medium Life

Diameter & Width	Part No.	D	List
14" x .125" x 1"-20mm	D11042		\$249
14" x .125" x 20mm	D11059		249
16" x .125" x 1"-20mm	D10202		308
16" x .125" x 20mm	D11060		308

High Speed/Flat Saw/Masonry/ General Purpose Diamond Blades

SUPER PREMIUM BLADES



DRY/WET
.393" seg. height
Laser Welded

C-43AX

★★★★ PRO IV High Performance

Fast Cut/Long Life

Cured Concrete/Brick/Block

Diameter & Width	Part No.	List
14" x .125" x 1" 20mm DP	D10053	\$444
16" x .125" x 1" 20mm DP	D10054	519
18" x .125" x 1" DP	D10055	536
20" x .145" x 1" DP	D10056	644



DRY/WET
.393" seg. height
Laser Welded

C-33AX

★★★ Super Premium

Fast Cut/Long Life

Brick/Cured Concrete/Block

Diameter & Width	Part No.	List
12" x .125" x 1" 20mm DP	D11021	\$286
14" x .125" x 1" 20mm DP	D11022	319
14" x .125" x 20mm DP	D11027	319
16" x .125" x 1" 20mm DP	D11023	389
18" x .125" x 1" DP	D11024	427
20" x .145" x 1" DP	D11025	536
24" x .160" x 1" DP	D11028	805



DRY/WET
.512" seg. height
Laser Welded

U23 Xtra Segmented Blade

★★ Premium Gen. Purpose

Fast Cut/Long Life

Brick/Cured Concrete/Block

Diameter & Width	Part No.	List
14" x .125" x 1"-20mm +DP	D70069	\$211



DRY/WET
Laser Welded
.393 in.
segment height

U-22 General Purpose

★★ Premium Fast

Fast Cut/Medium Life

Cured Concrete /Brick/Block

Diameter & Width	Part No.	List
4" x .080" x 7/8"-5/8"	D70001	\$40
4.5" x .080" x 7/8"-5/8"	D70003	60
5" x .080" x 7/8"-5/8"	D70004	68
6" x .080" x DM-7/8"-5/8"	D70005	74
7" x .080" x DM-7/8"-5/8"	D70006	81
9" x .095" x 7/8"-5/8"	D70008	106
10" x .095" x DM-7/8"-5/8"	D70009	113
12" x .125" x 20mm DP	D70012	125
12" x .125" x 1"-20mm DP	D70013	125
14" x .125" x 20mm DP	D70016	141
14" x .125" x 1"-20mm +DP	D70017	141
16" x .125" x 1"-20mm +DP	D70085	168



DRY/WET
.512" seg. height
Laser Welded

U13-Xtra General Purpose Segment

★ Economy Medium Cut/Long Life

Cured Concrete/Brick/Block

Diameter & Width	Part No.	List
14" x .125" x 1"-20mm	D70080	\$184



DRY/WET
.500" seg. height

JS-S Jet Stream

★ Economy Fast Cut/Long Life

Brick/Concrete/Block

Diameter & Width	Part No.	List
4" x .080" x 7/8"-5/8"	D96403	\$25
4.5" x .080" x 7/8"-5/8"	D96404	30
5" x .080" x 7/8"-5/8"	D96405	35
6" x .080" x 7/8"-5/8"	D96406	45
7" x .080" x DM-7/8"-5/8"	D96407	50
8" x .080" x DM-7/8"-5/8"	D96408	65
9" x .095" x 7/8"-5/8"	D96409	75
10" x .110" x 7/8"-5/8"	D96410	85
12" x .125" x 1" -20mm DP	D96401	95
14" x .125" x 1"-20mm DP	D96402	100



DRY/WET
.591" seg. height

DX Xtra-S

★ Economy Medium Cut/Long Life

Brick/Concrete/Block

Diameter & Width	Part No.	List
12" x .125" x 1"-20mm	D96231	\$135
14" x .125" x 1"-20mm	D96230	146
16" x .125" x 1"-20mm	D96232	211



DRY/WET
.393" seg. height

DX-S Universal Segmented Blade

★ Economy Medium Cut/Long Life

Brick/Concrete/Block

Diameter & Width	Part No.	List
4" x .080" x 7/8"-5/8"	D96205	\$22
4.5" x .080" x 7/8"-5/8"	D96206	25
5" x .080" x 7/8"-5/8"	D96220	30
6" x .080" x 7/8"-5/8"	D96221	42
7" x .080" x DM-7/8"-5/8"	D96207	47
8" x .085" x DM-7/8"-5/8"	D96222	60
9" x .095" x 7/8"-5/8"	D96223	66
10" x .095" x DM-7/8"-5/8"	D96208	83
12" x .125" x 1" -20mm	D96214	98
14" x .125" x 1" -20mm	D96215	103

Shaft Adapter

Description	Part No.	List
20mm to 1 inch	161778	\$3.09

High Speed / Small Diameter General Purpose Turbo / Speciality Diamond Blades

ASPHALT, GREEN CONCRETE, BRICK, BLOCK

SPECIALITY DIAMOND BLADES

	A36 ARIX	U/A26	U/A16	D23	D25
Material					
Hard Brick				●	
Brick				●	
Cured Concrete				●	
Concrete w/ Steel				●	
Stone				●	
Clay Tile				●	
Block/Pavers	●	●	●	●	
Green Concrete	●	●	●	●	
Asphalt	●	●	●	●	
Ductile Iron				●	●
Steel				●	
Glass				●	
Fiberglass				●	
Plastic				●	

SUPER PREMIUM BLADES



A36AX

★★★ Super Premium

Fast Cut/Long Life

Asphalt/Green Concrete/Lightweight Block

Diameter & Width	Part No.	List
14" x .125" x 1"-20mm DP	D24502	389
16" x .125" x 1"-20mm DP	D24503	427
18" x .135" x 1" DP	D24504	536



.393" seg. height
Laser Welded

SPECIALTY BLADES



D25 Ductile Iron

★★ Premium

Diameter & Width	Part No.	List
14" x .125" x 1"-20mm	D44002	271
16" x .125" x 1"-20mm	D44005	379



.200" seg. height
Laser Welded

PREMIUM BLADES



U-A26 Universal Segmented

★★ Premium

Fast Cut/Medium Life

Block/Green Concrete/Asphalt

Diameter & Width	Part No.	List
14" x .125" x 1"-20mm DP	D70073	\$228
16" x .125" x 1"-20mm DP	D70086	281



.393" seg. height
Laser Welded



D23 Construction Utility

★★ Premium

Fast Cut/Multi-Purpose

Diameter & Width	Part No.	List
4.5" x .080" x 7/8"-5/8"	D11102	\$92
5" x .080" x 7/8"-5/8"	D11103	103
7" x .100" x DM-7/8"-5/8"	D11104	157
10" x .120" x DM-7/8"-5/8"	D11105	265
12" x .125" x 1-20mm	D10061	308
14" x .125" x 1-20mm	D10057	319
16" x .125" x 1-20mm	D10100	536



.200" seg. height

ECONOMY BLADES



U-A16 Segmented Blade

★ General Purpose,

Medium Cut/Medium Life

Green Concrete/Asphalt/Block

Diameter & Width	Part No.	List
14" x .125" x 1"-20mm DP	D70088	\$151



.472" seg. height



Masonry Diamond Blades

TURBO AND MASONRY BLADE APPLICATION CHART

	B31/ B33 Silent Turbo	B35/ ARIX B38 Silent	Silent C/S- 32 Brute	B28	ARIX B41	C33 Fire- star	B22 Fire- hawk	U23ST	DX-T
Material									
Refractory			●		●				
Hard Brick			●					●	●
Brick	●	●	●			●	●	●	●
Stone	●		●			●	●	●	
Clay Tile			●			●	●		
Block/Pavers	●	●	●	●		●	●		●



Silent Turbo

★ ★ ★ Super Premium


	B31 Stone/ Brick	B33 Brick/ Block	D
Diameter & Width			List
14" x .125" x 1" -20mm	D43034	D41023	\$395
20" x .145" x 1"	D44113	D44109	695



Silent Core

★ ★ ★ Super Premium

	Brick/ Block	B35AX	B38	D
Diameter & Width				List
20" x .135" x 1"	D44104	D44102		\$795



C/S-32 BRUTE Silent

★ ★ ★ Super Premium

Granite/Brick/Hard Concrete/Pavers

Fast Cut/Medium Life

Diameter & Width	Part No.	D
12" x .125" x 1" -20mmDP	D11165	\$285
14" x .125" x 1"-20mm DP	D11166	338
16" x .125" x 1"-20mm DP	D11167	420
18" x .125" x 1"-DP	D11168	460
20" x .145" x 1"-DP	D11169	550



B28 Segmented

★ ★ Premium

Diameter & Width	Block Part No.	D
20" x .145" x 1"	D43004	\$395

.393" segment height



B41 Segmented

★ ★ ★ ★ PRO IV

Diameter & Width	Refractory Part No.	D
14" x .125" x 1"	D43021	\$445
20" x .125" x 1"	D43023	595

.393" segment height



C33 Firestar

★ ★ ★ Super Premium

Diameter & Width	Part No.	D
4.5" x .070" x 7/8"-5/8"	D57116	\$48
5" x .080" x 7/8"-5/8" Flush	D57107	55
7" x .095" x DM-7/8"-5/8"	D57101	108
8" x .095" x DM-7/8"-5/8"	D57102	125
10" x .110" x DM-7/8"-5/8"	D57106	190
14" x .125" x 1"-20mm DP	D57104	351



DRY/WET
.393 in.
segment height

B22 Firehawk III

Multi-Purpose Turbo Blade

★ ★ Premium Fast Cut

Diameter & Width	Part No.	D
4" x .095" x 7/8 - 5/8" flush	D58013	\$38
4.5" x .095" x 7/8 - 5/8" flush	D58012	43
5" x .095" x 7/8 - 5/8" flush	D58011	48
6" x .095" x 7/8 - 5/8" flush	D58018	70
7" x .095" x 7/8 - 5/8" DM	D58014	92
10" x .110" x 7/8 - 5/8" DM	D58015	178
12" x .125" x 1" - 20mm DP	D58016	233
14" x .125" x 1" - 20mm DP	D58017	286



U23ST Segmented Turbo Blade

★ ★ Premium General Purpose

Diameter & Width	Part No.	D
14" x .125" x 1"-20mm +DP	D41004	\$265

.472" segment height




U13ST Segmented Turbo Blade

★ General Purpose

Fastest Cut/Good Life - Brick

Diameter & Width	Part No.	D
14" x .125" x 1"-20mm DP	D41030	\$125

.472" seg. height



DX-T Wide Turbo Rim Blade

★ Economy, Fast Cut

Diameter & Width	Part No.	D
4" x .095" x 7/8"-5/8"	D96209	\$21
4.5" x .095" x 7/8"-5/8"	D96210	24
5" x .095" x 7/8"-5/8"	D96224	30
7" x .095" x DM-7/8"-5/8"	D96211	47
9" x .095" x 7/8"-5/8"	D96225	78
10" x .110" x 7/8"-5/8"	D96213	90

.275" seg. height

CS14, CD14 Cup Grinding Wheel

★ Standard



Description	CS14		CD14	
	Single Row	D List	Double Row	D List
4" x 7/8"-5/8"	D80001	\$48	D80006	\$76
4" x 5/8"-11 thread	D80002	48	D80007	76
4.5" x 7/8"-5/8"	D80025	65	D80026	92
4.5" x 5/8"-11	D80029	65	D80030	92
5" x 7/8"-5/8"	D80003	92	D80008	108
5" x 5/8"-11 thread	D80023	92	D80024	108
7" x 7/8"-5/8"	D80004	103	D80009	146
7" x 5/8"-11 thread	D80005	103	D80010	146



Segmented Storm Cup Wheel

CST24 ★ ★ Premium

CST34 ★ ★ ★ Super Premium

Description	CST24	List	CST34	D List
4" x 7/8"-5/8"			D81019	\$146
4" x 5/8"-11 thread	D81038	\$108	D81020	146
4.5" x 7/8"-5/8"			D81021	163
4.5" x 5/8"-11 thread	D81040	125	D81022	163
5" x 7/8"-5/8"			D81023	190
5" x 5/8"-11 thread			D81024	190
7" x 7/8"-5/8"	D81043	195	D81025	298
7" x 5/8"-11 thread	D81044	195	D81026	298

CS33, CD33 Cup Grinding Wheel

★ ★ ★ Super Premium



Description	CS33		CD33	
	Single Row	D List	Double Row	D List
4" x 7/8"-5/8"	D80011	\$87	D80016	\$141
4" x 5/8"-11 thread	D80012	87	D80017	141
4.5" x 7/8"-5/8"	D80027	103	D80028	163
4.5" x 5/8"-11	D80031	103	D80032	163
5" x 7/8"-5/8"	D80013	119	D80018	178
5" x 5/8"-11 thread	D80033	119	D80034	178
7" x 7/8"-5/8"	D80014	178	D80019	276
7" x 5/8"-11 thread	D80015	178	D80020	276



Arrowhead Cup Wheel

★ ★ ★ Super Premium

Description	Part No.	D List
4" x 7/8"-5/8" + 5 Seg	D81065	\$98
4" x 5/8"-11 + 5 Seg	D81066	100
7" x 7/8"-5/8" + 10 Seg	D81071	168
7" x 5/8"-11 + 10 Seg	D81072	168

Additional sizes available upon request.

Vacuum Brazed Spike Discs



Diameter	35 Grit Concrete	80 Grit Metal	D List
4.5"	162020	162021	\$120
5" with air holes	162022	162023	140
7"	162024	162025	195

Segmented Turbo Cup Grinding Wheels

CST13 ★ Standard

CST23 ★ ★ Premium



Description	CST13	List	CST23	D List
4" x 9-10 seg x 7/8"-5/8"	D81047	\$55	D81001	\$92
4" x 9-10 seg x 5/8"-11	D81035	55	D81002	92
4" x 18 seg x 5/8"-11	D81049	81	D81058	135
4.5" x 9-10 seg x 5/8"-11	D81051	60	D81028	98
5" x 12 seg x 5/8"-11			D81003	113
7" x 12 seg x 7/8"-5/8"	D81034	90	D81004	135
7" x 12 seg x 5/8"-11	D81036	98	D81005	135
7" x 24 seg x 7/8"-5/8"	D81055	157	D81008	216
7" x 24 seg x 5/8"-11	D81056	157	D81009	216



Vacuum Brazed Bead Wheels

Diameter	Part No.	D List
4" x 7/8"	162443	\$139
5" x 7/8"	162444	180
7" x 7/8"	162445	295

PCDC-35 and PCDC-39 Cup Wheels



Description	No. of Chips	Part No.	D List
PCDC-35 4" x 7/8" - 5/8"	5	D83201	\$199
PCDC-35 4" x 5/8" - 11	9	D83203	149
PCDC-35 5" x 5/8"-11	8	D83205	189
PCDC-39 7" x 5/8" - 11 or 7/8"	12	D83204	299

Segmented Turbo Cup Grinding

Wheels w/ Drive pin hole

CST13 ★ Standard



Diameter / Segment	Part No.	D List
7" x 12 seg x 7/8"-5/8"	161594	\$100
7" x 24 seg x 7/8"-5/8"	161597	167

Includes drive pin hole for EDCO machines



Brazed Diamond Grinding Wheels

Description	4.5"	List	7"	D List
Position 0 (25 Grit)	161027	\$126	161021	\$221
Position 1 (30 Grit)	161028	108	161022	213
Position 2 (40 Grit)	161029	100	161023	191
Position 3 (50 Grit)	161030	100	161024	191
Position 4 (100 Grit)	161031	100	161025	191
Position 5 (200 Grit)	161032	100	161026	191

Grinding Wheels / Scarifier Tools



CTC32 Continuous Turbo Cup					
★ ★ ★ Super Premium					
	Fine 100/120	Medium 60/80	Coarse 30/40	D	
Description	Part No.	Part No.	Part No.	Part No.	List
4" x 5/8"-11 th	D82006	D82004	D82002		158
5" x 5/8"-11 th	D82018	D82016	D82014		169
6" x 5/8"-11 th	D82024		D82020		180
7" x 5/8"-11 th	D82030	D82028	D82026		300



S-Segment Cup Wheel				
CST24 ★ ★ Premium				
Description	20 Grit	List	40 Grit	List
4" x 5/8"-11	D81075	\$108	D81079	\$88
5" x 7/8"-5/8"	D81076	180		
7" x 7/8"-5/8"	D81077	211		
7" x 5/8"-11	D81078	216	D81080	175



Turbo HD Grinding Wheels			
★ ★ ★ Super Premium			
Description	Part No.	D	
		List	
4" x 7/8"-5/8" 7 + 7 Seg	D81032	\$119	
4" x 5/8"-11 7 + 7 Seg	D81045	119	
7" x 7/8"-5/8" 9 + 9 Seg	D81033	254	
7" x 5/8"-11 9 + 9 Seg	D81046	254	



Turbo Low Profile Grinding Wheels			
★ ★ ★ Super Premium			
Description	Part No.	D	
		List	
6" x 3/4" - 16 segments	D81083	\$165	

Designed with a 3/4" arbor to fit on Hilti machines.



FTC32 Ceiling Grinding Plate			
★ ★ ★ Super Premium			
Description	Part No.	D	
		List	
5" x 5/8"-11	160161	\$204	
6" x 5/8"-11	160162	263	



S22 Vacuum Brazed Grinding Wheels			
★ ★ Premium			
Description	Part No.	D	
		List	
4" Coarse x 5/8"-11	D66039	\$148	



Adapter		
Description	Part No.	P
		List
5/8"-11F x 7/8" bore	130117	\$12

Scarifier Drum Assemblies, Spacers and Cutters



Cutters for Scarifiers

Type	No. of Teeth	OD (in)	ID (in)	Thickness (in)	Part No.	A List
Star, Steel	18	1.250	0.438	0.188	160347	\$2.16
Star, Steel	18	2.000	0.500	0.188	160342	2.16
Star, Steel	18	2.000	0.500	0.156	160343	2.16
Star, Steel	18	2.000	0.750	0.156	160334	2.43
TCT Flail	6	1.750	0.625	0.250	160203	14.06
TCT Flail	8	2.250	0.750	0.250	160379	22.00
TCT Flail	8	2.250	1.000	0.250	160380	22.00
TCT Full Face Flail	8	2.250	0.625	0.250	160350	43.00
TCT Full Face Flail	8	2.250	0.750	0.250	160351	43.00

DITEQ carries a full line of carbide cutters. This is just a sampling of the most commonly used cutters. Call customer service for recommendation.

Scarifier Drum Assemblies

Description	Std. Total No.		Part No.	A List
Drum Assembly w/8 pt tungsten carbide cutters (complete)	160379	160919	160970	\$2,153
	66 cutters/75 spacers			
Drum Assembly w/8 pt FF tungsten carbide cutters (complete)	160351	160919	160995	3,130
	66 cutters/75 spacers			
Drum Assembly w/pointed steel cutters (complete)	160334	160918	160996	1,349
	111 cutters/111 spacers			
Drum Assembly w/milling cutters (complete)	160358	160920	161116	1,982
	24 cutters/33 spacers			

Scarifier Shafts and Spacers

Description	Part No.	P List
1/2" diameter x 10-5/8" shaft	160182	\$9.73
1/2", Thin Hardened Spacer	160918	.30
1/2", Thick Hardened Spacer	160919	1.08
1/2", Small-Thick Hardened Spacer	160920	.38

Drums and shafts are available for many brands and models of scarifiers. Call customer service for information and pricing.



CPM8 Cutter Package

Description	Qty	Part No.
TCT Cutter - 6T-44 x 16 x 6	78	160203
Hardened Spacer, 1/2", small thick	215	160920
Shaft for Spacers, 1/2 x 8-9/16"	6	160988
CPM8 Cutter Package*		161434
List A		\$1,226

**Drum not included*

WET/DRY / DRY Vacuum Systems



WET/DRY Dustless Vacuum Systems

	Std Vac	HEPA
Specifications	16 WD	
Inches Water Lift	72"	
Air Movement (CFM)	116	
Volts	110	
Watts	1324 peak	
Amps	11.5	
RPM's	23,000	
Vac Only Part No.	162251	162252
List E	\$468	\$714

Dustless Vacuum Accessories	Part No.	P List
WD Filter package wet/dry lifetime	160089	\$46
WD Filter master pk (pkg. 5 Pri & Sec)	160090	209
HEPA Filter	160074	192
HEPA Filter cover	160233	35
Micro pre-filter bags (qty of 10 filter bags)	160072	104
Micro pre-filter bags (qty of 20 filter bags)	160076	202
Micro pre-filter bags (qty of 2 filter bags)	160123	26
6' Hose 1-1/4" Diameter	160092	26
25' x 2" Flexible hose w/coupler	160093	147
Splitter, Y-2" x 2" x 2"	160105	16.48
"Y" hose stub (req'd with 160105)	160235	23
2" hose to 2" hose coupler	161107	8.65
2" Core Drill Shroud w/hose	160085	69
3" Core Drill Shroud w/hose	160086	87
Turbo Carpet Tool	160154	114

DRY Henry Cannister Vacuum

Inches Water Lift	100"
Air Movement (CFM)	120
Soil Recovery	84%
Filtration	0.3 micron @ 99.97% efficiency
Std. Filter	TRITEX combination + HEPAFLO
Tank Capacity	2.5 gal.
Vacuum Motor	.9 hp/680 Watts
Hose Length	8.5 ft
Weight	15 lb.
Part No.	162245
List E	\$490

Accessories	Part No.	P List
Vacuum Bags - Pkg of 10	162246	\$34



Shown with optional wand kit. Comes standard with 15 ft. of 2 inch Hiloflex hose.

DRY Single Motor Fine Dust Vacuum

Motor	Single, 1.6 hp, 1200 Watts
Air Movement (CFM)	95
Inches Water Lift	100"
Capacity	5 gallons
Hose	15' two inch diameter Hiloflex
Sound Level	64 dB(A)
Weight	36 lb.
Standard Filtration	.3 micron @ 99.97% efficiency
Part No.	160800
List E	\$900

Accessories for Single Motor Dry Vacuum	Part No.	P List
5 Pack Hepa-Flo Bags (small 3B)	160816	\$100
10 Pack standard bags (small 3B)	161554	48
HEPA Assembly	160812	623
Wand Kit	160801	200
Replacement Hose - 15 ft. Hiloflex	160813	188



Shown with wand kit. Comes standard with 15 ft. of 2 inch Hiloflex hose.

DRY Dual Motor Vacuum

Motor	Dual, 2 hp, 1600 Watts
Vacuum Pressure (H ₂ O")	100"
Air Movement (CFM)	180
Standard Filtration	.3 micron@ 99.97% efficiency
Sound Level	67 dB(A)
Weight	50 lb.
Capacity (gal)	12
Vacuum only Part No.	160799
List E	\$1,700
Vacuum w/ Wand Kit Part No.	162242
List E	\$1,800

Accessories for Dual Motor Dry Vacuum	Part No.	P List
5 Pack Hepa-Flo Bags (large - 4B)	160814	\$110
10 Pack standard bags (large - 4B)	160839	52
Optional HEPA Assembly	160812	623
HEPA Replacement Element	160817	288
"Y" Connector	162793	52
Wand Kit	160801	200
Replacement Hose - 15 ft. Hiloflex	160813	188
29" Mounted Brush Attachment	160818	270

Dry Industrial Vacuums / Dust Collection/Shrouds



DRY Triple Motor Fine Dust Vacuum

Motor	3, 1200 Watts, 1.6 Hp
Airflow	250 cfm
Inches Water Lift	100"
Filtration	0.3 micron @99.97% efficiency
Capacity	12 gallons
Sound Level	70 dB(A)
Weight	85 lb.
Tank Construction	Steel
Part No.	162258
List <i>E</i>	\$3,500

Hose	Part No.	<i>P</i> List
Hose 3" dia x 10 ft.	162379	\$225
Hose 3" dia x 20 ft.	162380	460



Droid 300/600		
Accessories	Part No.	<i>P</i> List
Bags - pack of 100	161864	\$575
Bags - pack of 10	161865	80

DRY DUST DROID For Extra Fine Dust

	Single Motor 300 Vac	Dual Motor 600 Vac
Specifications		
HEPA Rated	99.97%	99.97%
Motor	one 2 hp	dual 2 hp
Volts	120v /50-60 hz	120 or 240v /50-60 hz
Watts/AMPS	1560 / 13	3120 / 13 (ea)
Vacuum Pressure (H ₂ O")	90 in.	90 in.
Air Movement (CFM)	300	600
Inlet (in.)	2.5"	3"
Capacity (gal)	20	30
Hose (included)	2.5" x 25'	3" x 25'
PART No.	161584	161682
List <i>E</i>	\$9,320	\$12,220



	5"	<i>P</i>
WCR Dust Rings	Part No.	List
WCR Dust Ring	151291	\$195
Cover Plate Dust Ring	151292	48
Seal, Dust Ring	151293	6.49



DustBuddie (clear - hose sold separately)				
	Fits 4-5"		Fits 6-9"	
	Grinders	<i>E</i>	Grinders	<i>E</i>
Description	Part No.	List	Part No.	List
DustBuddie	162437	\$64	162438	\$69
18" Hose	160091			21



DustBuddie XP (black - includes 18" hose)				
	Fits 4-5"		Fits 6-9"	
	Grinders	<i>E</i>	Grinders	<i>E</i>
Description	Part No.	List	Part No.	List
DustBuddie XP	162456	\$126	162457	\$138



DustBuddie for Worm Drive Saw		
Description	Part No.	<i>E</i> List
Fits 7-1/4" worm Drive/Hypoid Circular Saws	162787	\$155



	5"	7"	<i>E</i>
Dustie (grey)	Part No.	Part No.	List
Dustie	160321	160322	\$38
Cover Plate	160224	160328	18
18" Hose	160091		15
<i>Hose sold separately</i>			



CutBuddie III (includes 18" hose)				
	5"	<i>E</i>	7"	<i>E</i>
Description	Part No.	List	Part No.	List
CutBuddie III	161781	\$163	161782	\$200



Dry BitBuddie		
Description	Part No.	<i>E</i> List
1-3/8" dia. bits w/hose	160220	\$49
1" to 4" dia. bits (round) w/hose	160979	55
2-8" dia. bits (round)	161625	75



Dust Bull for High Speed Saws		
Description	Part No.	<i>E</i> List
Universal, Fits Husqvarna, Stihl and Makita High Speed Saws	162852	\$475



Dry Coring Vac Attachment for Core Drills with 1-1/4" thread

Description	Part No.	<i>P</i> List
Dry Coring Vacuum Attachment	152085	\$695

High Reach Wand		
	Part No.	<i>P</i> List
Wand Assy. High Reach Kit	162383	\$675
Wand Telescopic Extension	162384	90

Wet/Dry Industrial Vacuums



WET/DRY Charles Cannister Vacuum

Inches Water Lift	100
CFM	95
Filtration	0.5 micron
Std. Filter	Separate wet and dry filters
Tank Capacity	4 gal
Tank Construction	Polyethylene
Vacuum Motor	1,200W/1.6 hp
Noise Level	61 dB(A)
Hose Length	8.5 ft
Cord Length	42'
Weight	19 lb.
Part No.	162747
List E	\$516

Accessories	Part No.	P List
Vacuum Bags - Pkg of 10	162813	\$35



*Shown with
29" mounted
squeegee P/N
160802*



*Dump tube in back
allows quick and easy
draining of tank into
floor drains*



*Optional 14" nylon filter
(160829) and filter
grid (160828) for dry
vacuuming. Both parts
must be used together.
(Note: not for use on
fine dust)*

WET Slurry Clean-up Vacuum

Pickup Unit	29" Mounted Squeegee kit	w/Wand	w/Wand	29" Mounted Squeegee kit
Motor	Single 2 stage,	Single 2 stage	Single 2 stage	Single 2 stage
Power	1.6 hp, 1200 Watts	1.6 hp, 1200 Watts	1.6 hp, 1200 Watts	1.6 hp, 1200 Watts
Speed	Single	Single	Single	Single
Airflow	95 cfm	95 cfm	95 cfm	95 cfm
Inches Water Lift	100"	100"	100"	100"
Tank Capacity (gallons)	12	12	20	20
Power Cord	42' in length	42' in length	42' in length	42' in length
Sound Level	64 dB(A)	64 dB(A)	64 dB(A)	64 dB(A)
Weight	44 lb.	44 lb.	81 lb.	81 lb.
Tank & Head	Structural foam	Structural foam	Structural foam	Structural foam
Part No.	160802	160825	161552	160838
List E	\$860	\$820	\$1,060	\$1,090

Optional Accessories	Part No.	P List
Squeegee Wand Kit w/10' Hose	160824	\$200
Filter, 14" nylon, primary	160829	110
Filter, 14" nylon, secondary	162088	90
Thin filter grid	162089	30



Motor Filter	Part No.	A List
13" Pad, white	A70022	\$7.73

*A 13" pad can be used to minimize concrete slurry
mist and foam from reaching the motor.*

Wet Industrial Vacuums / Slurry Control

WET Slurry Continuous Duty Vacuums

Volts/Watts	120V/1,500
Amps	13
Vacuum Pressure (H ₂ O")	90"
Air Movement (CFM)	115
Inlet (in.)	2"
Capacity (gal)	55
Effective Slurry pickup distance	100 ft
Hose Included	25 ft x 2" diameter
PART No. Complete	100553
List E	\$3,426
Motor Head and Hose	100554
List E	\$2,350

For wet use only.



Vacuum and motor unit shown mounted on 55 gallon metal drum (included)

Accessories/Components		P
Description	Part No.	List
Cart	100630	\$630
Vacuum Wand, slurry vac	100631	140
Motor only	100555	189
Motor brush set	100556	24
Filter, slurry vac	100558	35
Seal, slurry vac	100561	48

WET Single and Dual Motor Drum Top System Vacuum

	Single Motor	Dual Motor
Motor	1, 1200 Watts	2, 1600 Watts
Airflow	95 cfm	160 cfm
Water Lift	90"	90"
Hose	10' 1-1/2" Diameter	10' 1-1/2" Diameter
Power Cord	42'	42'
Part No.	162211	162212
List E	\$1,500	\$1,900

Includes motor power head, drum adapter, wet float assembly, secondary dry filter, hose, wand, wet tool



Drum is not included. Shown for illustrative purpose only



DITEQ's SlurrySep quickly separates the water from the slurry solids. SlurrySep pH Balance product can treat the water's pH levels before disposal. SlurryDry rapidly absorbs and encapsulates the water and slurry without mixing. The result is a non-flowing solid ready for disposal. SlurryDry has a typical absorption rate in excess of 250X's! DITEQ's SlurryDry will not release liquids even after freezing and reheating.

SlurrySep Floc Agent				A
Description	SlurrySep	List	SlurrySep-PH	List
50-lb bag	100540	\$839	100541	\$1,164
4 gallon bucket*	100543	453	100544	613

SlurryDry Slurry Gel				A
Description	SlurryDry-QS	List	SlurryDry-LS	List
50-lb bag	100539	\$1,164	100562	\$1,130
4 gallon bucket*	100542	613	100563	595
<i>QS - Quick Solidification</i>				
<i>LS - Low Solids Slurries * 4 gallon buckets weigh approximately 25 lb.</i>				

Slurry Control



Pressure Washers

	K1622	K1122TST
Pump Type	Brass, Triplex Piston	Brass, Triplex Piston
Pump Pressure	1600 PSI	1400 PSI
Motor	1.5 HP, 13.0 Amps	1.5 HP, 13.0 Amps
Volume	1.6 gpm	2.1 gpm
Max. Temperature	140° F	140° F
Power Cord Length	35 ft.	23 ft.
Weight	40 lb.	70 lb.
Pressure Hose	30 ft.	50 ft.
Flow Rate	1.6 GPM	2.1 GPM
Hose Length	30 ft.	50 ft.
Voltage	120V	120V
Dimension (LxWxH)	38"x15"x15"	34"x14"x14"
	Gun w/Lance & Vario	Gun w/Lance & Vario
Includes	Nozzle	Nozzle
Part No.	162493	162257
List E	\$1,038	\$1,722



CONCRETE DESTROYER cleans and removes dry, hardened concrete off practically anything. Environmentally friendly - works without harmful chemicals and acids.



Daily Cleaner for Polished Concrete Floors

Description	Part No.	List
1 gallon*	161233	\$35
5 gallon	161234	165

*Packaged 4 one gallon bottles per case



CONCRETE DESTROYER	Standard Formula		Foaming Formula	
Description	Part No.	List	Part No.	List
32-oz. spray bottle*	100316	\$25	100335	\$35
1 gallon bottle**	100317	50	100336	58
5 gallon bucket	100318	239	100337	255
55 gallon drum	100319	2,158	100338	2,163

* Packaged 2 boxes of 6 32-oz bottles (12 total per case) ** Packaged 4 one gallon bottles per case
270 Gallon tote size is also available. Call for more information.

See Page 56 for Degreasers and Densifiers

	Pumps and Spigots	
Description	Part No.	List
Pump for 55 gallon drums	100328	\$100
Spigot for 5 gallon bucket	100323	6.49

Industrial Rider Scrubbers



TGB 2120 G00130



TGB2128 G00131



TTV678 G00132

Rideable Industrial Scrubbers

	TWINTEC TGB2120	TWINTEC TGB2128	TWINTEC VARIO/TTV678
Cleaning Path	20"	28"	26", 30", 34"
Pad or Brush Size	20"	2 x 15"	3 x 12"
Solution/Recovery Tank	21 gal.	21 gal.	32 gal.
Chemical Capacity	N/A	N/A	1 gal.
Chemical Mixture Rates	N/A	N/A	32:1, 64:1, 96:1, 128:1
Water Flow Rate	.25/0.5/0.8/1.0 gpm	.25/0.5/0.8/1.0 gpm	1.0 / 0.8 / 0.5 / 0.25 gpm
Brush Pressure	52 lbs. max	70 lbs. max	160 lbs. max
Brush Speed	150 rpm	150 rpm	125-200 rpm
Brush Motor	1 x 24V, 600W	1 x 24V, 600W	3 x 24V, 400W
Traction Motor	400W	400W	600W
Working Speed	0.3 - 3.7 mph	0.3 - 3.7 mph	0.3 - 4.3 mph
Maximum Gradient	6°	6°	6°
Vacuum Motor Power	24V, 400W	24V, 400W	24V, 400W
Noise Level	65 dB(A)	65 dB(A)	69 dB(A)
Working Capacity (sq. ft./hr.)	30,000	43,300	26" - 40,200 30" - 46,000 34" - 52,500
Run Time	2.5 hrs.	3.5 hrs	4 hrs.
Batteries (gel)	2 x 12V, 100 Ah	2 x 12V, 140 Ah	6 x 12V, 100 Ah
Weight	441 lb.	484 lb.	1,100 lb.
Dimensions (LxWxH)	57" x 22" x 47"	57" x 30" x 47"	66" x 26" x 56"
Part No.	G00130	G00131	G00132
List E	\$10,990	\$12,500	\$20,000

All models include pad drivers

Common Features and Benefits:

- Easy to identify RED operator only parts
- Easy access gel batteries for longer run times and longer battery life and safer than chemical batteries
- Easy to access wiring blocks for easier servicing and repairs
- Breakaway squeegee for safety
- Optional off-aisle wand kits available
- Improved long life green squeegee blades
- Easy on/off brush loading system
- Ergonomically optimized for maximum operator comfort and control
- Easy access in/out of driving position
- Upgraded plumbing connectors with increased flow
- Low noise - 69 dB(A) or under

Scrubber Accessories		Part No.	List	Fits Walk Behind Model	Part No.	P List
Description	Fits Rider Model					
Off aisle wand kit	All	161851	\$190	All	161851	\$190
Squeegee Blade Set, Small	G00132	161849	105	G00124/G00128	161850	125
Squeegee Blade Set, Large	G00132/G00131	161850	125			
Pad Driver - 12"	G00132	161845	179			
Pad Driver, 16"		162032	179			
Pad Driver - 17"				G00119	161436	188
Pad Driver - 20"	G00130	162037	209	G00124/25/27/28	162037	209
Brush, Poly Scrub -12"	G00132	161846	140			
Brush, Poly Scrub -13"	G00131	162039	155			
Brush, Poly Scrub -16"	162033		155			
Brush, Poly Scrub -17"				G00119	161437	189
Brush, Poly Scrub - 20"	G00130	161868	180	G00124/25/27/28	161868	180

Walk-Behind Industrial and Compact Scrubbers



Walk-Behind Industrial Scrubbers

	TGB817	TGB1620	TGB1620T	TGB1120	TT1120	TGB2228T
Cleaning Path	17"	20"	20"	20"	20"	28"
Pad or Brush Size	17"	20"	20"	20"	20"	2 x 14"
Solution/Recovery Tank	8 gal.	16 gal.	16 gal.	11 gal.	11 gal.	22.5 gal.
Water Flow Rate	0-0.53 gpm	.25-1 gpm	.25-1 gpm	0-0.5 gpm	0-0.5 gpm	.3 to 1 gpm
Brush Pressure	64 lb	90 lbs.	90 lb	75 lbs.	105 lb.	110 lb.
Brush Speed (rpm)	150	150	150	150	180	150
Brush Motor	24V, 400W	24V, 400W	24V, 400W	24V, 400W	1000W	24V, 600W
Vacuum Motor Power	400W	24V, 400W	24V, 400W	24V, 400W	1200W	24V, 600W
Traction Motor			24V, 250W			600W
Noise Level	67 dB(A)	65 dB(A)	65 dB(A)	67 dB(A)	67 dB(A)	68 dB(A)
Working Capacity (sq. ft./hr.)	18,700	22,000	22,000	22,000	22,000	31,000
Working Speed						.3-4.3 mph
Climbing incline			11°			11°
Run Time (hours)	2-2.5 hr.	3-3.5	3-3.5	3-3.5		3.5
Batteries (gel)	2 x 12V 80Ah	2 x 100 Ah	2 x 100 Ah	2 x 100 Ah		4 x 100 Ah
Electric Cord					65 ft.	
Weight	277 lb.	393 lb.	424 lb.	277 lb.	150 lb.	580 lb
Dimensions (LxWxH)	44"x22"x43"	57"x22"x43"	57"x22"x43"	44"x22"x43"	44"x22"x43"	56"x24"x45"
Part No.	G00119	G00124	G00125	G00128	G00127	G00126
List E	\$4,670	\$7,000	\$7,900	\$6,200	\$4,500	\$10,750

All models include pad driver

Common Features and Benefits:

- Easy to identify RED operator only parts
- Easy access gel batteries for longer run times and longer battery life and safer than chemical batteries (except TT1120)
- Breakaway squeegee for safety
- Improved long life green squeegee blades
- Optional off-aisle wand kits available
- Easy on/off brush loading system
- Upgraded plumbing connectors with increased flow
- Easy to access wiring blocks for easier servicing and repairs
- Low noise - 68 dB(A) and under

Compact Scrubbers

	TG516 Corded	TGB516 Battery
Cleaning Path	16"	16"
Pad Size	16"	16"
Brush Size	16"	16"
Solution/Recovery Tank	5 gal.	5 gal.
Solution Flow Rate	0.9 gpm	0.9 gpm
Brush Pressure	55 lbs.	55 lbs.
Brush Speed (RPM)	150 RPM	130 low/150 high
Brush Motor	400W/.5 hp	400W/.5 hp
Vacuum Motor Power	400W/.5 hp	300W/.5 hp
Noise Level	67 dB(A)	67 dB(A) low/69 dB(A) high
Working Capacity	16,600 sf	17,600 sf
Cleaning Speed		3.5 mph
Power	115V electric	24V (2 12V) gel batteries
Weight	85 lb.	115 lb.*
Dimensions (LxWxH)	33"x18"x44"	33"x18"x44"
Part No. w/poly scrub brush	G00123	G00121
List E	\$2,300	\$3,250
Part No. w/pad driver	G00122	G00120
List E	\$2,300	\$3,250

*including battery



Compact Scrubber	Part No.	P
Optional Accessories		List
Spare Battery	162035	\$310
Brush, Poly Scrub 16"	162033	155
Pad Driver, 16"	162032	179

Surface Prep / TG8 and TG12 Grinder / Polisher / Tools



TG8 Grinder / Polisher

Motor	2hp	5.5 Honda
Phase	Single	Gas
Full Load AMPS @115V	18.4	GXV160
RPM - Disc	2800	2800
Model	FGE 2L	FGG 5H
Weight	130 lbs	120 lbs
Part No. w/Grinding Plate	G00046	G00048
List E	\$3,239	\$3,564
Part No. w/TEQ-Lok Plate	G00057	G00058
List E	\$3,111	\$3,435

Grinding disc is D91003 TEQ-Lok plate is 160222 - uses 4 TEQ-Lok tools.
Standard rotation is RH (right hand)



Standard TG8 Grinding Tools/Accessories

Diameter & Width	Seg	Grit	Part No.	List
FGG34 8" x 3/4" (std bond)	10	Coarse - 30/40	D91003	\$589
FGP35 8" x 3/4" (std bond)	10	Med - 60/80	D91005	\$589
FGG36 8" x 3/4" (hard bond)	10	Coarse - 30/40	D91009	\$589
FGG34 8" x 3/4" (std bond)	5	Coarse - 30/40	D91006	\$536

*includes rubber isolator 161113

Vacuum Brazed Grinding Plates and Modules

Description	Part No.	List	D
VB-Module 30L 35 Grit	162019	\$25	D
TG8 Plate with Hub for VB-Modules (holds 14 modules)	162026	\$395	P
TG18 Plate for VB-Modules (holds 20 modules)	162018	\$695	P

Plates and Modules sold separately



TG12 Grinder/Polisher

Disc Size	12"	12"	12"	12"
Horsepower/RPM	3 HP / Variable 0 - 1000	3HP / 1000	5HP / 1000	11 HP Gas / 1000
Engine/Motor	220V 1 PH	220V, 1 PH	220V, 1 PH	Honda
Amps	8.4 A	16.8 A	23 A	N/A
Height	41"	41"	41"	41"
Length	32"	32"	32"	32"
Width	18"	18"	18"	18"
Weight	200 lb.	220 lb.	220 lb.	200 lb.
Part No.	G00054	G00117	G00051	G00055
List E	\$4,537	\$3,885	\$4,321	\$4,645

TEQ-Lok / Multi-Accessory plate is included - uses 3 or 6 TEQ-Lok tools.

TG18 / 30" Production Grinder/Polishers

TG18 Grinder / Polisher

Specifications	Grinder	Grinder	Grinder	Grinder / Polisher	Grinder	Grinder / Polisher
Disc Size	18"	18"	18"	18"	18"	18"
Horsepower / RPM	5 / 425	5 / 425	5 / 425	3 / 425	11 Gas / 1400	18 / 1400
Engine / Motor	220V / 1 PH	240V / 3 PH	480V / 3 PH	Variable/220 1 PH	Honda	Kawasaki Propane
Amps	23	14	6.6	8.4	N/A	N/A
Height	37"	37"	37"	37"	37"	37"
Length	56"	56"	56"	56"	56"	56"
Width	25"	25"	25"	25"	25"	25"
Weight	290 lb	295 lb	295 lb	295 lb	280 lb	360
Part No.	G00066	G00067	G00068	G00069	G00070	G00116
List Price E	\$4,641	\$4,965	\$4,965	\$4,857	\$4,965	\$8,465
<i>TEQ-Lok / Multi-Accessory plate is included TG18 can use TEQ-Lok tools or cup wheels (either 4 or 8 TEQ-Lok tools or 3 or 6 cup wheels)</i>						



TG30 Production Grinder / Polisher

Disc Size	30"
Propane Engine	Robin
Horsepower	22
Drum Speed	1082 rpm
Head Speed	542 rpm counter clockwise
Production	800 - 900 sq ft per hr
Head Pressure	350 lb.
Grinding Width	30"
Vacuum Ports	1
Weight	700 lb
Part No.	G00118
List E	\$15,380
<i>Multi-accessory plate is included</i>	



G & P II Planetary Production Grinder/Polisher

Disc Size	30"
Engine	Subaru/Propane
Horsepower	22
RPM	3200
Production	800-1300 sf per hr
Height	55"
Length	80"
Width	38"
Weight	1,385 lb.
Part No.	G00063
List E	\$29,230



LX-30 Planetary Grinder / Polisher

Disc Size	30 in.
Engine	Subaru/Propane
Horsepower	22 hp
Engine Speed	3,200 rpm
Drum Speed	1,410 rpm
Head Speed	840 rpm
Production	800-900 sq ft per hr
Grinding Pressure	500 lbs.
Grinding Diameter	28 inches
Box Dimensions	L80"xW38"xH55"
Shipping Weight	950 lb.
Part No.	G00076
List E	\$21,540

TEQ-Lok Tools / Surface Prep Grinding Tools

TEQ-Lok Tools for All Machines Using TEQ-Lok System

TEQ-Lok System allows for quick changing of tools for scraping, grinding and polishing. The tool simply slips into the slot on the adapter plate and is pulled or tapped outward to seat the tool securely.



TEQ-Lok Twin Full Rectangular Segments segments for mastic and thin coating removal as well as in the first steps in concrete polishing. Rectangular segments are more aggressive than round segments on lightweight machines.



TEQ-Lok Twin Full Rectangular Segments				
Grit	Bond	Part No.		D List
16/18	Hard	D91118		\$102
16/18	Extra Hard	D91119		102
20/25	Medium	D91103		102
30/40	Medium	D91104		102



TEQ-Lok Twin Round Segments reduce edge scratches and provides a smoother profile. Use for the first steps in polishing concrete.



TEQ-Lok Twin Round Segments					
Grit	Soft Bond	Medium Bond	Hard Bond	Extra Hard Bond	D List
16	D91110	D91108	D91117		\$102
30	D91111	D91109	D91112	D91120	102
60	D91115	D91105	D91113		102
120	D91116	D91106	D91114		102



TEQ-Lok Single Segments fit many machines on the market and provide aggressive grinding action at an affordable cost. Great for rental customers and smaller jobs on lightweight machines under 200 lb.



TEQ-Lok Single Round and Rectangular Segments				
Grit	Bond	Rectangle	Round	D List
18	Soft	162658	162656	\$50
18	Medium	162659	162657	50
18	Hard	162660		50
35/40	Medium	162411	162410	50
60	Medium		162596	50
120	Medium		162597	50



TEQ-Lok Arrowhead Segments These aggressive segments are angled slightly allowing the segment to "plow" thru and remove thin surface treatments such as paints, epoxies, mastics, etc. Segments have more sharp edges for better coating removal on planetary machines. Fast production and long life.



TEQ-Lok Arrowhead Segments				
Description	Soft Bond Part No.	Med Bond Part No.	Hard Bond Part No.	D List
6 Grit	162744	162745	162746	\$90
16 Grit	161975	161978	161981	90
30 Grit	161976	161979	161982	90
60 Grit	161977	161980	161983	90



Mini Metal Segment are aggressive like rectangular segments but with minimal edge scratches like round segments. Smaller footprint for higher grinding pressures. Great on the TG8.



Metal Bond Diamond TEQ-Lok Mini Segments			
Description	Part No.		D List
16 Grit	161238		\$181
30 Grit	161162		159
50 Grit	161163		159
80 Grit	161164		159



TEQ-Lok Metal "Pizza" Segment are also known as 10-Segs or 3" metal pucks. They have a high diamond concentration with more grinding surface area to yield longer life on heavier, higher horsepower machines. The edges are beveled for minimal edge scratches.



TEQ-Lok 3" Metal "Pizza" Grinding Tools				
Grit	Soft Bond Part No.	Med Bond Part No.	Hard Bond Part No.	D List
6		162504		\$185
16/18	162476	162300	162477	185
30/40	162453	162301	162454	155
60/80	162478	162434	162479	155
120/150	162480	162435	162481	155
200	162484	162485	162486	155
400		162495		155



The unique shape of the TEQ-Lok Coating Stripper unique shape is great for quickly grinding away polyaspartic and thin epoxies. When used with an aggressive high grinding pressure machine it can combine a two step process into one whereby it strips the coating while leaving a 30 grit diamond scratch behind.



TEQ-Lok Diamond Segment Coating Stripper			
Description	Part No.		D List
Diamond Segment (30/40) Grit	D91107		\$131

TEQ-Lok Tools / Surface Prep Grinding Tools



PCD TEQ-Lok Segments have long lasting large PCD chips for fast, aggressive removal of coatings including epoxies. These segments remove coatings without gumming up and smearing. Some segments have wear bars that work as a depth guide for a uniform surface.



162775



PCD TEQ-Lok Segments

Description	Part No.	D	List
PCD - 2 Qtr Round with wear bar RH	162775		\$220
PCD - 2 Qtr Round with wear bar LH	162776		220
PCD - 1 whole round per seg - RH	161788		271
PCD - 1 whole round per seg - LH	161642		271
PCD - 2 whole round per seg RH	162482		298
PCD - 2 whole round per seg LH	162483		298



PCD TEQ-Lok Segments

Description	Part No.	D	List
PCD Segment (PCDS - 2 chips per seg) - RH	D91101		\$226
PCD Segment (PCDS - 3 chips per seg) - RH	D91102		284



PCD TEQ-Lok Segments

Description	Part No.	D	List
2 segments with Crushed PCD Chips-Soft Bond	162516		\$120
2 segments with Crushed PCD Chips-Med Bond	162490		120



PCD TEQ-Lok Segments

Description	Part No.	D	List
PCD 2 segments bar RH Scraper	162491		\$220
PCD 2 segments bar LH Scraper	162492		220



TEQ-Lok Arrow-PCD Segments are ideal for coating removal with large heavy high horsepower machines. The multiple PCD cutting points are backed with steel pins for better impact strength and the diamond wear pads in front and back maximize stability.




TEQ-Lok 3" Arrow/PCD "Bearclaw" Grinding Tool

Description	Part No.	Part No.	D	List
Combination diamond and PCD	Right Hand 162284	Left Hand 162283		\$295



Carbide Scraping Mounting Block and Chips with its 4 sided carbide chip provides 8 surfaces for removing soft coatings like carpet glues and rubber backed adhesives.




Carbide Scraping Mounting Block and Chips

Description	Part No.	List
TEQ-Lok Carbide Mounting Block (RH)	161641	\$103.00 P
TEQ-Lok Carbide Mounting Block (LH)	161704	103.00 P
Low Profile Flathead Steel Mounting Screw	900138	1.63 P
Carbide Replacement Chip - 8 sided	160309	30.00 A



160222



161638



162328

TEQ-Lok Adapter Plates


Description	Part No.	P	List
8" TEQ-Lok Adapter Plate w/o segments for TG8	160222		\$197
12" TEQ-Lok Adapter Steel Plate w/o segments for TG12	160223		328
18" TEQ-Lok Adapter Steel Plate w/o segments for TG18	161132		468
10" TEQ-Lok Plate w/o segments*	161638		358
Frankfurt plate for TEQ-Lok tools	162328		230

(*10" x 3/4" x 3/8"-24 threads) (Universal bolt pattern fits most single-head grinders)



TEQ-Lok Pad Drivers

Description	Part No.	P	List
TEQ-Lok 2" velcro pad driver	161165		47
TEQ-Lok 3" velcro pad driver	160969		60
Replacement plastic ring for 2" pad driver	161621		18.54
Replacement velcro for 2" pad driver	161622		1.35
Replacement plastic ring for 3" pad driver	161451		24
Replacement velcro for TEQ-Lok 3" pad driver	161452		2.16



3" Transitional Ceramic TEQ-Lok


Grit	Color	Part No.	D	List
30	Purple	162588		\$72
50	Green	162589		72
100	Black	162590		72
200	Red	162591		72
400	Yellow	162592		72
800	Black	162593		72



Surface Prep Tools / Bolt-On Trapezoids



Standard/General Purpose Trapezoid Segments			D
Grit	Part No.	List	
18/20	161571	\$79	
30/40	161572	59	
60/80	161573	59	
120/150	161574	59	



Vacuum Brazed Spike Trapezoid Segments			D
Grit	Part No.	List	
35	162098	\$75	



Arrowhead Trapezoid Segments			D
Grit	Medium Bond	Hard Bond	List
30	162306	162307	\$85




Wing - Single Round Segment Trapezoids					D
Grit	Hard Bond Soft Concrete	Med Bond Medium Concrete	Soft Bond Hard Concrete	List	
18/20	161943	161938	161933	\$77	
25	161944	161939	161934	77	
33/40	161945	161940	161935	52	
60/80	161946	161941	161936	52	
120	161947	161942	161937	52	



Diamond/PCD Trapezoid Grinding Segments			D
Description	Part No.	List	
Two Segment PCD Chip Med Bond	162075	\$120	
Two Segment PCD Chip Soft Bond	162076	120	



Wing - Double Round Segments Trapezoids					D
Grit	Hard Bond Soft Concrete	Med Bond Medium Concrete	Soft Bond Hard Concrete	List	
18/20	161958	161953	161948	\$108	
25	161959	161954	161949	108	
33/40	161960	161955	161950	82	
60/80	161961	161956	161951	82	
120	161962	161957	161952	82	



Diamond /PCD Trapezoid Grinding Segments			D
Description	Part No.	List	
Two Segment with PCD Bar (RH)	162080	\$220	
Two Segment with PCD Bar (LH)	162329	220	



Wing Arrowhead Trapezoids					D
Grit	Soft Bond	Med Bond	Hard Bond	List	
18/20	162568	162572	162576	\$95	
30/40	162569	162573	162577	90	
60/80	162570	162574	162578	90	
120	162571	162575	162579	90	



PCD Trapezoid with Wear Bar & Button			D
Description	Part No.	List	
PCD-1 Whole w/Wear Button (Rt Hand)	161575	\$281	
PCD-1 Whole w/Wear Button (Lt Hand)	161829	281	



Wing - Single PCD with Wear Button			D
Description	Part No.	List	
Right Hand	162323	\$265	
Left Hand	162324	265	



Wing - Flat Tip PCD			D
Description	Part No.	List	
Right Hand	162321	\$295	
Left Hand	162322	295	

Surface Prep Tools / Trapezoids



Single Round Dovetail Trapezoids					D
Grit	Soft Bond	Med Bond	Hard Bond	List	
18/20	161903	161908	161913	\$77	
25	161904	161909	161914	77	
35/40	161905	161910	161915	52	
60/80	161906	161911	161916	52	
120	161907	161912	161917	52	



3" Arrow Diamond/PCD "Bearclaw" Grinding Tool

Description	Right Hand Part No.	Left Hand Part No.	List
Dovetail mounting wedge	162680	162679	\$295



Double Round Dovetail Trapezoids					D
Grit	Soft Bond	Med Bond	Hard Bond	List	
18/20	161918	161923	161928	\$108	
25	161919	161924	161929	108	
35/40	161920	161925	161930	82	
60/80	161921	161926	161931	82	
120	161922	161927	161932	82	



Dovetail Carbide Scraping Mounting Block and Chips

Description	Part No.	List
Carbide Mounting Block (RH)	162538	\$103.00 P
Low Profile Flathead Steel Mounting Screw	900138	1.63 P
Carbide Replacement Chip - 8 sided	160309	30.00 A



Single and Double Segmented Dovetail Trapezoids					D
Grit	Single Med Bond	List	Double Med Bond	List	
18/20	162428	\$77	162427	\$108	
30/40	162305	52	162304	82	



Description	Part No.	List
Velcro, 3" Diameter	162602	\$35



Arrowhead Dovetail Trapezoids

Grit	Extra Soft Bond	Soft Bond	Med Bond	Hard Bond	Extra Hard Bond	List	D
6	162340	162343	162346	162349	162352	\$105	
16	162341	162344	162347	162350	162353	95	
30	162342	162345	162348	162351	162354	90	



Dovetail Diamond/PCD Trapezoid Grinding Segments			D
Description	Part No.	List	
Two Segment w/ Crushed PCD Chips	162595	\$120	



Dovetail Double Segment PCD			D
Description	Part No.	List	
Right Hand	162532	\$220	
Left Hand	162533	220	



PCD Dovetail Trapezoid Grinding Segments					D
RH	LH	List	RH w/Wear Bar	LH w/Wear Bar	List
162001	162002	\$220	162003	162004	\$220
RH - Right Hand LH - Left Hand Wear bar is 30 grit diamond segment					

General Purpose QCS

Single Segment			Double Segment			D
Grit	Soft Bond	List	Soft Bond	Medium Bond	Med Hard Bond	List
16/20	161753	\$77	161756	161761	161766	\$108
30/40	161754	52	161757	161762	161767	82
60/80	161755	52	161758	161763	161768	82



Double Round Segment General Purpose QCS

Grit	Soft Bond	Medium Bond	Med Hard Bond	Hard Bond	List
120/150	161759	161764	161769	161774	\$82
250/300	161760	161765	161770	161775	82



NCE Double Segmented				D
Grit	Hard Bond	Soft Bond	List	
18/20	162432	162430	\$90	
30/40	162433	162431	90	
50		162451	90	
100		162587	90	



NCE Qtr Round PCD w/ Wear Bar			D
Description	Part No.	List	
Right Hand	162408	\$220	
Left Hand	162409	220	

Surface Prep Tools / Grinding Heads / Grinding Tools



Standard 10" Diameter Floor Grinding Heads and Adapters

Grinding Head Description	Part No.	D List
FGG25 10" x 20 Segments Arrow	D91034	\$536
FGG-25 10" x 20 Segments	D91001	536
FGG-28 10" x 20 Segments-Asphalt	D91010	536
FGG15 10" Segments FG	D91002	351



3" Metal Sintered Polishing Pads with Velcro Backing

Grit	Part No.	D List
30	161017	\$191
50	161018	191
70	161019	191
120	161020	191



Diamond and PCD Blocks

Description	Soft Bond Part No.	Med Bond Part No.	Hard Bond Part No.	D List
30/40 Grit	161462	161457*	161461	\$195
40/50 Grit	161463			195
50/60 Grit	161464			195
80/100 Grit	161465			195
PCD Block (4 chips)	161555			366
Diamond Plate only 30/40 Grit	161182			187
Wedge P	160178			1.03

*general purpose (other bonds available)

3" Arrow Diamond/PCD "Bearclaw" Grinding Tool

Description	Right Hand Part No.	Left Hand Part No.	D List
TFW mounting wedge	162297	162296	\$295
TEQ-Lok mounting wedge	162284	162283	295
Dovetail mounting wedge	162680	162679	295



3" Metal "Pizza Seg Type" Grinding Segments for Heavier, High Horsepower Machines

Grit	Velcro Backing or Bolt-On			Soft Bond	TEQ-Lok Med Bond	Hard Bond	TFW Med Bond	Velcro Back/Bolt-On/C-Sunk Med. Bond	Magnetic/1 Pin			D List
	Soft Bond	Med. Bond	Hard Bond						Soft Bond	Med Bond	Hard Bond	
6					162504		162505			162503		\$185
16/18	162065	161720	162070	162476	162300	162477	162298	161725		162302	162501	185
30/40	162066	161721	162071	162453	162301	162454	162299	161726	162764	162303	162502	155
50/60/80	162067	161722	162072	162478	162434	162479	162414	161727	162765	162499	162761	155
100/120/150	162068	161723	162073	162480	162435	162481	162415	161728		162500	162762	155
200	162069	161724	162074	162484	162485	162486		161729		162763		155
400					162495							155

Diamond Plugs

Grit	1" Taper Med Bond Medium Concrete			D List	2" Taper Med Bond Medium Concrete			D List	3" Segment on 2" Taper Med Bond Medium Concrete			D List
6	160852			\$73								
14/16	160855			73	161195			\$216	162398			\$175
30/40	160858			68	161197			204	162399			175
60/80	160861			58	161198			194	162366			175
120/150	160864			50	161199			194	162400			175
220/300	160867			50	161201			194				

More specs and bonds available.



Concrete Polishing Pads and Rings



Braze Lippage Pads

2"		3"		4"		5"		D
Grit	Part No.	List	Part No.	List	Part No.	List	Part No.	List
24			160997	\$153	160989	\$181	160980	\$204
30	161603	\$78	160934	142	160990	153	160981	171
50	161604	76	160935	126	160991	153	160982	171
100	161605	76	160936	108	160992	142	160983	159
200	161606	76	160937	108	160993	142	160984	159
325			160938	108	160994	142	160985	159

Diamond Sanding Pads

4"		5"		7"		D
Grit	Part No.	List	Part No.	List	Part No.	List
50	161542	\$50	160633	\$77	161882	\$140
70	161543	50	160634	77	161883	140
120	161544	45	160635	65	161884	110
220	161545	45	160636	60	161885	95
400	161546	40	161880	52	161886	90
600	161547	40	161881	52	161887	90

2" Concrete Polishing Velcro Backed Pads

Grit	Semi Metal		Resin		D
	Wet/Dry	List	DRY Only*	WET Only	
30	161166	\$45	161169		\$35
50	161167	45	161170		35
100	161168	45	161171		35
200	161588	45	161172	161696	35
400	161590	45	161173	161697	35
800			161174	161699	35
1500			161175	161700	35
3000			161176	161701	35

*Life greatly reduced when used with water

3" Concrete Resin Polishing Pads

Grit	Super Premium		D	Premium		D
	Epoxy WET/DRY	Phenolic WET/DRY*	Transitional List WET/DRY	Polymer List WET Only		
30	160906	161051	\$56 161643	\$45 130340		\$39
50	160907	161052	56 161644	45 130341		39
100	160908	161053	56 161645	45 130342		39
200	160909	161054	56 161647	45 130343		39
400	160910	161055	56 161648	45 130344		39
800	160912	161056	56 161650	45 130345		39
1500	160913	161057	56 161651	45 130346		39
3000	160914	161459	56 161652	45 130347		39
Buff				161653	45	

* for heavy, high contact pressure machines

3" Concrete Metal Resin Polishing Pads

Grit	Super Premium	List	Premium	List
30	161012	\$84	130370	\$52
50	161013	84	130371	52
100	161014	84	130372	52
200	161015	84	130373	52
400	161992	84	130374	52

Super Premium Copper Pads

Grit	4" Part No.	List	5" Part No.	List
30	161897	\$72	160915	\$96
50	161898	72	160916	96
100	161899	72	160917	96
200	161900	72	162006	96
400	161901	72		

5" Resin Polishing Pads

Grit	Super Premium		Premium		D
	WET/DRY	List	WET/DRY	List WET Only	
30	162598	\$68			
50	160282	68	161654	\$52 161664	\$38
100/120	160283	68	161655	52 161665	38
200/220	160284	68	161657	52 161667	38
400	160285	68	161658	52 161668	38
800	160286	68	161660	52 161670	38
1500/1800	160288	68	161661	52 161671	38
3000/3500	160289	68	161662	52 161672	38
Buff			161663	52 161673	38

"Ceramic" Pads and Rings

Description	5" Pad	7" Ring	D
	Very Hard Concrete	Very Hard Concrete	
C1	161157	161150	\$96
C2	161158	161151	91
C3	161159	161152	91
C4	161160	161153	91

7" Super Premium Wet/Dry Velcro-backed Resin Rings

Grit	Part No.	List
30	161034	\$84
50	161035	84
120	161036	80
220	161037	80
400	161038	80
800	161039	80
1800	161040	80
3000	161041	80

Flex Metal Dots

Grit	3" Part No.	List	5" Part No.	List	6" Part No.	List
30	162601	\$60	162294	\$120	162534	\$143
50	162609	60	162295	120	162535	143
100	162610	60	162439	120	162536	143
200	162611	60	162440	120	162537	143


Polishing Pads / Cleaners / Chemicals



3" Flexible Semimetal Resins		
Grit	Part No.	D List
30	162816	\$35
50	162681	35
100	162682	35
200	162683	35
400	162684	35



3" Flexible Resins		
Grit	Part No.	D List
400	162684	\$35
800	162685	35
1500	162686	35
3000	162687	35




3" Transitional Ceramic Velcro Back					
Grit	Color	Premium Part No.	D List	Super Premium Part No.	D List
30	Purple	162674	\$72	162580	\$128
50	Green	162675	72	162581	128
100	Black	162676	72	162582	128
200	Red	162677	72	162583	128
400	Yellow	162678	72	162584	128



DI-HARD Concrete Hardener/Densifier				
Description	Sodium Formula		Lithium Formula	
	Part No.	List	Part No.	A List
1 gallon bottle*	160940	\$35	161529	\$50
5 gallon bucket	160941	142	161530	221
55 gallon drum	160942	1,413		

*Packaged 4 one gallon bottles per case
Covers approximately 300 sf per gallon



microfiber mop head

Microfiber Mop and Mop Head		
Description	Part No.	P List
Microfiber Mop	160806	\$89
Microfiber Mop Heads (pkg of 10)	160808	120



Heavy-Duty Concentrated Degreaser for Polished Concrete Floors		
Description	Part No.	A List
1 gallon*	161235	\$45
5 gallon	161236	210

*Packaged 4 one gallon bottles per case



DI-GARD Concrete Hardener/Sealer		
Description	Part No.	A List
1 gallon bottle*	160943	\$108
5 gallon bucket	160944	489

*Packaged 4 one gallon bottles per case
Covers approximately 1100 sf per gallon

Burnisher / Stripper Machines


Pride 2100 Production Stripper

Pad Size	21"
Engine	Kawasaki 603cc/Propane
Buff RPM	2100
Strip RPM	500-700
Production	25,000 sf per hr
Run Time	5 - 6 hrs.
Height	42"
Length	47"
Width	27"
Weight	220 lb.
Part No.	G00099
List E	\$5,168



Tracker 3000 Production Stripper/ Burnisher/Polisher

2 Pads - Size	16"
Engine	Kawasaki 603cc/Propane
Max. Engine Speed	3600 RPM
Pad Speed	320 RPM
Head Pressure	350 lb.
Production	20,000 sf per hr
Run Time	5 - 6 hrs.
Weight	450 lb.
Part No.	G00100
List E	\$9,988



G00044

Production Burnishers

	Contractor	Professional Dry (Dust Control)	DITEQ Professional Wet/Dry
Polishing Diameter	27 Inch	27 Inch	27 Inch
Engine	18 hp Kawasaki Propane	18 hp Kawasaki Propane	Subaru 22 hp Propane
Engine Speed	3,600 RPM	3,600 RPM	3,450 rpm
Drum Speed	1800 RPM	1800 RPM	800-1000 RPM
Production per hour	23,000 sf	33,000 sf	33,000 sf
Weight	350 lbs	350 lbs	350 lbs
Part No.	G00082	G00088	G00044
List E	\$4,633	\$5,704	\$8,297

Other models available.



Power grip floating pad driver with a better bite on maintenance and diamond pads for increased demands of polishing concrete (G00044)



Shown with optional solution tank
Includes 50 ft. cord

17" TEQ-Swing Machine*

Gears	Triple Planetary
Weight	107 lb.
Pad Width	17"
Motor Power	1.5HP AC
Disc RPM	175
Part No.	G00103
List E	\$1,365

*Includes pad driver

Optional Accessories	Part No.	P List
Maintenance Pad Driver	162270	\$160
17" Rigid Plate	161415	167
2 gallon solution tank kit	162247	215
Poly scrub brush	162223	125
Shampoo brush	162271	175



Includes 50 ft. cord

20" TEQ-Burnisher*

Gears	Belt Drive
Weight	112 lbs
Width	20"
Motor Power	1.5 hp DC Rectified
Disc RPM	1500
Part No.	G00039
List E	\$1,845

*Includes pad driver

Accessories	Part No.	P List
Maintenance Pad Driver	162272	\$190
20" Rigid Plate	161414	178

Diamond Pads



VL Burnisher Pads												
VL M Series	13"	A	17"	A	20"	A	21"	A	24"	A	27"	A
Grit / Color	Part No.	List	Part No.	List	Part No.	List	Part No.	List	Part No.	List	Part No.	List
200 Blue	161837	\$99	161476	\$125	161483	\$146	161490	\$154	161556	\$189	161497	\$231
400 Red	161838	99	161477	125	161484	146	161491	154	161557	189	161498	231
800 White	161839	87	161478	111	161485	127	161492	136	161558	165	161499	203
1500 Yellow	161840	87	161479	111	161486	127	161493	136	161559	165	161500	203
3000 Green	161841	87	161480	111	161487	127	161494	136	161560	165	161501	203
8000 Orange	161842	87	161481	111	161488	127	161495	136	161561	165	161502	203
11000 Purple	161843	87	161482	111	161489	127	161496	136	161562	165	161503	203

Monroe Burnisher Pads												
M Series	13"	A	17"	A	20"	A	21"	A	24"	A	27"	A
Grit / No.	Part No.	List	Part No.	List	Part No.	List	Part No.	List	Part No.	List	Part No.	List
800 #1	161253	\$98	161256	\$163	161257	\$184	161258	\$195	161824	\$225	161259	\$271
1500 #2	161261	98	161264	163	161265	184	161266	195	161825	225	161267	271
3000 #3	161269	98	161272	163	161273	184	161274	195	161826	225	161275	271
R Series	13"		17"		20"		21"		24"		27"	A
Grit / Color	Part No.	List	Part No.	List	Part No.	List	Part No.	List	Part No.	List	Part No.	List
400 Orange	161293	\$146	161295	\$206	161296	\$254	161297	\$298	161298	\$314	161299	\$401
800 Silver	161301	146	161303	206	161304	254	161305	298	161306	314	161307	401
1800 Blue	161309	146	161311	206	161312	254	161313	298	161314	314	161315	401
3000 Red	161317	146	161319	206	161320	254	161321	298	161322	314	161323	401
Buff Black (Dry)	161325	146	161327	206	161328	254	161329	298	161330	314	161331	401



Floor Maintenance Pads for Polished Concrete				
	Black Stripper	White Polish	Hog Hair Cushion Pad	A List
12" x 1" Round			161581	\$6.59
15" x 1" Round	A70026	A70027	162228	10.00
16" x 1" Round	A70031	A70032		10.90
17" x 1" Round	A70003	A70004	161455	11.12
20" x 1" Round	A70013	A70014	161473	14.68
21" x 1" Round	A70015	A70016	161474	16.48
24" x 1" Round	A70019	A70020	161576	23.00
27" x 1" Round	A70017	A70018	161475	32.00
Other pad sizes and colors are available. Call for info				



DOTS/LUX D/L-Series - 17" Resin		
Grit	17" Part No.	A List
1500	161340	\$271
3000	161341	271



DOTS/Vacuum Brazed V-Series		
Grit	17" Part No.	A List
30	161613	\$697
50	161614	697
100	161615	697
200	161616	697



Monroe Dots*						
D - Series Semi-Metal						
Grit	17" Part No.	A List	20" Part No.	A List	21" Part No.	A List
30	161363	\$293	161364	\$682	161365	\$700
50	161369	293	161370	682	161371	700
100	161375	293	161376	682	161377	700
200	161381	293	161382	682	161383	700
400	161387	293	161388	682	161389	700
D Series Resin						
Grit	17" Part No.	A List	20" Part No.	A List	21" Part No.	A List
400	161393	\$271	161394	\$611	161395	\$630
800	161399	271	161400	611	161401	630
1800	161405	271	161406	611	161407	630
3000	161411	271	161412	611	161413	630
*Require cushion pad						

ANYCUT WHEELS

Material	ANYCUT WHEEL	ANYCUT CUT/OFF WHEEL	ANYCUT GRINDING WHEEL	ANYCUT CUT AND GRIND WHEEL
Light Steel	•	•	•	•
Structural Steel	•	•	•	•
Stainless Steel	•	•	•	•
Steel Bar	•	•	•	•
Rebar	•	•	•	•
Steel Studs	•	•	•	•
Iron Pipe	•	•	•	•
Ductile Iron	•	•	•	•
Copper Pipe	•	•	•	•
Copper Tubing	•	•	•	•
Reinforced Hose	•	•	•	•
ABS Pipe	•	•	•	•
PVC Pipe	•	•	•	•
Fiberglass	•	•	•	•
Concrete	•	•	•	•
Cement Board	•	•	•	•
Stone	•	•	•	•
Quartzite	•	•	•	•
Porcelain Tile	•	•	•	•



NEW

This thin cut off wheel with strong steel core with cooling holes is very aggressive cutting through many materials including steel studs, iron pipe, copper tubing, threaded rod, PVC pipe. Maintains full depth cutting throughout wheel life. Not to be used on high speed saws.



ANYCUT Cut Off Wheel

★ ★ ★ Super Premium

Aggressive Fast Cutting / Extreme Long Life

Diameter & Width	Part No.	Price
14" x .110" x 1" - DP	D11301	\$360



NEW

Designed to be used on small hand tools to cut a wide variety of materials including steel, porcelain tile, brick, metal pipes, concrete, threaded pipe, fiberglass, cement board and more. Adapter shown above right.



ANYCUT Cut Off Wheel

★ ★ ★ Super Premium

Aggressive Fast Cutting Extreme Long Life

Diameter & Width	Part No.	Price
4.5" x .080" x 7/8"-5/8"	D11302	\$70
5" x .080" x 7/8"-5/8"	D11303	110
6" x .080" x DM-7/8"-5/8"	D11304	130
7" x .080" x DM-7/8"-5/8"	D11305	160



NEW

Its rounded edge makes this wheel useful in the welding industry and foundries for feathering out welds and pre-weld edge chamfering. It also provides aggressive stock removal and smoothing of materials with less sparks than abrasives.



ANYCUT Grinding Wheel

★ ★ ★ Super Premium

Aggressive Fast Grinding

Extreme Long Life

Diameter & Width	Part No.	Price
4.5" x 7/8"	D11306	\$80
7" x 7/8"	D11307	180



NEW

This thin cut off wheel can both cut with its edge and grind on wheels flat surface using a flush mount adapter. Faster and cleaner than abrasive blades on steel, concrete, brick, tile, fiberglass, PVC pipe and more. Flush mount adapter shown below.

REVERSIBLE FLUSH-MOUNT - TWICE THE LIFE



ANYCUT Cut and Grind Wheel

★ ★ ★ Super Premium

Aggressive Fast Cutting and Grinding

Extreme Long Life

Diameter & Width	Part No.	Price
4.5" x .125" x 7/8" Flush	D11308	\$150
5" x .125" x 7/8" Flush	D11309	190
6" x .125" x 7/8" Flush	D11310	225
7" x .125" x 7/8" Flush	D11311	310



Adapters

Description	Part No.	List
5/8" - 11F to 7/8" Arbor	130117	\$12
Flush Mount Adapter (Stainless)	130122	14



Abrasive Blades / Tuckpoint Diamond Blades

Abrasive Wheels are priced individually and sold in whole box quantities only. Other size and specs available.



High Speed Abrasive Blades				
Dimensions	Grit	Application	Part No.	List
12"x1/8"x1"		Metal	A30001	\$11.00
14"x1/8"x1"		Metal	A30009	15.19
14"x1/8"x20mm		Metal	A30010	15.19
14"x1/8"x1"	AC24R	Ductile	A30013	16.74

10 per box Abrasive blades are priced individually and sold in whole box quantities only.



Raised Hub Abrasive Wheels				
Diameter & Width	Application	Pack Qty.	Part No.	List
4-1/2" x .045" x 7/8"	Metal/Stainless	25 per box	A00001	\$3.61



Chop Saw Abrasive Blades			
Diameter & Width	Application	Part No.	List
14" x 3/32" x 1"	Metal	A20002	\$11.59

10 per box



Cup Grinding Wheels				
Diameter & Width	Application	Grit	Part No.	List
4"x2"x5/8"-11 prong type	Concrete	C16R	A50002	\$36
5"x2"x5/8"-11 prong type	Concrete	C16R	A50003	41
6"x2"x5/8"-11 safety back	Concrete	C16R	A50004	54

10 per box



Cut/Off Abrasive Blades			
Diameter & Width	Application	Part No.	List
4-1/2"x3/32"x7/8"	Metal	A10003	\$4.12
7"x3/32"xDM-5/8"	Metal	A10001	5.00

25 per box



TEQ-ZEK wheels are made of silicon carbide and are aggressive and long lasting.



TEQ-ZEK Grinding Wheels			
Description	Grit	Part No.	List
4.5" x 7/8"	16	160142	\$7.57
7" x 7/8"	16	160143	9.73

(priced each, packaged 5 per box) 8/10 and 24 grit also available
5/8"-11 Adapter and nut (P/N 161779) \$15.45 (P)



Segmented Tuckpoint/Rodding Blades		TP23		TP33	
Diameter & Width		Premium	D Super List	D Super List	D Super List
4"x.250"x7/8"-5/8"		D45001	\$38	D45002	\$70
4.5"x.250"x7/8"-5/8"		D45004	43	D45005	81
5"x.250"x7/8"-5/8"		D45007	55	D45008	92
7"x.250"xDM-7/8"-5/8"		D45010	98	D45011	151
4.5"x.375"x7/8"-5/8"		D45020	65		
5"x.375"x7/8"-5/8"		D45021	76		
7"x.375"xDM-7/8"-5/8"		D45022	103		



Double and Triple Segmented Tuckpoint Blades		TP23D Double		TP33D Double		TP33T Triple	
Diameter & Width		Premium	D Super List	Premium	D Super List	Premium	D Super List
4"x.250"x7/8"-5/8"		D45039	\$43				
4.5"x.250"x7/8"-5/8"		D45040	55	D45032	\$87		
5"x.250"x7/8"-5/8"		D45041	60	D45033	98		
7"x.250"xDM-7/8"-5/8"				D45034	163		
4.5"x.375"x7/8"-5/8"						D45036	\$113



CR C35 Beveled V-Crack Chaser		
★★★ Super Premium		D
Diameter & Width	Part No.	List
4" x cont. type x 5/8"-11 thrd	D90001	\$211
4 x .375" x 5/8-11	D90008	157
4" x .375" x 7/8"-5/8"	D90002	146
5" x .375" x 7/8"-5/8"	D90003	184
7" x .375" x 7/8"-5/8"	D90004	298
8" x .375" x 1" with DP	D90005	471



Stone Diamond Blades / Stone Diamond Wire



S52X ARIX Silent Core 20 mm /25 mm Segment Height Stone & Granite Blade ★★★★★PRO V

	20mm	D	25mm	D
Diameter & Width	Part No.	List	Part No.	List
14" x .125" x 60-50mm	D61111	\$489	D61121	\$630
16" x .125" x 60-50mm	D61112	590	D61122	721
18" x .135" x 60-50mm	D61113	705	D61123	903
20" x .135" x 60-50mm	D61114	966	D61124	1,017



SV ARIX Thin Veneer Material Blade ★★★★★PRO IV

	Retipping Services Available			D
	SV40AX	SV41AX	SV42AX	List
Diameter & Width	Part No.	Part No.	Part No.	
40" x .250" x 13mm x 3-1/4"	D61078	D61072		\$3,351
40" x .250" x 13mm x 3-1/4"			D61065	3,684



C/S-32 BRUTE Silent

★★★ Super Premium
Granite/Brick/Hard Concrete/Pavers
Fast Cut/Medium Life

Diameter & Width	Part No.	List
12" x .125" x 1" - 20mm DP	D11165	\$285
14" x .125" x 1" - 20mm DP	D11166	338
16" x .125" x 1" - 20mm DP	D11167	420
18" x .125" x 1" - DP	D11168	460
20" x .145" x 1" - DP	D11169	550



Thin Veneer Silent Turbo

	★★★ Super Premium	D
Diameter & Width	Part No.	List
20" x .145" x 1" (B31ST)	D44113	\$695
20" x .135" x 1" (S42 U-Slot)	D44137	800



M22 Stone & Hard Material Blade

	★★ Premium	D
Diameter & Width	Part No.	List
8" x .110" x DM-7/8"-5/8"	D60001	\$148
10" x .110" x 1" - 5/8"	D60028	187
12" x .125" x 1-20mm	D60009	221
14" x .125" x 1-20mm	D60010	255
14" x .125" x 60-50mm	D60039	268
20" x .135" x 1"	D60027	512
20" x .135" x 1"*	D60037	710

*Silent Core



S32X Silent Core 15 mm Segment Height Stone & Granite Blade

	★★★ Super Premium	D
Diameter & Width	Part No.	List
14" x .125" x 60-50mm	D61045	\$398
16" x .125" x 60-50mm	D61046	449

DX-S Universal Segmented Blade

★ Economy, Fast Cut

Cured Concrete/Brick/Block

Diameter & Width	Part No.	List
4" x .080" x 7/8"-5/8"	D96205	\$22
4.5" x .080" x 7/8"-5/8"	D96206	25
5" x .080" x 7/8"-5/8"	D96220	30
6" x .080" x 7/8"-5/8"	D96221	42
7" x .080" x DM-7/8"-5/8"	D96207	47
8" x .085" x DM-7/8"-5/8"	D96222	60
9" x .095" x 7/8"-5/8"	D96223	66
10" x .095" x DM-7/8"-5/8"	D96208	83



.393" seg. height



T42 Curly Que Blade

★★★★★PRO IV

Diameter & Width	Part No.	List
10" x .085" x 5/8"	D56006	\$135
14" x .095" x 1"	D56002	319

Other sizes available. Please call for pricing and availability.



.275" seg. height

DX-T Wide Turbo Rim Blade

★ Economy, Fast Cut

Diameter & Width	Part No.	List
4" x .095" x 7/8"-5/8"	D96209	\$21
4.5" x .095" x 7/8"-5/8"	D96210	24
5" x .095" x 7/8"-5/8"	D96224	30
7" x .095" x DM-7/8"-5/8"	D96211	47
9" x .095" x 7/8"-5/8"	D96225	78
10" x .110" x 7/8"-5/8"	D96213	90



Diamond Wire for Stone

	Stone-Urethane	D
Diameter & Width	Part No.	List
WS40	D91033	\$300

Prices per meter length.

	Diamond Wire Accessories	Part No.	List
	Crimps (3/16" ID x 3/8" OD x 3/4" L)	151157	\$1.08

Stone Continuous / Segmented and Turbo Diamond Blade



T23 Laser Cut Spider Continuous Rim

★★ Premium

	Wet/Dry	D
Diameter & Width	Part No.	List
4" x .060" x 5/8"	D50053	\$27
4.5" x .060" x 5/8"	D50054	43
	Wet Only	
Diameter & Width	Part No.	List
7" x .060" x 5/8"	D50040	\$60
8" x .060" x 5/8"	D50041	70
10" x .060" x 5/8"	D50042	103



Blade Adapters

Description	Part No.	List
Flush Mount Adapter (Stainless)	130122	\$14
5/8" - 11F to 7/8" Arbor	130117	12

S32 Raised Hub Turbo Blade

★★★ Super Premium

Diameter & Width	Part No.	List
4" x .060" x 7/8"-5/8"	D50032	\$42
4.5" x .060" x 7/8"-5/8"	D50033	60
5" x .060" x 7/8"-5/8"	D50034	78



T24 Continuous Rim

★★ Premium

Diameter & Width	Part No.	List
8" x .060" x 5/8"	D51009	\$65
10" x .080" x 5/8"	D51010	98
12" x .095" x 1"	D51011	146



S31 Turbo Blade

★★★ Super Premium

Diameter & Width	Part No.	List
4" x .085" x 7/8"-5/8" flush	D53021	\$34
4.5" x .085" x 7/8"-5/8" flush	D53022	36
5" x .085" x 7/8"-5/8" flush	D53020	45
6" x .085" x 7/8"-5/8"	D53023	60
7" x .085" x DM-7/8"-5/8"	D53024	78



TG-32 Glass Tile Blade

★★★ Super Premium

Diameter & Width	Part No.	List
7" x .060" x 5/8"	D50056	\$58
10" x .060" x 5/8"	D50043	101



S42 Narrow Rim Turbo Blade

★★★★ PRO IV

Diameter & Width	Part No.	List
4" x .080" x 7/8"-5/8" flush	D53027	\$47
4.5" x .080" x 7/8"-5/8" flush	D53028	55
5" x .080" x 7/8"-5/8" flush	D53029	66
6" x .080" x 7/8"-5/8"	D53030	83
7" x .080" x DM-7/8"-5/8"	D53031	107



DX-C Continuous Rim Blade

★ Economy, Fast Cut

Diameter & Width	Part No.	List
4" x .060" x 5/8"	D96201	\$19.57
4.5" x .060" x 7/8"-5/8"	D96202	24
5" x .060" x 7/8"-5/8"	D96219	34
7" x .060" x 5/8"	D96203	47
10" x .060" x 5/8"	D96204	83



Stone Fire Rim Turbo Blade

★★★ Super Premium

Diameter & Width	Part No.	List
4.5" x .095" x 7/8"-5/8" flush	D58022	\$65
5" x .095" x 7/8"-5/8" flush	D58023	70
6" x .095" x 7/8"-5/8" flush	D58024	81
7" x .095" x DM7/8"-5/8" flush	D58025	92



Sharpening Stone

Description	Part No.	List
Sharpening Stone	130009	\$6.49



S21 Dish Turbo Convex Blade

★★ Premium

Diameter & Width	Part No.	List
5" x .110" x 7/8"-5/8"	D66031	\$132



M31V-S Vacuum Bond Blade

★★★ Super Premium

Diameter & Width	Part No.	List
4" x .095" x 7/8"-5/8"	D66011	\$47
4.5" x .095" x 7/8"-5/8"	D66012	66
5" x .095" x 7/8"-5/8"	D66013	69
7" x .095" x 7/8"-5/8"	D66015	90



S21 T-Segmented Blade

★★ Premium

Diameter & Width	Part No.	List
4.5" x .110" x 7/8"-5/8"	D62006	\$108
5" x .110" x 7/8"-5/8"	D62007	122



Milling Wheel

★★★ Super Premium

Diameter & Width	Part No.	List
14" x 40L x 8T x 8W	D66332	\$1,963



S23 Thin Wall Crown Core Bits with 5/8" -11 Threads

★★ Premium			D
Diameter	Part No.	List	
3/8"	D31001	\$90	
1/2"	D31002	93	
5/8"	D31003	94	
3/4"	D31004	98	
7/8"	D31005	101	
1"	D31006	110	
1-1/8"	D31007	113	
1-1/4"	D31008	134	
1-3/8"	D31009	139	
1-1/2"	D31010	143	
1-5/8"	D31011	145	
1-3/4"	D31012	148	
1-7/8"	D31013	156	
2"	D31014	173	



S43AX Core Bit ★★★★ PRO IV

★★★★ PRO IV			D
Diameter	Part No.	List	
1-1/4" x 5/8-11th	D66215	\$108	
1-3/8 x 5/8-11th	D66216	113	
1-1/2" x 5/8-11th	D66217	119	
1-3/4" x 5/8-11th	D66218	126	
2" x 5/8-11th	D66219	142	



S33 Laser Welded Segmented Type Core Bits with 5/8" -11 Thread

★★★ Super Premium				D
Diameter	Crown Part No.	List	Segmented Part No.	List
1/2"	D66134	\$68		
5/8"	D66135	71		
3/4"	D66136	73		
7/8"	D66137	77		
1"	D66032	80		
1-1/8"			D66119	\$85
1-1/4"			D66033	91
1-3/8"			D66034	96
1-1/2"			D66035	103
1-3/4"			D66036	108
2"			D66037	119
2-1/2"			D66118	131
3"			D66038	142
4"			D66138	159

S33 Laser Welded Segmented with Side Protectors - 5/8" -11 Threads

★★★ Super Premium			D
Diameter	Part No.	List	
1-1/8"	D66203	\$96	
1-1/4"	D66204	103	
1-3/8"	D66205	108	
1-1/2"	D66206	113	
1-3/4"	D66208	119	
2"	D66210	126	
2-1/2"	D66211	142	
3"	D66212	159	
4"	D66213	176	



(silver)
3" drilling depth



BitBuddie

Description	Part No.	List	P
1-3/8" dia. bits with 18" Hose	160220	\$49	



S23V-C Vacuum Bond Core Bit

★★ Premium			D
Diameter	Part No.	List	
1/4"	D66286	\$125	
3/8"	D66287	130	
1/2"	D66228	135	
5/8"	D66229	140	
7/8"	D66230	150	
1"	D66231	155	
1-1/8"	D66232	160	
1-1/4"	D66233	160	
1-1/2"	D66234	165	
1-3/8"	D66235	170	
2"	D66236	180	



Threaded Adapters

Part No.	List	P
3/8" shank, 5/8"-11M	150217	\$30
1/2" shank, 5/8"-11M	150983	27



Stone Fabrication Tools - Shaping



N25 NCB Non-Coring Bits

★★ Premium

Diameter	Part No.	List
1/4"	D30001	\$81
5/16"	D30004	102
3/8"	D30002	110
1/2"	D30003	125



CTC32 Continuous Turbo Cup

★★★ Super Premium

	Fine 100/120	Medium 60/80	Coarse 30/40	D
Description	Part No.	Part No.	Part No.	List
4" x 5/8"-11 th	D82006	D82004	D82002	158
5" x 5/8"-11 th	D82018	D82016	D82014	169
6" x 5/8"-11 th	D82024		D82020	180
7" x 5/8"-11 th	D82030	D82028	D82026	300



SRT31 Radial Arm Bits

★★★ Super Premium

Diameter	Part No.	List
20mm x 15 mm	D66131	\$96
Mandrel 4: x 1/2" Gas	D66130	149



S43AX Finger/Router Bits

★★★★ Pro IV

Diameter and Width	Part No.	List
3/4" x 40mm x 1/2" gas (male) - 5 seg	D66242	\$165
7/8" x 40mm x 1/2" gas (male) - 5 seg	D66243	187
1" x 40mm x 1/2" gas (male) - 6 seg	D66241	199
1" x 48mm x 1/2" gas (male) - 6 seg	D66244	210
1" x 40mm x 1/2" gas (male) - 6 seg	D66092*	220
1" x 48mm x 1/2" gas (male) 6 seg	D66093*	238

*has bottom "starter" segment



More sizes,
positions
and shapes
available upon
request!!

RB43 Router/Profile Bits

★★★★ PRO IV

Diameter & Width	Pos.	Profile	Part No.	List
20mm Demi-Bull	1	B	D66176	\$392
25mm Demi Bull	1	B	D66277	482
30mm Demi-Bull	1	B	D66042	536
20mm Full-Bull	1	V	D66044	451
30mm Full-Bull	1	V	D66045	512
40mm Full-Bull	1	V	D66165	Call
60mm Full-Bull	1	V	D66057	Call
20mm Ogee	1	F	D66047	381
25mm Ogee	1	F	D66167	562
30mm Ogee	1	F	D66350	464
20mm Bevel	1	E	D66058	381
30mm Bevel	1	E	D66262	527
20mm Bullnose	1	A	D66297	392
30mm Bullnose	1	A	D66308	571
20mm DuPont	1	H	D66288	398
25mm DuPont	1	H	D66291	522
30mm DuPont	1	H	D66294	653
15mm Cove	1	L	D66340	357
20mm Cove-DuPont	1	O	D66337	416
25mm Cove DuPont	1	O	D66306	452
20mm Cove Ogee	1	Q	D66339	476
25mm Cove Ogee	1	Q	D66059	523
30mm Cove Ogee	1	Q	D66060	595
25mm Triple Demi	1	TB	D66311	522
40mm Talon Z	1	TZ	D66274	374



S43VT Vacuum Bond Finger Bit

★★★★ Pro IV

Diameter & Width	Part No.	List
15mm x 40 mm x 1/2" gas (male)	D66301	\$149
15mm x 48 mm x 1/2" gas (male)	D66302	167

S33 Finger/Router Bit

★★★ Super Premium

Diameter & Width	Part No.	List
1" x 48mm x 1/2" gas male	D66090	\$194
1" x 40mm x 5/8"-11 female	D66238	218



PWM Profile Wheels for Marble and Granite

	Marble Premium		Granite Premium	D
Diameter & Width	Part No.	List	Part No.	List
6" x 5/8", 1/2"R Dupont	D63002	\$197	D63005	\$157
6" x 5/8", 3/8"R Dupont			D63006	157
8" x 5/8", 1/2"R			D63013	228
8" x 5/8", 3/8"R	D63015	210	D63012	228



PSW 4" Profile Wheel

★★★ Super Premium

with 5/8-11 Adapter

Description	Part No.	List
Profiler, Granite - 3/16R	D63009	\$289
Profiler, Granite - 3/8R	D63010	312
Profiler, Granite - 3/4R	D63011	336
1/4" Radius	130243	210
3/8" Radius	130244	245
1/2" Radius	130245	275
3/4" Radius	130246	345
Full Bull 40mm	130247	800
45 Degree x 10mm	130336	229
45 Degree x 5mm	130337	193
Full Bull 30mm	130339	309
Ogee 3/8" F	130248	309
Ogee 3/4" F	130249	450



S22 Vacuum Brazed Grinding Wheels

★★ Premium

Diameter	Part No.	List
4" Coarse x 5/8"-11	D66039	\$148

Stone Fabrication Tools - Polishing




Snail-Lok Polishing Pads

	4"	A	5"	A
Grit	Part No.	List	Part No.	List
50 Grit	130574	\$117	130566	\$129
100 Grit	130575	117	130567	129
200 Grit	130576	117	130568	129
500 Grit	130577	117	130569	129
1000 Grit	130578	117	130570	129
2000 Grit	130579	117	130571	129
3000 Grit	130580	117	130572	129
BUFF	130581	117	130573	129



S33 Smooth Face Resin Filled Cup Wheels ★★ ★ Super Premium

Diameter & Width	Part No.	List
4" x coarse x 5/8"-11	D66063	\$152
4" x medium x 5/8"-11	D66065	152
4" x fine x 5/8"-11	D66089	152




Hand Polishing Pads

★★ Premium		D
Grit	Part No.	List
50 Grit	130375	\$40
100 Grit	130376	40
200 Grit	130377	40
400 Grit	130378	40
800 Grit Resin	130380	28
1500 Grit Resin	130381	28
3000 Grit Resin	130382	28



Backer Pads (5/8"-11 threaded)			P
Rubber	Part No.	List	
3" Standard Flex	130119	\$13.39	
4" Super Flex	130338	24.00	
4" Standard Flex	130120	10.30	
4" Rigid	130335	10.30	
4" Extreme Flex	130510	24.00	
5" Standard Flex	130121	36.00	
7" Standard Flex	130520	44.00	
Aluminum	Part No.	List	P
3" Aluminum	130522	24.00	
4" Aluminum	130511	24.00	
5" Aluminum	130512	39.00	
7" Aluminum	130521	72.00	



Wet Polishing Pads

★★ Premium			★★★ Super Premium			
	4" D		4" D		5" D	
Grit	Part No.	List	Part No.	List	Part No.	List
50	D64082	\$14.42	D64010	\$22	D64019	\$40
100	D64083	14.42	D64011	22	D64020	40
200	D64084	14.42	D64012	22	D64021	40
400	D64085	14.42	D64013	22	D64022	40
800	D64086	14.42	D64014	22	D64023	40
1500	D64087	14.42	D64015	22	D64024	40
3000	D64088	14.42	D64016	22	D64025	40
10000DF (Blk)	D64089	21.00	D64017	25	D64026	45
10000DF (Wht)	D64090	21.00	D64018	25	D64027	45
Complete Set per box	D64091	126.00	D64070	181	D64028	336



Dry Polishing Pads

★★★ Super Premium			D
Size	Grit	Part No.	List
4"	50	D64040	\$29
4"	100	D64041	29
4"	200	D64042	29
4"	400	D64043	29
4"	800	D64044	29
4"	1500	D64045	29
4"	3000	D64046	29
4"	10000DF (Blk)	D64047	29
4"	10000DF (Wht)	D64048	29
4"	Complete Set per box	D64071	250



DITEQ's 3 Step Wet Polishing Pads

★★★ Super Premium			D
Size	Description	Part No.	List
4"	Step 1	D64054	\$36
4"	Step 2	D64055	36
4"	Step 3	D64056	36

NOTES:

[illegible]

To place orders:

Call 866-688-1032 or Fax: 877-220-4777

You will need the following items for Customer Service:

- Your purchase order number and/or name
- Company name and billing information
- Customer number
- Shipping address, if different from billing address
- Date needed
- Products desired and quantity

For detailed product information visit www.DITEQ.com.

Freight Policy

Equipment- Freight is paid (Ground Shipment) as one shipment to one location within the continental United States by the carrier of DITEQ's choice for three (3) pieces of equipment shipped of equal value.

Diamond tools and/or Abrasives (with the exception of Carbide Cutters and Chemicals)- Freight is prepaid by the shipper and added to the invoice for orders less than \$400.00. Freight is paid (ground shipment) to one location within the continental United States by the carrier of DITEQ's choice for orders of \$400.00 or greater. Freight is prepaid by the shipper and added to the invoice on orders of carbide cutters only that are less than \$1,000.

Parts and Chemicals- Freight is prepaid by the shipper and added to the invoice.

Orders of \$3,000 or greater in Diamond tools- Freight is paid (ground shipment) to one location within continental United States by carrier of DITEQ's choice on the total order including all the additional items on the order.

Anything not meeting the exemptions above are Shipped FOB Factory.

We reserve the right to route all shipments via the carrier of DITEQ's choice.

Priority, Next Day or Two-day Service will be added to your invoice or billed collect.

Shipments requiring special handling or to a residence may incur additional charges.

Terms and Conditions

Minimum order: For all finished product orders of less than \$50, a \$10 minimum order charge will be added. (shipping and tax excluded.)

Sales tax will be charged where applicable unless a tax exemption certificate is provided.

Repairs: Carefully package all returned items for repair and send with the following information on a packing slip:

- Your company name, address and phone number
- Original Invoice (warranty only)
- List of items for repair
- Returned Goods Authorization (RGA) number obtained from Customer Service
- Explanation of repair(s) needed

Replacement/Refund: All returned catalog items are subject to a 15% restocking fee. Returned for replacement or refund items should be in original cartons and accompanied by a packing slip with the following information:

- Contact customer service for a Returned Goods Authorization (RGA). (Merchandise cannot be accepted without this authorization.)
- List of items returned and reason(s) for return(s)
- Copy of original invoice(s). Merchandise receipt must be dated no longer than 12 months from date shipped.
- Ship merchandise prepaid to:
DITEQ Corporation, 9876 Pflumm Road, Lenexa, KS 66215

We reserve the right to change and/or modify products and part numbers. Images within this catalog may not reflect the most current product line.

Prices are in U.S. dollars. Prices, color and specifications subject to change without notice.

© Copyright 2017 DITEQ Corporation. All rights reserved

LIMITED WARRANTY FOR NEW DITEQ EQUIPMENT

GENERAL PROVISIONS — The warranties described below are provided by DITEQ Corporation ("DITEQ") to the original purchasers of new DITEQ Equipment from DITEQ or authorized DITEQ dealers. Under these warranties, DITEQ will repair or replace, at its option, any covered part which is found to be defective in material or workmanship during the applicable warranty term. Warranty service must be performed by DITEQ or a dealer or service center authorized by DITEQ to sell and/or service the type of product involved, which will use only new or remanufactured parts or components furnished by DITEQ. Warranty service will be performed without charge to the purchaser for parts. The purchaser will be responsible, however for any service call and/or labor, transportation and/or freight of product to and from DITEQ, the dealer's or service center's place of business, for any premium charged for overtime labor requested by the purchaser, and for any service and/or maintenance not directly related to any defect covered under the warranties below.

WHAT IS WARRANTED — All parts of any new DITEQ Equipment are warranted for the number of months specified below. Component manufacturers offer separate warranties and warranty terms as stated below. Warranty statements required by law covering engine emission-related parts and components are found in the engine operating manual delivered with the machine. Each warranty term begins on the date of product delivery to the purchaser.

27" Propane Burnishers	24 Months	Nacecare Compact Scrubbers	12 Months
Baldor Motors	12 Months	Nacecare Rideable Scrubbers	24 Months
Batteries, Gel	12 Months	Nacecare Walk Behind Scrubbers	24 Months
Cardi Electric Chainsaw	12 Months	Nacecare Dry/Wet Vacuums	24 Months
C-TEQ Saws	24 Months	Nacecare Upright Vacuums	12 Months
Dustless™ Vacuums	36 Months	Nacecare Pressure Washers	12 Months
Dustless Industrial Vacuum Systems	12 Months	RGC Hydraulic Equipment	12 Months
Eaton Transmissions	12 Months	Scarifier Drums	3 Months
EXCO Anchorless Drilling Systems	24 Months	Shibuya Equipment (Core Drills/	24 Months
G & P II Grinder /Polishers	24 Months	Wall Saw/AutoFeed/Remote Control)	
G-TEQ Saws	24 Months	Stealth-12 Chainsaw	12 Months
Gast Vacuum Pumps	12 Months	TEQ-Burnishers (Electric)	12 Months
Honda Engines	36 Months	TG8 Floor Grinder / Polishers	24 Months
Kawasaki Engines	36 Months	TG12 Floor Grinder	24 Months
Leeson Motors	12 Months	TG18 Floor Grinders	24 Months
Little Giant Pumps	12 Months	TG30 Floor Grinder/Polisher	24 months
LX-30 Grinder / Polishers	12 Months	TEQ-Swing Machines	12 Months

WHAT IS NOT WARRANTED — DITEQ IS NOT RESPONSIBLE FOR THE FOLLOWING:

(1) Used products; (2) Any product that has been modified in ways not approved by DITEQ; (3) Depreciation or damage caused by normal wear, lack of reasonable and proper maintenance, failure to follow operating instructions, misuse, lack of proper protection during storage, transporting or accident; (4) Normal maintenance parts such as belts, bearings, filters, wheels, cutters, etc. and service.

SECURING WARRANTY SERVICE — To secure warranty service, the purchaser must (1) report the product defect to DITEQ, an authorized dealer or an authorized service center and request repair within the applicable warranty term, (2) present evidence of the warranty start date, and (3) make the product available to DITEQ, the dealer or service center within a reasonable period of time.

LIMITATIONS OF IMPLIED WARRANTIES AND OTHER REMEDIES — To the extent permitted by law, neither DITEQ nor any company affiliated with it makes any warranties, representations or promises as to the quality, performance or freedom from defect of the equipment covered by this warranty.

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, TO THE EXTENT APPLICABLE, SHALL BE LIMITED IN DURATION TO THE APPLICABLE PERIOD OF WARRANTY SET FORTH ON THIS PAGE. THE PURCHASER'S ONLY REMEDIES IN CONNECTION WITH THE BREACH OR PERFORMANCE OF ANY WARRANTY ON THE DITEQ EQUIPMENT ARE THOSE SET FORTH ON THIS PAGE. IN NO EVENT WILL THE DEALER, DITEQ OR ANY COMPANY AFFILIATED WITH DITEQ BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. (Note: Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages so the above limitations and exclusions may not apply to you.) This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. **NO DEALER WARRANTY- THE SELLING DEALER MAKES NO WARRANTY OF ITS OWN AND THE DEALER HAS NO AUTHORITY TO MAKE ANY REPRESENTATION OR PROMISE ON BEHALF OF DITEQ, OR TO MODIFY THE TERMS OR LIMITATIONS OF THIS WARRANTY IN ANY WAY.**

If further information is desired, please contact DITEQ.



TM

DITEQ

DIAMOND TOOLS AND EQUIPMENT



DITEQ CORPORATION
9876 PFLUMM ROAD • LENEXA, KS 66215
PHONE 866-688-1032 • FAX 877-220-4777 • www.DITEQ.com