

# DITEQ-Eagle 2021 Spring Cleaning



*Eagle*  
by DITEQ

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**DITEQ CORPORATION**  
GEORGIA  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266

*Eagle*  
by DITEQ



## Contractor series -21 & 27" models

The Eagle by DITEQ Contractor series burnishers are the best value on the market. They are constructed of a rugged durable cast aluminum deck. They feature the ProCarb carburetor and E-Zero emissions shutdown.

Use wet or dry.

### Contractor

#### Specifications:

Disc Size	21"	27"
Engine	18HP Kawasaki Propane	18HP Kawasaki Propane
Disc RPM	1800 rpm	1800 rpm
Production per hour	23,000 sf/hour	33,000 sf/hour
Weight	250 Lbs	350 Lbs
Part No.	300234	300236



## DITEQ CORPORATION

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**GEORGIA**  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266

## DustControl w/Built in Vacuum

The Eagle by DITEQ DustControl has an onboard 70CFM vacuum powered by a 12vDC triple stage motor with a 50Ah Lithium-Ion rechargeable battery.

They are constructed of a rugged durable cast aluminum deck. They feature the ProCarb carburetor and E-Zero emissions shutdown.

Use wet or dry.



### DustControl w/ Vacuum

#### Specifications:

Disc Size	27"
Engine	18HP Kawasaki Propane
Disc RPM	1800 rpm
Production per hour	30,000-35,000 sf/hour
Weight	350 Lbs
Part No.	700112

## DustControl (Passive)

The Eagle by DITEQ Standard DustControl models have a passive dust collection bag using the kinetic energy of the rotating disc to drive the dust particles into the bag.

They are constructed of a rugged durable cast aluminum deck. They feature the ProCarb carburetor and E-Zero emissions shutdown.

Use wet or dry.



### DustControl (Passive)

#### Specifications:

Disc Size	27"
Engine	18HP Kawasaki Propane
Disc RPM	1800 rpm
Production per hour	30,000-35,000 sf/hour
Weight	350 Lbs
Part No.	300126

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**DITEQ CORPORATION**  
GEORGIA  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266





Shown: 162747



Shown: 160825



Shown: 161552



Shown: 163349

### Wet Vacuum with Wand

Model No.:	WV370	WV570	WV900	WV1800	WV1802P	WV2900	WV5500
Capacity	4 Gallon	6 Gallon	12 Gallon	20 Gallon	20 Gal w/ Pump	29 Gallon	55 Gallon
Water Lift	100"	100"	100"	100"	90"	117"	117"
Air Flow	95 CFM	95 CFM	95 CFM	95 CFM	160 CFM	112 CFM	112 CFM
Weight	19 Lbs	34 Lbs	44 Lbs	81 Lbs	90 Lbs	80 Lbs	94 Lbs
Volt/Amp	120v / 10A	120v / 10A	120v / 10A	120v / 10A	120v / 13.3A (Vac Only) or 17.5A (Vac & Pump)	120v / 10.7A	120v / 10.7A
Noise Level	64 dB	64 dB	64 dB	64 dB	67 dB	68 dB	68 dB
Hose & Wand	1-1/2" x 8Ft	1-1/2" x 8Ft	1-1/2" x 8Ft	1-1/2" x 8Ft	1-1/2" x 8Ft	1-1/2" x 15Ft	1-1/2" x 15Ft
Part No.	162747	162975	160825	161552	162204	163347	163349



Shown: 160802



Shown: 160825

### Wet Vac w/ Mounted Squeegee Bar

Model No.:	WV900	WV1800	WV2900
Capacity	12 Gallon	20 Gallon	29 Gallon
Water Lift	100"	100"	117"
Air Flow	95 CFM	95 CFM	112 CFM
Weight	44 Lbs	81 Lbs	84 Lbs
Volt/Amp	120v / 10A	120v / 10A	120 v / 10.7 A
Noise Level	64 dB	64 dB	68 dB
Part No.	160802	160838	163347 w/163348



Shown: 162204

## DITEQ CORPORATION

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**GEORGIA**  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266



*Eagle*  
by DITEQ

## 40 Gallon Battery Vacuums

Slurry wet vacuum for heavy duty use. Picks up heavy concrete slurry with a 40 gallon recovery tank. Battery powered (standard 2x115Ah wet acid with optional 250Ah Lithium-Ion). Strong suction 3-stage vacuum motors with 140CFM flow. Easy gravity discharge with large 3" drain hose

### Wet Vac, 40Gal Battery

Specifications:	Standard	Optional Li-Ion
Tank Capacity	40 Gallon	
Air Flow	140 CFM	
Vacuum Motors	3-Stage High Lift 2x24v DC	
Battery	2x 115Ah Wet Acid	250Ah Li-Ion
Weight	400 lbs	
Part No.	701211	701211-Lith

## Nacecare Henry HEPA Cleanup vacuum

The Henry Vacuum is an icon in the industry. It weighs only 15lbs, it has HEPA filtration at 120CFM.

### Henry Dry HEPA PPR240

Vacuum	p/n
Henry Dry HEPA with Wand Kit	162245
Filter Bag (10-Pack)	162246



## Industrial Henry HEPA Dry

The industrial Henry (Tradeline series) TSP/TEL-390 Vacuum 120CFM, 100" Lift, 18Lbs, 47dB noise level, 33Ft Electrical cord. It comes with Wand kit. Uses a Bag as primary filter. Two models, both HEPA to meet OSHA requirements and one HEPA with Certificate for EPA compliance.

### TSP/TEL-390

Vacuum	p/n
TSP390 HEPA	163381
TEL390 HEPA for EPA	163300
Filter Bag (10-Pack) TSP/TEL390	162813

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**DITEQ CORPORATION**  
GEORGIA  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266

## Scrubber Accessories

Description	Fits Rider Model	Part No.	Fits Walk Behind Model	Part No.
Off aisle wand kit	All	161851	All	161851
Squeegee Set, Small (650mm)	G00132	161849	G00119	161849
Squeegee Set, Med (750mm)			G00124/125/127/128	163192
Squeegee Set, Large (850mm)	G00132/G00131	161850	G00126	161850
Pad Driver – 12"	G00132	161845		
Pad Driver – 14"	G00131	162038	G00126	162038
Pad Driver – 16"			G00120/121/122/123/146/147	162032
Pad Driver – 17"			G00119	161436
Pad Driver – 20"	G00130	162037	G00124/125/127/128	162037
Brush, Poly Scrub – 12"	G00132	161846		
Brush, Soft Shampoo – 12"	G00132	161847		
Brush, Poly Scrub – 14"	G00131	163264	G00126	163264
Brush, Soft Shampoo – 14"	G00131	163451	G00126	163451
Brush, Poly Scrub – 16"			G00120/121/122/123/146/147	162033
Brush, Soft Shampoo – 16"			G00120/121/122/123/146/147	162034
Brush, Poly Scrub – 17"			G00119	161437
Brush, Soft Shampoo – 17"			G00119	161583
Brush, Poly Scrub – 20"	G00130	162042	G00124/125/127/128	162042
Brush, Soft Shampoo – 20"	G00130	162902	G00124/125/127/128	162902



## Rideable Industrial Scrubbers

	TGB2120	TGB2128	VARIO/TTV678
Cleaning Path	20"	28"	26", 30", 34"
Pad or Brush Size	20"	2 x 15"	3 x 12"
Solution/Recovery Tank	21 gal	21 gal	32 gal
Chemical Capacity	N/A	N/A	1 gal
Chemical Mixture Rates	N/A	N/A	32:1, 64:1, 96:1, 128:1
Water Flow Rate	.25/0.5/0.8/1.0 gpm	.25/0.5/0.8/1.0 gpm	1.0/0.8/0.5/0.25 gpm
Brush Pressure	52 lbs. max	70 lbs. max	160 lbs. max
Brush Speed	150 rpm	150 rpm	125-200 rpm
Brush Motor	1 x 24V, 600W	1 x 24V, 600W	3 x 24V, 400W
Traction Motor	400W	400W	600W
Working Speed	0.3 - 3.7 mph	0.3 - 3.7 mph	0.3 - 4.3 mph
Maximum Gradient	6°	6°	6°
Vacuum Motor Power	24V, 400W	24V, 400W	24V, 400W
Noise Level	65 dB(A)	65 dB(A)	69 dB(A)
Working Capacity (sq. ft./hr.)	30,000	43,300	26" – 40,200 30" – 46,000 34" – 52,500
Run Time	2.5 hrs	3.5 hrs	4 hrs
Batteries (gel)	2 x 12V, 100 Ah	2 x 12V, 140 Ah	6 x 12V, 100 Ah
Weight	441 lbs	484 lbs	1,100 lbs
Dimensions (LxWxH)	57" x 22" x 47"	57" x 30" x 47"	66" x 26" x 56"
Part No.	G00130	G00131	G00132

All models include pad drivers

## Common Features and Benefits:

- NU assist internet based manuals and troubleshooting
- Easy to identify RED operator only parts
- Easy access gel batteries for longer runtimes and longer battery life and safer than chemical batteries
- Easy to access wiring blocks for easier servicing and repairs
- Breakaway squeegee for safety
- Optional off-aisle wand kits available
- Improved long life green squeegee blades
- Easy on/off brush loading system
- Ergonomically optimized for maximum operator comfort and control
- Easy access in/out of driving position
- Upgraded plumbing connectors with increased flow
- Low noise – 69 dB(A) or under

## Key Features of Gel Batteries

- Both economically and environmentally safer to use
- Completely spillproof with no emergency spill kit or safety goggles required.
- Acid will not leak if battery is damaged since the internal liquid is a thixotropic paste (solid gel) when charging
- Considered nonhazardous materials to transport and are completely explosion-proof
- Guaranteed longer life than wet batteries and easier to dispose of
- Maintenance-free with no terminal corrosion ever

## DITEQ CORPORATION

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**GEORGIA**  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266



## Walk-Behind Industrial Scrubbers

	TGB817	TGB1620	TGB1620T	TGB1120	TT1120	TGB2228T
<b>Cleaning Path</b>	17"	20"	20"	20"	20"	28"
<b>Pad or Brush Size</b>	17"	20"	20"	20"	20"	2 x 14"
<b>Solution/Recovery Tank (gal)</b>	8	16	16	11	11	22.5
<b>Water Flow Rate (gpm)</b>	0-0.53	.25-1	.25-1	0-0.5	0-0.5	.3-1
<b>Brush Pressure</b>	64 lbs	90 lbs	90 lbs	75 lbs	105 lbs	110 lbs
<b>Brush Speed (rpm)</b>	150	150	150	150	180	150
<b>Brush Motor</b>	24V, 400W	24V, 400W	24V, 400W	24V, 400W	1000W	24V, 600W
<b>Vacuum Motor</b>	400W	24V, 400W	24V, 400W	24V, 400W	1200W	24V, 600W
<b>Traction Motor</b>			24V, 250W			600W
<b>Noise Level</b>	67 dB(A)	65 dB(A)	65 dB(A)	67 dB(A)	67 dB(A)	68 dB(A)
<b>Working Cap (ft<sup>2</sup>/hr.)</b>	18,700	22,000	22,000	22,000	22,000	31,000
<b>Working Speed</b>						.3-4.3 mph
<b>Climbing incline</b>			11°			11°
<b>Run Time (hours)</b>	2-2.5 hr.	3-3.5	3-3.5	3-3.5		3.5
<b>Batteries (gel)</b>	2 x 12V 80Ah	2 x 100 Ah	2 x 100 Ah	2 x 100 Ah		4 x 100 Ah
<b>Electric Cord</b>					65 ft.	
<b>Weight</b>	277 lbs	393 lbs	424 lbs	277 lbs	150 lbs	580 lb
<b>Dimensions (LxWxH)</b>	44"x22"x43"	57"x22"x43"	57"x22"x43"	44"x22"x43"	44"x22"x43"	56"x24"x45"
<b>Part No.</b>	G00119	G00124	G00125	G00128	G00127	G00126

All models include pad driver

## Compact Scrubbers

	TG516 Corded	TGB516NX Battery
<b>Cleaning Path</b>	16"	16"
<b>Pad Size</b>	16"	16"
<b>Brush Size</b>	16"	16"
<b>Solution/Recovery Tank (gal)</b>	5	5
<b>Solution Flow Rate (gpm)</b>	0.9	0.9
<b>Brush Pressure</b>	55 lbs	55 lbs
<b>Brush Speed (rpm)</b>	150	200
<b>Brush Motor</b>	400W/.5 hp	400W/.5 hp
<b>Vacuum Motor Power</b>	400W/.5 hp	300W/.5 hp
<b>Noise Level</b>	67 dB(A)	65 dB(A)
<b>Working Capacity</b>	16,600 sf/hr	17,600 sf/hr
<b>Power</b>	115V electric	36V
<b>Weight</b>	85 lbs	75 lbs*
<b>Dimensions (LxWxH)</b>	33"x18"x44"	33"x18"x44"
<b>Part No. w/poly scrub brush</b>	G00123	G00146
<b>Part No. w/pad driver</b>	G00122	G00147

\*including battery



## Compact Scrubber Opt. Accessories

Extra Battery for TGB516NX/Charger-NX 163493/163494

### Common Features and Benefits:

- NU assist internet based manuals and troubleshooting
- Easy to identify RED operator only parts
- Easy access gel batteries for longer run times and longer battery life and safer than chemical batteries (except plug-in electric models)
- Breakaway squeegee for safety
- Improved long life green squeegee blades
- Optional off-aisle wand kits available
- Easy on/off brush loading system
- Upgraded plumbing connectors with increased flow
- Easy to access wiring blocks for easier servicing and repairs
- Low noise – 69 dB(A) and under

## DITEQ CORPORATION

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**GEORGIA**  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266



# Swing Machines

## Swing Machine - Standard Duty 175's

Model No.:	Eagle 17"	Eagle 20"
Pad Size	17"	20"
Disc RPM	175 rpm	175 rpm
Weight	94 lbs	97 Lbs
Motor	1-1/2HP AC	1-1/2HP AC
Volt/Amp	120v / 5.9A	120v / 6.5A
Noise Level	60 dB	60 dB
Part No.	G00103	G00111



## Optional Equipment Standard Duty

Model No.:	Eagle 17"	Eagle 20"
Water Tank Kit	162247	162247
Splash Guard Shroud	163352	163402
Dry Vac Shroud	163396	163398
Brush (Poly Bristle)	162223	163368
Brush (Soft Shampoo)	162271	
Plate - Pad Driver	162270	163369
Plate - Pad Driver Econ	162710	



*Eagle*  
by DITEQ

## Pro Swing Machine - Heavy Duty

Model No.:	DITEQ Pro 17"	DITEQ Pro 20"
Pad Size	17"	20"
Disc RPM	165 rpm	165 rpm
Weight	123 lbs	125 Lbs
Motor	1-1/2HP TEFC	1-1/2HP TEFC
Volt/Amp	120v / 7.9A	120v / 8.4A
Noise Level	66 dB	66 dB
Part No.	G00140	G00145



## Optional Equipment Pro Heavy Duty

Model No.:	DITEQ Pro 17"	DITEQ Pro 20"
Water Tank Kit	162247	162247
Splash Guard Shroud	163352	163402
Dry Vac Shroud	163397	163399
Brush (Poly Bristle)	162223	163368
Brush (Soft Shampoo)	162271	
Weight Kit (50 Lbs)	163346	163346
Plate - Pad Driver	162270	163369
Plate - Pad Driver Econ	162710	
Plate - Diamond Tooling	163350	163370
Plate - Orbitec	163351	163400
Plate - Carbide Stripping, (Includes set of 160309 Carbides)	162870	163401



## DITEQ CORPORATION

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**GEORGIA**  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266





### Electric 20" Burnisher

Model No.:	Eagle 20 - 1500rpm	Eagle 20 - 2000rpm
Pad Size	20"	20"
Disc RPM	1500 rpm	2000 rpm
Weight	90 lbs	90 lbs
Motor	1-1/2HP DC Rectified 66-Frame	1-1/2HP DC Rectified 66-Frame
Volt/Amp	120v / 13.8A	120v / 16.4A
Power Cord	50FT 14-3 STO w/ Molded Plug	50FT 14-3 STO w/ Molded Plug
Noise Level	69 dB	69 dB
Part No.	G00039	G00113

*Eagle*  
by DITEQ



### Electric 20" Pro Burnisher

Model No.:	DITEQ Pro 20
Pad Size	20"
Disc RPM	1250 rpm
Weight	90 lbs
Motor	1-1/2HP AC
Volt/Amp	120v / 14.5A
Noise Level	58 dB
Part No.	G00141



## DITEQ CORPORATION

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**GEORGIA**  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266

## Superheated Steamer



### Steamer

**JS1600C** 162216

Professional superheated steamer cleans at 338degF/115PSI. Superheated steam over 300degF is much drier (surfaces dry quickly to minimize mold) and kills germs on surfaces. Unit is only 12lbs.



## Floor Cleaners

The cleaners are a low foaming concentrate for use in autoscrubbers and mop & bucket. pH balanced for use on polished concrete floors. Dilute with water.



### 1 Gallon Concentrate Cleaner

**Daily Cleaner** 161233

**Daily Cleaner with Lithium Densifier** 163449

**Heavy Duty Degreaser** 161235

*Packaged 4/case*



## Burnisher Pads

DITEQ offers many different types of Pads for Burnishers/Buffers in addition to these common Pads.

### Floor Pads (non-Diamond)

#### Floor Pads (Box of 5),

FL Pad	12"	13"	14"	15"	16"	17"	20"	21"	24"	27"
<b>White (Soft)</b>	A70030B.	A70022B.	A70050B	A70027B	A70032B	A70004B	A70014B	A70016B	A70020B	A70018B
<b>Black (Abr)</b>	A70029B	A70021B	A70048B	A70026B	A70031B	A70003B	A70013B	A70015B/51B	A70019B	300209B
<b>Hogs Hair</b>	A70040B	A70041B		A70042B		A70043B	A70044B	A70045B	A70046B	A70047B
<b>Blue</b>								300189B	300190B	300191B
<b>Red</b>	A70034B	A70024B	A70049B	A70028B	A70033B	A70039B	A70025B	A70036B		A70037B
<b>Green</b>		A70023B		A70035B				A70038B		



## DITEQ CORPORATION

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**GEORGIA**  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266

## Propane Tanks

The Steel Tank is an industry standard and usually comes with the Yellow Line machines. Optional lighter weight aluminum tank (15Lbs lighter) is available



### Propane Tanks

Part No.	Description.
1705	Steel Tank
680053	Aluminum Tank

## Replacement Propane Engines

Eagle by DITEQ propane systems use a patented ProCarb™ technology, carefully tuned to maximize engine torque and produce minimum carbon emissions. DITEQ tunes its ProCarb™ system and catalytic converter at the engine revolutions per minute that delivers maximum engine torque while ensuring the lowest levels of balanced carbon monoxide, hydro-carbons, and nitrous oxide emissions. This approach results in the quietest, most fuel efficient, and lowest emissions propane system available in the market.



### EPA Certified Replacement Propane Engines

Part No.	Description.
300290	ENGINE 603cc COMPLETE ENGINE REPLACEMENT

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**DITEQ CORPORATION**  
GEORGIA  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266



# Floor Stripper- The TRACKER 3000

Eagle Tracker 3000 offers a highly versatile low profile stripping, burnishing and polishing solution. The Tracker's 4" low profile and robust gearbox drive the two 16" heads for optimum performance on any floor surface and under any obstacle.

*Eagle*  
by DITEQ



**Features:**

- Tracker gear-driven 16" brushes
- ProCarb™ carburetor & E-Zero™ emissions shutdown
- Engine kill switch
- Exceeds EPA & CARB standards
- Steel tank
- Kawasaki FS481V Engine
- 2-Year Warranty

**Technical Specs:**

- Production: 20,000 ft<sup>2</sup> / 1,900 m<sup>2</sup>
- Head Pressure: 350 pounds / 158 kg
- Total Weight: 450 pounds / 200 kg
- Engine Speed: 3,600 rpm maximum
- Pad Speed: 320 RPM
- Pad Size: 16 inches / 0.76 m
- Optional solution tank attachment available



## Floor Stripper- Tracker 3000

**Specifications:**

<b>Disc Size</b>	16" x2 Brushes
<b>Engine</b>	18HP Kawasaki Propane
<b>Brush RPM</b>	320 rpm
<b>Production per hour</b>	20,000 sf/hour
<b>Weight</b>	450 Lbs
<b>Part No.</b>	300124
<b>Optional Water Tank</b>	300217



## DITEQ CORPORATION

**KANSAS**  
9876 Pflumm Road,  
Lenexa, KS 66215  
866-688-1032

**GEORGIA**  
6450 Joe Frank Harris Pkwy,  
Adairsville, GA 30103  
800-633-0519

**CALIFORNIA**  
900 S. Ajax Ave,  
City of Industry, CA 91748  
626-363-6266