

www.TrimeUSA.com

Largest Light Tower Range Offered In The World



Light Towers, Fuel Tanks, Wash Bays, Dust Suppression Systems & More!





Trime - Italy

Trime - USA

The Trime Group is a global manufacturer of high quality, industry leading construction equipment products that are designed from the user's perspective. The origins of our company stem back over 50 years. Our ownership is private. We operate out of many different factories located in Northern Italy. Trime is a vertical integrated company including design, metalwork, powder coating, mechanical and electrical assembly and final testing, everything is done internally.

The engineering team is responsible for developing a wide range of innovative, compact and versatile products by applying the latest technologies in the field of energy saving, reduction of exhaust gas and CO2 emissions. We are a proven leader in Clean Energy Products. We use solar ourselves reducing Co2 emissions at our factories.

Our products are geared to be used in all markets including rental, construction sites, entertainment, road work, special events, oil, gas, mining, civil protection, and military use.

Today our product range includes:

- Light Towers (Diesel, Solar, Hybrid, Battery and Electric)
- Fuel Tanks
- Security Towers
- Water Recycling Wash Bays
- Dust Suppression Systems
- Hydraulic Tools
- Pumps
- Manhole Cover Lifters
- Generators (Diesel, Hybrid, Solar)

We are constantly innovating and bringing new products to market daily. We also look at strategic acquisitions of manufacturing firms that enhance and complement our current product line up. Our global distribution network includes company owned offices in North America, Great Britain, The Netherlands, Australia and our corporate headquarters in Italy. Trime has grown to manage a strategic distribution network of sales and service all over the world.



LIGHT TOWERS - Diesel Powered



X-SMART (EL1250H)

With thousands sold in the U.S., the EL1250H is our most popular light tower

- Full run time 288 hrs that's almost a full month of darkness on one tank of fuel! Refuel once a month verses five times a month with metal halide towers. Save on fuel and labor refueling costs!
- \bullet 4 high efficiency, no maintenance LED lamps have a 5 year warranty and are easily tilted & rotated by hand
- 44,328 sq ft of illuminated area
- 1000 hour engine service interval
- Galvanized, hydraulically operated vertical mast fully raises in 10 sec. with the push of a button
- Set the timer and go! No need to send labor to start every night 16
 event 7 day digital timer and automatic dusk to dawn operation
- Built for a long life! Rugged 10 gauge steel enclosure and fenders are galvanized and powder coated inside and out

Mast, Dimensions & Weight		
Mast Height	26'	
Unit Dimensions - Stowed	63" x 56" x 95"	
Operating Dimensions	98" x 100" x 315"	
Dry Weight	2200	
Operating Weight	2522	

X-RENT

- 6 x 320W high efficiency LED floodlights are multi-directional adjustable and tiltable
- 58,125 sq ft of illuminated area
- 16 event 7 day digital timer and automatic dusk to dawn operation



Kubota engine

30 gal. fuel capacity

71 hrs run time

Mast, Dimensions & Weight		
Mast Height	28'	
Unit Dimensions - Stowed	101" x 54" x 98"	
Operating Dimensions	101" x 100" x 335"	
Dry Weight	2425	
Operating Weight	2635	

X-LIGHT

- 4 x 320W high efficiency LED floodlights are multi-directional adjustable and tiltable
- 51,667 sq ft of illuminated area
- 16 event 7 day digital timer and automatic dusk to dawn operation

310 hrs run time

Kubota

engine

52 gal. fuel

capacity

Mast, Dimensions & Weight		
Mast Height	28'	
Unit Dimensions - Stowed	43" x 47" x 101"	
Operating Dimensions	91" x 87" x 335"	
Dry Weight	2004 lbs	
Operating Weight	2368 lbs	



LIGHT TOWERS - Battery Powered

X·BATTERY


- 4 x 100W high efficiency LED floodlights are multi-directional adjustable and tiltable
- 21,528 sq ft of illuminated area
- 8 event 7 day digital timer and automatic dusk to dawn operation



36 hrs run time







- 25,833 sq ft of illuminated area
- 8 event 7 day digital timer and automatic dusk to dawn operation

Mast, Dimensions & Weight		
Mast Height 28'		
Unit Dimensions - Stowed	100" x 55" x 95"	
Operating Dimensions	100" x 61" x 335"	
Operating Weight 2738 lbs		

72 hrs



run time



LIGHT TOWERS - Plug-In

X-BRIGHT

- 4 x 320W high efficiency LED floodlights are multi-directional adjustable and tiltable
- 48,000 sq ft of illuminated area

Mast, Dimensions & Weight			
Mast Height 16'			
Unit Dimensions - Stowed 44" x 31" x 78			
Operating Dimensions 80" x 55" x 192			
Operating Weight 580			



Rolls through standard 80" doorway

Use inside or out with any electrical source

T-ZEROPRO POWER & INNOVATION

X-CHAIN

- 4 x 160W high efficiency LED floodlights are multi-directional adjustable and tiltable
- 27,986 sq ft of illuminated area

Mast, Dimensions & Weight		
16'		
44" x 31" x 78"		
80" x 55" x 192"		
580		



XCHAIN ATEX

- 4 x 88W high efficiency LED explosion proof floodlights are multi-directional adjustable and tiltable
- 25,833 sq ft of illuminated area

Mast, Dimensions & Weight		
Mast Height	23'	
Unit Dimensions - Stowed	47" x 34" x 83"	
Operating Dimensions	73" x 57" x 276"	
Operating Weight	728	



ATEX Explosion proof LED lights

Inlet plug 16A - 230V



LIGHT TOWERS - Hybrid

XSMART HYBRID LITHIUM





731 hrs run time

69 gal. fuel capacity

Carbon Footprint - 97% Less Annual Fuel Cost - 81% Less **Total Operating Cost - 83% Less** Compared to a Metal Halide

- 6 x 100W high efficiency LED floodlights are multi-directional, adjustable and tiltable
- 32,291 sq ft of illuminated area
- 16 event 7 day digital timer and automatic dusk to dawn operation

Mast, Dimensions & Weight		
Mast Height 26'		
Unit Dimensions - Stowed	92" x 57" x 98"	
Operating Dimensions	92" x 107" x 315"	
Operating Weight	2998 lbs	

LIGHT TOWERS - Solar

XPOLE SOLAR

- 130W high efficiency LED solar panel
- 4,603 sq ft of illuminated area
- PIR motion sensor standard. Dims when no one is around to improve power efficiency

Mast, Dimensions & Weight			
Mast Height 18'			
Unit Dimensions - Stowed	59" x 24" x 93"		
Operating Dimensions 59" x 24" x			
Operating Weight	882 lbs		



THREE PANEL

- 4 x 90W high efficiency LED floodlights are multi-directional adjustable and tiltable
- 30,000 sq ft of illuminated area
- Up to 360 days solar self sufficient based on area of use and sunlight available

Mast, Dimensions & Weight		
Mast Height 25'		
Unit Dimensions - Stowed	134" x 75" x 100"	
Operating Dimensions	151" x 105" x 295"	
Operating Weight	2756 lbs	



X:PRO SOLAR

FOUR PANEL

- 4 x 90W high efficiency LED floodlights are multi-directional adjustable and tiltable
- 30,000 sq ft of illuminated area
- Up to 360 days solar self sufficient based on area of use and sunlight available

Mast, Dimensions & Weight		
Mast Height 26'		
Unit Dimensions - Stowed	134" x 75" x 100"	
Operating Dimensions	151" x 105" x 295"	
Operating Weight	2998 lbs	



24V 660AH **Battery** Pack



SECURITY TOWERS

TRIME SECURITY TOWER is a TRIME brand with a specific focus on the whole world of security. Thanks to our wide range and our solutions, every surveillance requirement can be solved individually. in this way we are able to supply the customer with specific products according to his requests.

Our security technology enables the control of large areas, both internal and external, such as construction sites, commercial areas, road construction, event sites, car parks, storage areas, critical infrastructures ... and many others.

Our solutions are easy to install, require very little installation time, can be both fixed and mobile and we can provide any type of technology solution, from full battery to solar, plug in and engine versions.

WE CREATE THE HARDWARE ACCORDING TO YOUR REQUESTS AND YOUR NEEDS, NOW JUST APPLY THE SECURITY SYSTEM!



FUEL STORAGE







- Can be transported full of diesel
- Stack 2 tanks full of fuel for improved storage
- Lockable lid to protect contents
- Fork pockets & lifting eyes for easy maneuverability

- Galvanized steel and powder coated inside and out
- Can feed 2 machines at the same time
- 12 volt transfer pump with filter, hose and meter standard
- Double-walled, 110% containment

MODEL	G-1000	G-2000
Dry Weight (lbs)	1,291	1,967
Length (in)	57	100
Width (in)	45	45
Height (in)	50	50
Capacity (gal)	250	500
Fuel Containment	110%	110%

G-3000 & G-4000 Tanks Coming Soon!

WASH BAY SYSTEMS



The X-Splash Wash Bay is a self-contained, transportable and environmentally friendly cleaning system. With six models to choose from and interchangeable floors and walls, the X-Splash is ideal for jobsites, rental houses, industrial applications and more.

MODEL	X-1	X-2	X-3	
DIMENSIONS - L x W	60" x 191"	118" x 191"	141" x 227"	
WALLS STANDARD HEIGHT	87"	87"	87"	
TOTAL DRY WEIGHT OF WASH BAY	1,896 lbs	2,844 lbs	3,792 lbs	
MAXIMUM LOAD CAPACITY	11,023 lbs	11,023 lbs	11,023 lbs	
OPTIONAL MAXIMUM LOAD CAPACITY	22,046 lbs / 44,092 lbs	22,046 lbs / 44,092 lbs	22,046 lbs / 44,092 lbs	
FILTERING SYSTEM	X-10	X-10	X-10	
FILTERATION TANK DIMENSIONS	111" x 30" x 40"	111" x 30" x 40"	111" x 30" x 40"	
WATER GALLON CAPACITY	264	264	264	
DELIVERY PUMP	54 kW, 5 gallons/min	54 kW, 5 gallons/min	54 kW, 5 gallons/min	
BOOSTER PUMP	37 kW, 1.3 to 11 gallons/min	37 kW, 1.3 to 11 gallons/min 37 kW, 1.3 to 11 gallor		
OPTIONAL FILTERING SYSTEM	X-15, X30, X-60	X-15, X30, X-60	X-15, X30, X-60	

MODEL	X-4	X-6	X-8	
DIMENSIONS - L x W	141" x 285"	283" x 226.4"	283" x 285"	
WALLS STANDARD HEIGHT	87"	87"	87"	
TOTAL DRY WEIGHT OF WASH BAY	4,939 lbs	7,496 lbs	9,635 lbs	
MAXIMUM LOAD CAPACITY	11,023 lbs	11,023 lbs	11,023 lbs	
OPTIONAL MAXIMUM LOAD CAPACITY	22,046 lbs / 44,092 lbs	22,046 lbs / 44,092 lbs	22,046 lbs / 44,092 lbs	
FILTERING SYSTEM	X-10	X-30	X-30	
FILTERATION TANK DIMENSIONS	111" x 30" x 40"	144"x40"x85"	144"x40"x85"	
WATER GALLON CAPACITY	264	793	793	
DELIVERY PUMP	54 kW, 5 gallons/min	59 kW, 48 gallons/min	59 kW, 48 gallons/min	
BOOSTER PUMP	37 kW, 1.3 to 11 gallons/min	37 kW, 1.3 to 11 gallons/min 37 kW, 1.3 to 11 gallo		
OPTIONAL FILTERING SYSTEM	TEM X-15, X30, X-60 X-15, X-60 X-15, X-6		X-15, X-60	

DUST SUPRESSION

TEKNOSPRAY





TeknoSpray, part of the Trime Group, has developed a wide range of innovative, versatile and compact dust suppression systems. Fully automatic with R.O.T. system standard - Remote control, automatic Oscillation 0-340° and electric Tilting system. Used in mines, quarries, demolition, recycling and odor removal.

Model	Configuration	Water Pump Distance	Electric Fan Motor	Suggested Generator 50Hz	Dry Weight	Dimensions LxWxH
TKS-NEBU	handles/wheels	23'	.6 kW	6 kVA	265 lbs	32"x21"x55"
TKS-15	handles/wheels	40'-50'	2.2 kW	6 kVA	214 lbs	43"x37"x35"
TKS-40	tow trailer	100'-130'	7.5 kW	15 kVA	1,764 lbs	82"x73"x88"
TKS-40 SKID	skid mounted	100'-130'	7.5 kW	15 kVA	1,653 lbs	62"x53"x82"
TKS-40 HD	skid mounted	100'-130'	5 kW	12 kVA	1,653 lbs	62"x53"x82"
TKS-40 MONSTER	skid mounted	100'-130'	7.5 kW	9 kVA	5,567 lbs	189"x72"x103"
TKS-50	tow trailer	130'-160'	15 kW	20 kVA	1,852 lbs	82" x73"x88"
TKS-50 SKID	skid mounted	130'-160'	15 kW	20 kVA	1,742 lbs	68"x53"x82"
TKS-60	tow trailer	160'-190'	22 kW	30 kVA	2,028 lbs	82"x73"x88"
TKS-60 SKID	skid mounted	160'-190'	22 kW	30 kVA	1,918 lbs	68"x53"x82"
TKS-80 SKID	skid base	230'-260'	50 kW	100 kVA	3,218 lbs	88"x59"x94"
TKS-120 SKID	skid base	360'-400'	108 kW	250 kVA	6,592 lbs	98"x86"x97"
TKS-160 SKID	skid base	490'-525'	150 kW	N/A	7,430 lbs	110"x102"x97"
TKS-15 TANK	skid base/ tank	40'-50'	2.2 kW	6 kVA	tbd	tbd
TKS-15 POWER TANK	base w/6kVA gen, tank	50'	2.2 kW	N/A	tbd	tbd
TKS-15 TRAILER POWER TANK	tow trailer w/6kVA gen, tank	50'	2.2 kW	N/A	1,863 lbs	124"x53"x102"
TKS-40 TRAILER POWR TANK	tow trailer w/20kVA gen, tank	130'	2.2 kW	N/A	5,567 lbs	174"x89"x97"

COVER LIFTERS

ITALIFTERS

ITALIFTERS was developed for the safe lifting and opening of manholes, through magnetic and mechanical systems all connectable to each other providing the operator with as many solutions as possible for the opening of manholes.

ITALIFTERS stands out for its continuous development, the search for new materials and systems to meet numerous needs for safety, power and reliability in seemingly trivial operations such as the opening of manholes.

Pictured are just some of the many tools produced by ITALIFTERS.



HYDRAULIC TOOLS



DOA Hydraulic Tools offer solutions for oil, gas, water and sewer applications. Nothing matches the performance of hydraulic tools to cut through rock & concrete or pump a flooded culvert.

These tools derive their energy from compressed oil, with zero tool exhaust. They pack a big punch in a little package. You get an environmentally friendly, long lasting tool with the power for professional size jobs. Our selection of tools include pumps, hydraulic generators and compressors, grinders and disc saws, tools for maintenance underground pipes and power units.

Pictured are just some of the many hydraulics tools manufactured by DOA.

TRIME INFORMATION



Request Quote

(877) 978-7463 or sales@trimeusa.com

Accounting

(877) 978-7463 or accounting@trimeusa.com

www.TrimeUSA.com

Find warranty information, credit application and individual spec sheets to download under **Resources** on our website

Trime Italy www.Trime.it

Trime UK www.TrimeUK.com Trime North www.Trime-North.nl **Trime Asia**www.TrimeAsiaPacific.com













Trime US, Inc. 3 Killdeer Court Swedesboro, NJ 08085 877-97TRIME (877) 978-7463 sales@trimeusa.com

www.TrimeUSA.com